

ECGFE08



**FLEXIBLE SPIRAL CONDUIT 23114 Ø08
mm - 30 m - GREY**



Conduits and fittings > Spiral conduits > Flexible spiral conduits
> Series gfe - class 23114 - 320 n > Spiral flexible conduits

Technical Symbols/Marks/Approvals



Norms

EN 61386-1 EN 61386-23 UL 1696

Etim

GROUP EG000003 - Protective hose systems

CLASS EC001177 - Protective plastic hose

Material	Polyvinyl chloride (PVC)	Halogen free	No	Colour	Grey
UV resistant	Yes	Working temperature	5-60 °C	Nominal diameter	8 mm
Inner diameter	8 mm	Outer diameter	12.1 mm	Compressive strength	320 N
Bending radius, static	80 mm	Tensile strength	100 N	Approved according to DIN EN 61386-23	Yes
Approved according to UR	No	Approved according to CSA	No	Material filament	Helix of rigid plastic
Plain interior	Yes	Plain exterior	No	Flexibility	Flexible
Approved according to N	No				

Technical Characteristics

Lunghezza Bobina 30 m

Barcode



8050880888436

Cardboard

30 MT

0.28x0.28x0.13 [m]

2.001 [kg]



8057711593750

Pallet

9600 MT

640.32 [kg]