

**ECTC1520**

**PLIABLE PVC CONDUIT 33212 Ø20 mm  
- 100 m**



IMMAGINE RAPPRESENTATIVA **EC** REPRESENTATIVE IMAGE

Conduits and fittings > Conduits > Corrugated conduits > Series tc15 - pvc - class 33212 - 750 n > plastic conduits > Black

**Technical Symbols/Marks/Approvals**



**Norms**

EN 61386-1 EN 61386-22

**Etim**

**GROUP EG000002 - Pipes/hoses for cable installation**

**CLASS EC001174 - Plastic installation tube**

|   |                            |  |                            |  |         |
|---|----------------------------|--|----------------------------|--|---------|
| <b>Flush-mounted installation</b>                         | Yes                        | <b>Material</b>                                      | Polyvinyl chloride (PVC)   | <b>Halogen free</b>                      | No      |
| <b>Colour</b>   | Black                      | <b>RAL-number</b>                                    | 9005                       | <b>UV resistant</b>                      | No      |
| <b>Suitable for underground installation</b>              | No                         | <b>Operating temperature</b>                         | -5-60 °C                   | <b>Bending strength</b>                  | Pliable |
| <b>Compressive strength class according to EN 61386-1</b> | Medium (class 3 / 2 Joule) | <b>Impact strength class according to EN 61386-1</b> | Medium (class 3 / 2 Joule) | <b>With sleeve</b>                       | No      |
| <b>Fire retardant version</b>                             | Yes                        | <b>Surface mounting</b>                              | No                         | <b>Suitable for installation on wood</b> | No      |
| <b>Suitable for hollow wall installation</b>              | No                         | <b>Suitable for concrete installation</b>            | No                         | <b>Machine and systems installation</b>  | No      |
| <b>Suitable for underfloor installation (screed)</b>      | No                         | <b>Suitable for outdoor installation</b>             | No                         | <b>Inner diameter</b>                    | 13.6 mm |
| <b>Outer diameter</b>                                     | 20 mm                      | <b>High conducting inner coating</b>                 | No                         | <b>With metre indication</b>             | No      |

**Documentation available for download**

**Certification**  
IMQ\_EM685\_2023-01-20 TC15 AN.pdf

**Certification**  
Tubo corrugato IMQ\_EN836\_2023 AV.pdf

## Barcode



8054320282167

### Cardboard

100 MT

0.58x0.58x0.18 [m]

5.8 [kg]



8056351663052

### Pallet

5200 MT

0.8x1.2x2.5 [m]

301.6 [kg]