

EC37065

FLUSH MOUNTING ROUND BOX DIM. 60X40

Enclosures > Recessed > Boxes for wiring devices > Series 37 - masonry recessed boxes > Flush mount junction boxes for wiring devices > Round boxes - orange

Technical Symbols/Marks/Approvals

HF | GWT 650° | CE | RoHS II | MADE IN ITALY

Norms

EN 60670-1 EN 60670-22

Description

Flush-mounting junction or device box for masonry walls. Made of shock-resistant, halogen-free technopolymer in orange. Resistance to abnormal heat: 650°C (Glow Wire Test - GWT). For the installation of domestic wiring devices. Lateral knockouts for easy installation and conduit entry. Manufactured in compliance with EN 60670-1:2021 +A11:2021 standards. Installation temperatures: minimum –15°C, maximum +60°C.
Diameter 60x40 mm

Information, dimensions, diagrams and images are provided for informational purposes only and are current as of the date indicated. These elements may be subject to change at any time.

Etim

GROUP EG000048 - Connection material (electrotechnical)

CLASS EC002601 - Box/housing for built-in mounting in the wall/ceiling

Max. conductor cross section	0	**Mounting method**	Flush-mounted	**Degree of protection (IP)**	IP00
Material	Plastic	**Halogen free**	Yes	**Surface protection**	Untreated
Colour	Orange	**Width**	0 mm	**Model**	Other
Diameter	60 mm	**Cover model**	None	**Inner depth**	40 mm
Circuit integrity	None	**Equipped with**	None	**Shape**	Round
Number of inlets	3	**Inlet from the rear**	Yes	**Compliant with BS 4662**	No
Couplable	No	**Transparent cover**	No	**Pipe locking**	No
Construction type	Built-in installation box (device box)	**Airtight**	No	**For tube diameter**	20/25 mm
Cover attachment	Other	**Sealable**	No	**With screening**	No
Provided with revolving ring	No	**Depth**	0 ÷ 40 mm	**For number of device inserts**	2
Mounting switching equipment	Screwing	**With screws**	No	**Housing feed-through by break-out opening**	Yes
Housing feed-through by seal membrane	No	**Housing feed-through by nozzle**	No	**Housing feed-through by step membrane**	No
Pipe locking optional	No	**Number of included spouts**	0	**Number of poles of the clamp**	0
Clamp position fixed	No	**Luminaire hook mounting**	No	**Nozzle**	None
Special application	None	**With partition panel**	No		

Barcode

8054320283850

Pack

10 NR

0.06x0.06x0.42 [m]

0.158 [kg]

8057711599615

Cardboard

600 NR

0.39x0.565x0.61 [m]

9.48 [kg]

Information, dimensions, diagrams and images are provided for informational purposes only and are current as of the date indicated. These elements may be subject to change at any time.