

EC37065

FLUSH MOUNTING ROUND BOX DIM. 60X40



Enclosures > Recessed > Boxes for wiring devices > Series 37
- masonry recessed boxes > Flush mount junction boxes for
wiring devices > Round boxes - orange

Technical Symbols/Marks/Approvals



Norms

EN 60670-1 EN 60670-22

Description

Flush-mounting junction or device box for masonry walls. Made of shock-resistant, halogen-free technopolymer in orange. Resistance to abnormal heat: 650°C (Glow Wire Test - GWT). For the installation of domestic wiring devices. Lateral knockouts for easy installation and conduit entry. Manufactured in compliance with EN 60670-1:2021 +A11:2021 standards. Installation temperatures: minimum -15°C, maximum +60°C.
Diameter 60x40 mm

Etim

GROUP EG000048 - Connection material (electrotechnical)

CLASS EC002601 - Box/housing for built-in mounting in the wall/ceiling

Max. conductor cross section	0	Mounting method	Flush-mounted	Degree of protection (IP)	IP00
Material	Plastic	Halogen free	Yes	Surface protection	Untreated
Colour	Orange	Width	0 mm	Model	Other
Diameter	60 mm	Cover model	None	Inner depth	40 mm
Circuit integrity	None	Equipped with	None	Shape	Round
Number of inlets	3	Inlet from the rear	Yes	Compliant with BS 4662	No
Couplable	No	Transparent cover	No	Pipe locking	No
Construction type	Built-in installation box (device box)	Airtight	No	For tube diameter	20/25 mm
Cover attachment	Other	Sealable	No	With screening	No
Provided with revolving ring	No	Depth	0-40 mm	For number of device inserts	2
Mounting switching equipment	Screwing	With screws	No	Housing feed-through by break-out opening	Yes
Housing feed-through by seal membrane	No	Housing feed-through by nozzle	No	Housing feed-through by step membrane	No
Pipe locking optional	No	Number of included spouts	0	Number of poles of the clamp	0
Clamp position fixed	No	Luminaire hook mounting	No	Nozzle	None
Special application	None	With partition panel	No		

Barcode



8054320283850

Pack

10 NR

0.06x0.06x0.42 [m]

0.158 [kg]



8057711599615

Cardboard

600 NR

0.39x0.565x0.61 [m]

9.48 [kg]