



## EC411C2

### CABLE JUNCTION BOX 65X65X30 - 7 ENTRIES 8-14 mm



Enclosures > Wall-mount > Wall-mount junction boxes > Series  
411 - polyethylene > Wall mount junction boxes

#### Technical Symbols/Marks/Approvals

IP55	GWT 650°	IK08	HF	CE	RoHS II	MADE IN ITALY
------	-------------	------	----	----	---------	---------------------

#### Norms

EN 60670-1 EN 60670-22

## Etim

**GROUP EG000048 - Connection material (electrotechnical)**

**CLASS EC002600 - Box/housing for surface mounting on the wall/ceiling**

<b>Max. conductor cross section</b>	14 mm	<b>Rated insulation voltage Ui</b>	400 V	<b>Mounting method</b>	Wall-/ceiling mounting
<b>Degree of protection (IP)</b>	IP55	<b>Material</b>	Plastic	<b>Halogen free</b>	Yes
<b>Surface protection</b>	Untreated	<b>Colour</b>	Grey	<b>Width</b>	65 mm
<b>Depth</b>	30 mm	<b>Model</b>	Junction box	<b>Length</b>	65 mm
<b>Diameter</b>	0 mm	<b>Working temperature</b>	-25-70 °C	<b>Explosion-tested version</b>	No
<b>For Ex-zone gas</b>	None	<b>For Ex-zone dust</b>	None	<b>Cover model</b>	Blind cover
<b>Circuit integrity</b>	None	<b>Equipped with</b>	None	<b>Shape</b>	Square
<b>Number of inlets</b>	7	<b>Inlet from the rear</b>	No	<b>Transparent cover</b>	No
<b>Connectable</b>	No	<b>For tube diameter</b>	16 mm	<b>Mounting in the soil</b>	No
<b>Mounting under water</b>	No	<b>Type of housing feed-through</b>	Seal membrane	<b>Cover attachment</b>	Snapped on
<b>Castable</b>	Yes	<b>Casting compound included</b>	No	<b>Sealable</b>	No
<b>With screening</b>	No	<b>Weatherproof</b>	Yes		

## Barcode



8053676577842

**Unit**

1 NR

0.0465 [kg]



8050880881499

**Cardboard**

50 NR

0.39x0.295x0.15 [m]

2.325 [kg]