

EC61002

WALL-MOUNT MODULAR ENCLOSURE IP40 DIM. 50X130X85 2 MOD. GREY W/O DOOR



Enclosures > Wall-mount > Wall modular enclosures > Series 610 - ip40 modular enclosures without door > Small distribution board > Grey

Technical Symbols/Marks/Approvals



Norms

EN 60670-1 EN 60670-24

Description

Wall-mounted enclosure. Made of shockproof UV-resistant and halogen-free ABS-based technopolymer. Impact resistance rating IK08. Resistance to abnormal heat up to 650°C (GWT). Mounted galvanized steel DIN rail. Concentric knockouts diameter: 16-20 mm. Manufactured in compliance with EN 60670-1:2005 and EN 60670-22:2013 standards. Installation temperatures: minimum -5°C, maximum +60°C. Operating temperatures: minimum -25°C, maximum +70°C. IP40 protection rating. The IP40 protection rating (impossibility of inserting a Ø 1 mm test wire) is achieved by installing accessories with IP40 protection rating, devices with a smooth front surface or with blanking plates.
External dimensions 50x130x85 mm
2 DIN modules
Power dissipation 5 W

Etim

GROUP EG000023 - Distribution boards
CLASS EC000214 - Small distribution board

| | | | | | |
|-------------------------------|-----------------|----------------------------------|---------|--|--------|
| Mounting method | Surface mounted | Degree of protection (IP) | IP40 | Width in number of modular spacings | 2 |
| Colour | Grey | Width | 50 mm | Height | 130 mm |
| Depth | 85 mm | RAL-number | 7035 | UV resistant | Yes |
| Type of covering | None | Type of door | Other | Transparent cover/door | No |
| With lock | No | Inner depth | 85 mm | Number of rows | 1 |
| Extension possible | No | Housing material | Plastic | With mounting plate | No |
| Signal passing door | No | Type of closure | Other | Earthing terminal block | No |
| Neutral terminal block | No | DIN-rail | Yes | EMC-version | No |

Technical Characteristics

| | | | |
|-------------------|--------------|--------------------------|-----|
| dimensions | 50x130x85 mm | Power dissipation | 5 W |
|-------------------|--------------|--------------------------|-----|

Documentation available for download

Instruction booklet



Istruzioni 600-610_0423.pdf

Certification



Serie 600-610
IMQ_CA02.00428_2018.pdf

Dimensions and technical drawings



EC61002_2025.pdf

Barcode



8032636762924

Unit

1 NR

0.08x0.05x0.125 [m]

0.12 [kg]



8059307210102

Cardboard

50 NR

0.295x0.39x0.3 [m]

6 [kg]