

EC61002

WALL-MOUNT MODULAR ENCLOSURE IP40 DIM. 50X130X85 2 MOD. GREY W/O DOOR



Enclosures > Wall-mount > Wall modular enclosures > Series 610 - ip40 modular enclosures without door > Small distribution board > Grey

Technical Symbols/Marks/Approvals



Norms

EN 60670-1 EN 60670-24

Description

Wall-mounted enclosure. Made of shockproof UV-resistant and halogen-free ABS-based technopolymer. Impact resistance rating IK08. Resistance to abnormal heat up to 650°C (GWT). Mounted galvanized steel DIN rail. Concentric knockouts diameter: 16-20 mm. Manufactured in compliance with EN 60670-1:2005 and EN 60670-22:2013 standards. Installation temperatures: minimum -5°C, maximum +60°C. Operating temperatures: minimum -25°C, maximum +70°C. IP40 protection rating. The IP40 protection rating (impossibility of inserting a Ø 1 mm test wire) is achieved by installing accessories with IP40 protection rating, devices with a smooth front surface or with blanking plates. External dimensions 50x130x85 mm
2 DIN modules
Power dissipation 5 W

Etim

GROUP EG000023 - Distribution boards



CLASS EC000214 - Small distribution board

Mounting method	Surface mounted	Degree of protection (IP)	IP40	Width in number of modular spacings	2
Colour	Grey	Width	50 mm	Height	130 mm
Depth	85 mm	RAL-number	7035	UV resistant	Yes
Type of covering	None	Type of door	Other	Transparent cover/door	No
With lock	No	Inner depth	85 mm	Number of rows	1
Extension possible	No	Housing material	Plastic	With mounting plate	No
Signal passing door	No	Type of closure	Other	Earthing terminal block	No
Neutral terminal block	No	DIN-rail	Yes	EMC-version	No


Technical Characteristics

dimensions	50x130x85 mm	Power dissipation	5 W
-------------------	--------------	--------------------------	-----

Documentation available for download



 <p>Instruction booklet Istruzioni 600-610_0423.pdf</p>	 <p>Certification Serie 600-610 IMQ_CA02.00428_2018.pdf</p>
---	---

Dimensions and technical drawings



EC61002_2025.pdf

Barcode

 <p>8032636762924 Unit 1 NR 0.08x0.05x0.125 [m] 0.12 [kg]</p>	 <p>8059307210102 Cardboard 50 NR 0.295x0.39x0.3 [m] 6 [kg]</p>
---	---