

SHORT FORM CATALOGUE

THE ITALIAN EVOLUTION OF ELECTRICITY FOR OVER 50 YEARS

ELETTROCANALI IS A COMPANY WITH A HISTORY OF OVER 50 YEARS, A BUSINESS JOURNEY IN WHICH WE HAVE INVESTED RESOURCES, TIME, AND PASSION TO BUILD A PRODUCTIVE AND HEALTHY REALITY.

MISSION

We provide **high-quality electrical solutions**, crafted with **passion** and **expertise**, offering products that are not only **functional and safe but also innovative**.

We believe in creating value through **synergy with our partners** and **proximity to our customers**, always ensuring **high-quality standards and impeccable service**.

VISION

We aim to build a **future where quality, reliability, and sustainability** are accessible to all, contributing actively to the **well-being** of the **communities** in which we operate and to the **planet**.

WE DON'T THINK OF DOING
"EVERYTHING," BUT **WHAT WE
DO, WE WANT TO DO WELL:**
EFFICIENTLY, CORRECTLY,
SAFELY, AND ABOVE ALL,
WITH A GUARANTEE.

5

PRODUCT LINES

Cable management systems, industrial equipment, distribution boards, recessed and wall-mounted boxes, protective pipes, fittings and fasteners, switches, and domestic plates **for a complete electrical installation in every application field: civil, residential, and industrial.**

SHORT FORM CATALOGUE



SKIRTING
AND WALL TRUNKINGS



6

MINIATURE SOLID
TRUNKINGS



7

SOLID CABLE
TRUNKINGS



10

WIRING DEVICE
TRUNKINGS



13

PORTABLE PLUGS
AND SOCKETS



20

PANEL AND WALL-MOUNT
PLUGS AND SOCKETS



22

SWITCHED
INTERLOCKED SOCKETS



24

MULTIPLE WAY CONNECTORS
AND ADAPTORS



27

RECESSED MODULAR
ENCLOSURES



39

RECESSED JUNCTION
BOXES



42

BOXES FOR
WIRING DEVICES



43

GRP ENCLOSURES



44

RIGID CONDUITS



55

CORRUGATED CONDUITS



56

FLEXIBLE
SPIRAL CONDUITS



59

JOINTS AND FITTINGS



60

RESIDENTIAL




66

ITEMS FOR
DOMESTIC USE



68

LIGHTING



71

ACCESSORIES
FOR CABLES



73

EC FOR YOU



74

EC POINT



76

ICON KEY
PAG. 78

COLOR LEGEND
PAG. 79

PRODUCT INDEX
PAG. 80

FLOOR DISTRIBUTION SYSTEMS




14

AC TRUNKINGS



15

CABLE MANAGEMENT



17



CONDUIT SYSTEMS

SAFETY SWITCHES



28

DISTRIBUTION BOARDS



29

CABLE REELS AND EXTENSION CORDS



37



INDUSTRIAL

WALL MODULAR ENCLOSURES



45

WALL-MOUNT JUNCTION BOXES

NEW BOXES SERIES 49



47

MULTI-FUNCTIONAL JUNCTION BOXES



50

ENCLOSURE ACCESSORIES



51

EMERGENCY LINE



53



CONTAINERS

FIXINGS

NEW HOSE CLIPS



63

DRAW TAPES, GROUND BOXES AND SPRINGS



65



PIPES AND FITTINGS

PRE-ASSEMBLED KITS



73



RESIDENTIAL



MERCHANDISING



SKIRTING AND WALL TRUNKINGS



SERIES 20 - TRUNKING LENGTHS

IP40 IK08 GWT 960° UL94 V0

Code	Color	Height	Depth	Unit	Pack
------	-------	--------	-------	------	------

Skirting trunkings



EC20001	○	70 mm	20 mm	MT	24
EC20101	●	70 mm	20 mm	MT	24
EC20201	○	130 mm	28 mm	MT	20
EC20301	●	130 mm	28 mm	MT	20

SERIES 20 - TRUNKING FITTINGS

IP40 IK08

Code	Color	Height	Depth	Unit	Pack
------	-------	--------	-------	------	------

Cover for skirting trunkings



EC20202	○	17 mm	2 mm	MT	100
EC20302	●	17 mm	2 mm	MT	100

Internal bend for skirting trunkings



EC20003	○	70 mm	20 mm	NR	5/25
EC20103	●	70 mm	20 mm	NR	5/25
EC20203	○	130 mm	28 mm	NR	1/5
EC20303	●	130 mm	28 mm	NR	1/5

Code	Color	Height	Depth	Unit	Pack
------	-------	--------	-------	------	------

External bend for skirting trunkings



EC20004	○	70 mm	20 mm	NR	5/25
EC20104	●	70 mm	20 mm	NR	5/25
EC20204	○	130 mm	28 mm	NR	1/5
EC20304	●	130 mm	28 mm	NR	1/5

Code	Color	Height	Depth	Unit	Pack
------	-------	--------	-------	------	------

Flat angle for skirting trunkings



EC20005	○	70 mm	20 mm	NR	1/10
EC20105	●	70 mm	20 mm	NR	1/10
EC20205	○	130 mm	28 mm	NR	1/5
EC20305	●	130 mm	28 mm	NR	1/5

Coupler for skirting trunkings

GWT 650°

BASE JOINT



EC20207	○	130 mm	28 mm	NR	5/20
EC20307	●	130 mm	28 mm	NR	5/20

COVER LID JOINT



EC20006	○	70 mm	20 mm	NR	5/25
EC20106	●	70 mm	20 mm	NR	5/25
EC20206	○	130 mm	28 mm	NR	5/20
EC20306	●	130 mm	28 mm	NR	5/20

Code	Color	Height	Depth	Unit	Pack
------	-------	--------	-------	------	------

End cap for skirting trunkings

GWT 650°




EC20008	○	70 mm	20 mm	NR	5/25
EC20108	●	70 mm	20 mm	NR	5/25
EC20208	○	130 mm	28 mm	NR	5/20
EC20308	●	130 mm	28 mm	NR	5/20

Code	Color	Height	Depth	Unit	Pack
------	-------	--------	-------	------	------

Junction unit for skirting trunkings

GWT 650°



EC20009	○	70 mm	20 mm	NR	1/5
EC20109	●	70 mm	20 mm	NR	1/5
EC20209	○	130 mm	28 mm	NR	1/5
EC20309	●	130 mm	28 mm	NR	1/5

Code	Color	Height	Depth	Modules	Unit	Pack
------	-------	--------	-------	---------	------	------

Modular boxes for wiring devices

GWT 650°



EC20010	○	70 mm	20 mm	3	NR	1/10
EC20110	●	70 mm	20 mm	3	NR	1/10
EC20011*	○	70 mm	20 mm	3	NR	1/10
EC20111*	●	70 mm	20 mm	3	NR	1/10
EC20015	○	70 mm	20 mm	4	NR	1/10
EC20115	●	70 mm	20 mm	4	NR	1/10
EC20016	○	70 mm	20 mm	6	NR	1/8
EC20116	●	70 mm	20 mm	6	NR	1/8
EC20210	○	130 mm	28 mm	3	NR	1/6
EC20310	●	130 mm	28 mm	3	NR	1/6
EC20215	○	130 mm	28 mm	4	NR	1/10
EC20315	●	130 mm	28 mm	4	NR	1/10
EC20216	○	130 mm	28 mm	6	NR	1/10
EC20316	●	130 mm	28 mm	6	NR	1/10
EC20211	○	130 mm	28 mm	8	NR	1/4
EC20311	●	130 mm	28 mm	8	NR	1/4

* Horizontal boxes

FEATURES: Center distance: 3 modules 83.5 mm - 4 modules 108.5 mm - 6/7 modules 100 mm - 8 modules 108.5 mm

Code	Color	Description	Unit	Pack
------	-------	-------------	------	------

Face plate for device boxes

GWT 650°



EC20212	○	3-module box cover	NR	1/50
EC20312	●	3-module box cover	NR	1/50
EC20213	○	4-modules box cover - 108 mm	NR	1/50
EC20214	○	6-modules box cover - 100 mm	NR	1/50

MINIATURE SOLID TRUNKINGS



SERIES MC - FRONT LID

IK07 IP40 GWT 960° UL94 V0

Code Color Width Height Separators Unit Pack

Mini/maxi trunkings

WHITE

ECMC1517B*	○	15 mm	17 mm	0	MT	100
◀ECMC2010B*	○	20 mm	10 mm	0	MT	100
ECMC2210-1B*	○	22 mm	10 mm	0	MT	100
ECMC2210B*	○	22 mm	10 mm	1	MT	100
ECMC2517B*	○	25 mm	17 mm	0	MT	80
ECMC2525B*	○	25 mm	25 mm	0	MT	100
ECMC3010-1B*	○	30 mm	10 mm	0	MT	80
ECMC3010B*	○	30 mm	10 mm	1	MT	80
ECMC4010B*	○	40 mm	10 mm	2	MT	60
ECMC4017-1B*	○	40 mm	17 mm	0	MT	50
ECMC4017B*	○	40 mm	17 mm	1	MT	50
ECMC4025B*	○	40 mm	25 mm	0	MT	80
ECMC5020B	○	50 mm	20 mm	0	MT	60
ECMC5020-1B	○	50 mm	20 mm	1	MT	60
ECMC5020-2B	○	50 mm	20 mm	2	MT	60
ECMC6017B*	○	60 mm	17 mm	2	MT	70

* Fittings available

WHITE

ECMC1515B	○	15 mm	15 mm	0	MT	100
ECMC1818B	○	18 mm	18 mm	0	MT	100
◀ECMC2020B	○	20 mm	20 mm	0	MT	90
ECMC3015B	○	30 mm	15 mm	0	MT	80
ECMC3030B	○	30 mm	30 mm	0	MT	80

WHITE (10-PACK)

ECMC1517B-SAC*	○	15 mm	17 mm	0	MT	20/100
◀ECMC2010B-SAC*	○	20 mm	10 mm	0	MT	20/100
ECMC2210-1B-SAC*	○	22 mm	10 mm	0	MT	20/100
ECMC2210B-SAC*	○	22 mm	10 mm	1	MT	20/100
ECMC2517B-SAC*	○	25 mm	17 mm	0	MT	20/60
ECMC2525B-SAC*	○	25 mm	25 mm	0	MT	20/80
ECMC3010-1B-SAC*	○	30 mm	10 mm	0	MT	20/80
ECMC3010B-SAC*	○	30 mm	10 mm	1	MT	20/80
ECMC4010B-SAC*	○	40 mm	10 mm	2	MT	20/60
ECMC4017-1B-SAC*	○	40 mm	17 mm	0	MT	20/40
ECMC4017B-SAC*	○	40 mm	17 mm	1	MT	20/40

* Fittings available

BROWN



ECMC1517M	●	15 mm	17 mm	0	MT	100
◀ECMC2010M	●	20 mm	10 mm	0	MT	100
ECMC2210-1M	●	22 mm	10 mm	0	MT	100
ECMC2517M	●	25 mm	17 mm	0	MT	80
ECMC4017-1M	●	40 mm	17 mm	0	MT	50
ECMC4017M	●	40 mm	17 mm	1	MT	50
ECMC4025M	●	40 mm	25 mm	0	MT	80
ECMC6017M	●	60 mm	17 mm	0	MT	70

Colour available on request

SERIES MA - ADHESIVE TAPED AND HINGED LID

IP40 IK04 GWT 960° UL94 V0

Code Color Width Height Unit Pack

Mini/maxi trunkings

WHITE

◀ECMA1010	○	10 mm	10 mm	MT	200
ECMA1510	○	15 mm	10 mm	MT	150
ECMA2010	○	20 mm	10 mm	MT	100
ECMA12575	○	12.5 mm	7.5 mm	MT	200
ECMA125125	○	12.5 mm	12.5 mm	MT	150
ECMA2075	○	20 mm	7.5 mm	MT	150

WHITE (10-PACK)

◀ECMA1010-SAC	○	10 mm	10 mm	MT	20/200
ECMA1510-SAC	○	15 mm	10 mm	MT	20/160
ECMA2010-SAC	○	20 mm	10 mm	MT	20/100
ECMA12575-SAC	○	12.5 mm	7.5 mm	MT	20/200
ECMA125125-SAC	○	12.5 mm	12.5 mm	MT	20/160
ECMA2075-SAC	○	20 mm	7.5 mm	MT	20/160

BROWN

◀ECMA1010M	●	10 mm	10 mm	MT	200
ECMA1510M	●	15 mm	10 mm	MT	150
ECMA2010M	●	20 mm	10 mm	MT	100
ECMA125125M	●	12.5 mm	12.5 mm	MT	150

Colour available on request

FEATURES: Base with double-sided adhesive

SERIES MCA - WRAP-AROUND LID

IP20 IK04 GWT 960° UL94 V0

Code Color Width Height Separators Unit Pack

Mini/maxi trunkings

WHITE

ECMC1517AB*	○	15 mm	17 mm	0	MT	80
◀ECMC2010AB*	○	20 mm	10 mm	0	MT	100
ECMC2517AB*	○	25 mm	17 mm	0	MT	60
ECMC2525AB*	○	25 mm	25 mm	0	MT	80
ECMC3010AB*	○	30 mm	10 mm	1	MT	80
ECMC4017AB*	○	40 mm	17 mm	1	MT	80
ECMC4025AB*	○	40 mm	25 mm	0	MT	60

* Fittings available



SERIES MC-MCA-MA - FITTINGS

IP40

GWT
650°

Code	Color	Width	Depth	Unit	Pack
------	-------	-------	-------	------	------

Inner corner for mini trunkings

IK07



ECAI1517B	○	15 mm	17 mm	NR	2/50
ECAI2010B	○	20 mm	10 mm	NR	2/50
ECAI2210B	○	22 mm	10 mm	NR	2/50
ECAI2517B	○	25 mm	17 mm	NR	2/50
ECT2525B	○	25 mm	25 mm	NR	2/50
ECAI3010B	○	30 mm	10 mm	NR	2/50
ECAI4010B	○	40 mm	10 mm	NR	2/50
ECAI4017B	○	40 mm	17 mm	NR	2/50
ECAI4025B	○	40 mm	25 mm	NR	2/50
ECAI6017B	○	60 mm	17 mm	NR	2/50

Tee for mini trunkings

IK07



ECT1517B	○	15 mm	17 mm	NR	2/50
ECT2010B	○	20 mm	10 mm	NR	2/50
ECT2210B	○	22 mm	10 mm	NR	2/50
ECT2517B	○	25 mm	17 mm	NR	2/50
ECT2525B	○	25 mm	25 mm	NR	2/50
ECT3010B	○	30 mm	10 mm	NR	2/50
ECT4010B	○	40 mm	10 mm	NR	2/50
ECT4017B	○	40 mm	17 mm	NR	2/50
ECT4025B	○	40 mm	25 mm	NR	2/50
ECT6017B	○	60 mm	17 mm	NR	2/50

Code	Color	Width	Depth	Unit	Pack
------	-------	-------	-------	------	------

Outer corner for mini trunkings

IK07



ECAE1517B	○	15 mm	17 mm	NR	2/50
ECAE2010B	○	20 mm	10 mm	NR	2/50
ECAE2210B	○	22 mm	10 mm	NR	2/50
ECAE2517B	○	25 mm	17 mm	NR	2/50
ECT2525B	○	25 mm	25 mm	NR	2/50
ECAE3010B	○	30 mm	10 mm	NR	2/50
ECAE4010B	○	40 mm	10 mm	NR	2/50
ECAE4017B	○	40 mm	17 mm	NR	2/50
ECAE4025B	○	40 mm	25 mm	NR	2/50
ECAE6017B	○	60 mm	17 mm	NR	2/50

End cap for mini trunkings

IK07



ECTT1517B	○	15 mm	17 mm	NR	2/50
ECTT2010B	○	20 mm	10 mm	NR	2/50
ECTT2210B	○	22 mm	10 mm	NR	2/50
ECTT2517B	○	25 mm	17 mm	NR	2/50
ECTT2525B	○	25 mm	25 mm	NR	2/50
ECTT3010B	○	30 mm	10 mm	NR	2/50
ECTT4010B	○	40 mm	10 mm	NR	2/50
ECTT4017B	○	40 mm	17 mm	NR	2/50
ECTT4025B	○	40 mm	25 mm	NR	2/50
ECTT6017B	○	60 mm	17 mm	NR	2/50

Code	Color	Width	Depth	Unit	Pack
------	-------	-------	-------	------	------

Flat corner for mini trunkings

IK07



ECAP1517B	○	15 mm	17 mm	NR	2/50
ECAP2010B	○	20 mm	10 mm	NR	2/50
ECAP2210B	○	22 mm	10 mm	NR	2/50
ECAP2517B	○	25 mm	17 mm	NR	2/50
ECT2525B	○	25 mm	25 mm	NR	2/50
ECAP3010B	○	30 mm	10 mm	NR	2/50
ECAP4010B	○	40 mm	10 mm	NR	2/50
ECAP4017B	○	40 mm	17 mm	NR	2/50
ECAP4025B	○	40 mm	25 mm	NR	2/50
ECAP6017B	○	60 mm	17 mm	NR	2/50

Code	Color	Description	Unit	Pack
------	-------	-------------	------	------

Junction unit for mini trunkings

IK07



ECSSB1	○	70x70x28 mm - Separation and derivation box for mini-trunkings with height 10 mm and 17 mm	NR	1/25
--------	---	--	----	------

Code	Color	Width	Height	Unit	Pack
------	-------	-------	--------	------	------

Joint cover for mini trunkings

IK07



ECGU1517B	○	15 mm	17 mm	NR	2/50
ECT2010B	○	20 mm	10 mm	NR	2/50
ECGU2210B	○	22 mm	10 mm	NR	2/50
ECGU2517B	○	25 mm	17 mm	NR	2/50
ECT2525B	○	25 mm	25 mm	NR	2/50
ECGU3010B	○	30 mm	10 mm	NR	2/50
ECGU4010B	○	40 mm	10 mm	NR	2/50
ECGU4017B	○	40 mm	17 mm	NR	2/50
ECGU4025B	○	40 mm	25 mm	NR	2/50
ECGU6017B	○	60 mm	17 mm	NR	2/50

Code	Color	Description	Unit	Pack
------	-------	-------------	------	------

Modular boxes for wiring devices

IK07

BOX FOR WIRING DEVICES



ECSPA60B	○	2-modules - 60/67 mm	NR	1/25
ECTSPA70B	○	3-modules - 83,5 mm	NR	1/50
ECSPA80B	○	4-modules - 108,5 mm	NR	1/35
ECSPA90B	○	6-modules - 100 mm	NR	1/24

BOX FOR WIRING DEVICES 45X45



ECTSPA45B	○	For minitrunkings 22x10 mm - 30x10 mm	NR	1/30
-----------	---	---------------------------------------	----	------

Code	Color	Description	Unit	Pack
------	-------	-------------	------	------

BOXES FOR WIRING DEVICES SERIES "MAGIC"

	ECSM0	○	Blank adaptor box	NR	1/30
	ECSM1	○	1 Magic type device	NR	1/30
	ECSM2	○	2 Magic type device	NR	1/30

Code	Color	Description	Unit	Pack
------	-------	-------------	------	------

Face plate for device boxes **IK08**

	ECCPB	○	3-modules box cover - 83,5 mm	NR	5/50
	EC20213	○	4-modules box cover - 108 mm	NR	1/50
	EC20214	○	6-modules box cover - 100 mm	NR	1/50

FEATURES: Fixing screws supplied

Code	Color	Description	Unit	Pack
------	-------	-------------	------	------

Face plate for device boxes

	ECCPB	○	3-modules box cover - 83,5 mm	NR	5/50
	EC20213	○	4-modules box cover - 108 mm	NR	1/50
	EC20214	○	6-modules box cover - 100 mm	NR	1/50

SERIES MCT - ROUND COVER LID **IP40 IK06**

Code	Color	Width	Height	Unit	Pack
------	-------	-------	--------	------	------

Mini/maxi trunkings **GWT 960° UL94 V0**

	ECMC2213-1B*	○	22 mm	13 mm	MT	100
	ECMC2213-1B-SAC*	○	22 mm	13 mm	MT	20/100
	ECMC3213-1B*	○	32 mm	13 mm	MT	80
	ECMC3213-1B-SAC*	○	32 mm	13 mm	MT	20/80

* Fittings available

Code	Color	Width	Depth	Unit	Pack
------	-------	-------	-------	------	------

Inner corner for mini trunkings **GWT 650°**

	ECAI2213B	○	22 mm	13 mm	NR	2/50
	ECAI3213B	○	32 mm	13 mm	NR	2/50

Code	Color	Width	Depth	Unit	Pack
------	-------	-------	-------	------	------

Outer corner for mini trunkings **GWT 650°**

	ECAE2213B	○	22 mm	13 mm	NR	2/50
	ECAE3213B	○	32 mm	13 mm	NR	2/50

Code	Color	Width	Depth	Unit	Pack
------	-------	-------	-------	------	------

Flat corner for mini trunkings **GWT 650°**

	ECAP2213B	○	22 mm	13 mm	NR	2/50
	ECAP3213B	○	32 mm	13 mm	NR	2/50


Code	Color	Width	Height	Unit	Pack
------	-------	-------	--------	------	------

Joint cover for mini trunkings **GWT 650°**

	ECGU2213B	○	22 mm	13 mm	NR	2/50
	ECGU3213B	○	32 mm	13 mm	NR	2/50

Code	Color	Width	Depth	Unit	Pack
------	-------	-------	-------	------	------

Tee for mini trunkings **GWT 650°**

	ECT2213B	○	22 mm	13 mm	NR	2/50
	ECT3213B	○	32 mm	13 mm	NR	2/50

Code	Color	Width	Depth	Unit	Pack
------	-------	-------	-------	------	------

End cap for mini trunkings **GWT 650°**

	ECTT2213B	○	22 mm	13 mm	NR	2/50
	ECTT3213B	○	32 mm	13 mm	NR	2/50


Code	Color	Description	Unit	Pack
------	-------	-------------	------	------

Modular boxes for wiring devices **GWT 650°**

	ECSPA2213B	○	Adaptor box for minitrunking 22x13 mm	NR	1/30
	ECSPA3213B	○	Adaptor box for minitrunking 32x13 mm	NR	1/30



SOLID CABLE TRUNKINGS



SERIES CP - TRUNKING LENGTHS

IK07

GWT
960°

UL94
V0

Code	Color	Width	Depth	Ready for separators	Unit	Pack
------	-------	-------	-------	-------------------------	------	------



Cable trunkings

WHITE

	ECCP2540B	○	25 mm	40 mm	0	MT	100/1800
	ECCP2560B	○	25 mm	60 mm	0	MT	70/1260
	ECCP2580B	○	25 mm	80 mm	0	MT	56/1008
	ECCP4040B*	○	40 mm	40 mm	0	MT	70/1260
	ECCP4060B	○	40 mm	60 mm	0	MT	56/1008
	ECCP4080B	○	40 mm	80 mm	0	MT	40/720
	ECCP40100B	○	40 mm	100 mm	0	MT	32/576
	ECCP6040B*	○	60 mm	40 mm	0	MT	50/900
	ECCP6060B*	○	60 mm	60 mm	0	MT	32/576
	ECCP6080B	○	60 mm	80 mm	0	MT	36/432
	ECCP60100B	○	60 mm	100 mm	0	MT	24/288
	ECCP8040B*	○	80 mm	40 mm	2	MT	40/720
	ECCP8060B*	○	80 mm	60 mm	2	MT	28/504
	ECCP8080B*	○	80 mm	80 mm	2	MT	30/360
	ECCP80100B	○	80 mm	100 mm	2	MT	24/288
	ECCP10040B*	○	100 mm	40 mm	2	MT	28/504
	ECCP10060B*	○	100 mm	60 mm	2	MT	20/360
	ECCP10080B*	○	100 mm	80 mm	2	MT	24/288
	ECCP100100B	○	100 mm	100 mm	2	MT	16/192
	ECCP12040B*	○	120 mm	40 mm	2	MT	24/432
	ECCP12060B*	○	120 mm	60 mm	2	MT	20/360
	ECCP12080B*	○	120 mm	80 mm	2	MT	16/288
	ECCP15060B*	○	150 mm	60 mm	4	MT	16
	ECCP15080B	○	150 mm	80 mm	4	MT	12/216
	ECCP150100B	○	150 mm	100 mm	4	MT	8/144
	ECCP20060B*	○	200 mm	60 mm	4	MT	16
	ECCP20080B*	○	200 mm	80 mm	4	MT	12

* Fittings available

GREY

	ECCP2540G	●	25 mm	40 mm	0	MT	100/1800
	ECCP2560G	●	25 mm	60 mm	0	MT	70/1260
	ECCP2580G	●	25 mm	80 mm	0	MT	56/1008
	ECCP4040G	●	40 mm	40 mm	0	MT	70/1260
	ECCP4060G	●	40 mm	60 mm	0	MT	56/1008
	ECCP4080G	●	40 mm	80 mm	0	MT	40/720
	ECCP40100G	●	40 mm	100 mm	0	MT	32/576
	ECCP6040G	●	60 mm	40 mm	0	MT	50/900
	ECCP6060G	●	60 mm	60 mm	0	MT	32/576

ECCP6080G	●	60 mm	80 mm	0	MT	36/432
ECCP60100G	●	60 mm	100 mm	0	MT	24/288
ECCP8040G	●	80 mm	40 mm	2	MT	40/720
ECCP8060G	●	80 mm	60 mm	2	MT	28/504
ECCP8080G	●	80 mm	80 mm	2	MT	30/360
ECCP80100G	●	80 mm	100 mm	2	MT	24/288
ECCP10040G	●	100 mm	40 mm	2	MT	28/504
ECCP10060G	●	100 mm	60 mm	2	MT	20/360
ECCP10080G	●	100 mm	80 mm	2	MT	24/288
ECCP100100G	●	100 mm	100 mm	2	MT	16/192
ECCP12040G	●	120 mm	40 mm	2	MT	24/432
ECCP12060G	●	120 mm	60 mm	2	MT	20/360
ECCP12080G	●	120 mm	80 mm	2	MT	16/288
ECCP15060G	●	150 mm	60 mm	4	MT	16
ECCP15080G	●	150 mm	80 mm	4	MT	12/216
ECCP150100G	●	150 mm	100 mm	4	MT	8/144
ECCP20060G	●	200 mm	60 mm	4	MT	16
ECCP20080G	●	200 mm	80 mm	4	MT	12

DIN PITCH TRUNKINGS



ECCP5050B	○	50 mm	50 mm	0	MT	24
ECCP5050G	●	50 mm	50 mm	0	MT	24
ECCP7550B	○	75 mm	50 mm	2	MT	40
ECCP7550G	●	75 mm	50 mm	2	MT	40

Size 25x25 mm available (see minitrunkings)

BLUE



ECCP2540BL	●	25 mm	40 mm	0	MT	100/1800
ECCP2560BL	●	25 mm	60 mm	0	MT	70/1260
ECCP2580BL	●	25 mm	80 mm	0	MT	56/1008
ECCP4040BL	●	40 mm	40 mm	0	MT	70/1260
ECCP4060BL	●	40 mm	60 mm	0	MT	56/1008
ECCP4080BL	●	40 mm	80 mm	0	MT	40/720
ECCP40100BL	●	40 mm	100 mm	0	MT	32/576
ECCP6040BL	●	60 mm	40 mm	0	MT	50/900
ECCP6060BL	●	60 mm	60 mm	0	MT	32/576
ECCP6080BL	●	60 mm	80 mm	0	MT	36/432
ECCP60100BL	●	60 mm	100 mm	0	MT	24/288
ECCP8040BL	●	80 mm	40 mm	2	MT	40/720
ECCP8060BL	●	80 mm	60 mm	2	MT	28/504
ECCP8080BL	●	80 mm	80 mm	2	MT	30/360
ECCP80100BL	●	80 mm	100 mm	2	MT	24/288
ECCP10060BL	●	100 mm	60 mm	2	MT	20/360
ECCP10080BL	●	100 mm	80 mm	2	MT	24/288
ECCP100100BL	●	100 mm	100 mm	2	MT	16/192

Colour available on request

SERIES CP - FITTINGS

Code	Color	Description	Unit	Pack
------	-------	-------------	------	------




Segregation for cable trunkings

IK07

IP40

GWT
960°

UL94
V0



ECSESB	○	For h 40-60-80 mm	MT	50
ECSESG	●	For h 40-60-80 mm	MT	50

Code	Color	Width	Unit	Pack
 Cover for cable trunkings				GWT 960° UL94 V0

WHITE

	ECCR25B	○	25 mm	MT	100
	ECCR40B	○	40 mm	MT	100
	ECCR60B	○	60 mm	MT	100
	ECCR80B	○	80 mm	MT	100
	ECCR100B	○	100 mm	MT	60
	ECCR120B	○	120 mm	MT	80
	ECCR150B	○	150 mm	MT	60
	ECCR200B	○	200 mm	MT	40

GREY

	ECCR25G	●	25 mm	MT	100
	ECCR40G	●	40 mm	MT	100
	ECCR60G	●	60 mm	MT	100
	ECCR80G	●	80 mm	MT	100
	ECCR100G	●	100 mm	MT	60
	ECCR120G	●	120 mm	MT	80
	ECCR150G	●	150 mm	MT	60
	ECCR200G	●	200 mm	MT	40

BLUE

	ECCR25BL	●	25 mm	MT	100
	ECCR40BL	●	40 mm	MT	100
	ECCR60BL	●	60 mm	MT	100
	ECCR80BL	●	80 mm	MT	100
	ECCR100BL	●	100 mm	MT	60

Colour available on request

Code	Color	Width	Depth	Unit	Pack
 Inner corner for cable trunkings				IK07 IP40 GWT 650°	

	ECAI4040B	○	40 mm	40 mm	NR	2/50
	ECAI6040B	○	60 mm	40 mm	NR	2/50
	ECAI6060B	○	60 mm	60 mm	NR	10
	ECAI8040B	○	80 mm	40 mm	NR	10
	ECAI8060B	○	80 mm	60 mm	NR	10
	ECAI8080B	○	80 mm	80 mm	NR	10
	ECAI10040B	○	100 mm	40 mm	NR	10
	ECAI10060B	○	100 mm	60 mm	NR	10
	ECAI10080B	○	100 mm	80 mm	NR	10
	ECAI12040B	○	120 mm	40 mm	NR	10
	ECAI12060B	○	120 mm	60 mm	NR	10
	ECAI12080B	○	120 mm	80 mm	NR	10
	ECAI15060B	○	150 mm	60 mm	NR	8
	ECAI20060B	○	200 mm	60 mm	NR	5
	ECAI20080B	○	200 mm	80 mm	NR	5

Code	Color	Width	Depth	Unit	Pack
 Outer corner for cable trunkings				IK07 IP40 GWT 650°	

	ECAE4040B	○	40 mm	40 mm	NR	2/50
	ECAE6040B	○	60 mm	40 mm	NR	2/50
	ECAE6060B	○	60 mm	60 mm	NR	10
	ECAE8040B	○	80 mm	40 mm	NR	10
	ECAE8060B	○	80 mm	60 mm	NR	10

ECAE8080B	○	80 mm	80 mm	NR	10
ECAE10040B	○	100 mm	40 mm	NR	10
ECAE10060B	○	100 mm	60 mm	NR	10
ECAE10080B	○	100 mm	80 mm	NR	10
ECAE12040B	○	120 mm	40 mm	NR	10
ECAE12060B	○	120 mm	60 mm	NR	10
ECAE12080B	○	120 mm	80 mm	NR	10
ECAE15060B	○	150 mm	60 mm	NR	8
ECAE20060B	○	200 mm	60 mm	NR	4
ECAE20080B	○	200 mm	80 mm	NR	4

Code	Color	Width	Depth	Unit	Pack
 Flat corner for cable trunkings				IK07 IP40 GWT 650°	

	ECAP4040B	○	40 mm	40 mm	NR	2/50
	ECAP6040B	○	60 mm	40 mm	NR	2/50
	ECAP6060B	○	60 mm	60 mm	NR	10
	ECAP8040B	○	80 mm	40 mm	NR	10
	ECAP8060B	○	80 mm	60 mm	NR	10
	ECAP8080B	○	80 mm	80 mm	NR	10
	ECAP10040B	○	100 mm	40 mm	NR	10
	ECAP10060B	○	100 mm	60 mm	NR	10
	ECAP10080B	○	100 mm	80 mm	NR	10
	ECAP12040B	○	120 mm	40 mm	NR	10
	ECAP12060B	○	120 mm	60 mm	NR	10
	ECAP12080B	○	120 mm	80 mm	NR	8
	ECAP15060B	○	150 mm	60 mm	NR	8
	ECAP20060B	○	200 mm	60 mm	NR	8
	ECAP20080B	○	200 mm	80 mm	NR	6

Code	Color	Width	Height	Unit	Pack
 Joint unit for cable trunkings				IK07 IP40 GWT 650°	

	ECGU4040B	○	40 mm	40 mm	NR	2/50
	ECGU6040B	○	60 mm	40 mm	NR	2/50
	ECGU6060B	○	60 mm	60 mm	NR	20
	ECGU8040B	○	80 mm	40 mm	NR	20
	ECGU8060B	○	80 mm	60 mm	NR	20
	ECGU8080B	○	80 mm	80 mm	NR	20
	ECGU10040B	○	100 mm	40 mm	NR	20
	ECGU10060B	○	100 mm	60 mm	NR	20
	ECGU10080B	○	100 mm	80 mm	NR	20
	ECGU12040B	○	120 mm	40 mm	NR	20
	ECGU12060B	○	120 mm	60 mm	NR	10
	ECGU12080B	○	120 mm	80 mm	NR	10
	ECGU15060B	○	150 mm	60 mm	NR	10
	ECGU20060B	○	200 mm	60 mm	NR	10
	ECGU20080B	○	200 mm	80 mm	NR	10

Code	Color	Width	Depth	Unit	Pack
 Tee for cable trunkings				IK07 IP40 GWT 650°	

	ECT4040B	○	40 mm	40 mm	NR	2/50
	ECT6040B	○	60 mm	40 mm	NR	2/50
	ECT6060B	○	60 mm	60 mm	NR	10

Other "T" joint sizes can be realized with "GU" linear fitting

	Code	Color	Width	Depth	Unit	Pack
End cap for cable trunkings					IK07	IP40
						GWT 650°
	ECTT4040B	○	40 mm	40 mm	NR	2/50
	ECTT6040B	○	60 mm	40 mm	NR	2/50
	ECTT6060B	○	60 mm	60 mm	NR	20
	ECTT8040B	○	80 mm	40 mm	NR	20
	ECTT8060B	○	80 mm	60 mm	NR	20
	ECTT8080B	○	80 mm	80 mm	NR	20
	ECTT10040B	○	100 mm	40 mm	NR	20
	ECTT10060B	○	100 mm	60 mm	NR	20
	ECTT10080B	○	100 mm	80 mm	NR	20
	ECTT12040B	○	120 mm	40 mm	NR	20
	ECTT12060B	○	120 mm	60 mm	NR	20
	ECTT12080B	○	120 mm	80 mm	NR	20
	ECTT15060B	○	150 mm	60 mm	NR	10
	ECTT20060B	○	200 mm	60 mm	NR	10
	ECTT20080B	○	200 mm	80 mm	NR	10

	Code	Color	Width	Height	Unit	Pack
Retainer for cable trunkings					HF	
	ECC04040	○	40 mm	40 mm	NR	5/25
	ECC04060	○	40 mm	60 mm	NR	5/25
	ECC04080	○	40 mm	80 mm	NR	5/25
	ECC040100	○	40 mm	100 mm	NR	5/25
	ECC06040	○	60 mm	40 mm	NR	5/25
	ECC06060	○	60 mm	60 mm	NR	5/25
	ECC06080	○	60 mm	80 mm	NR	5/25
	ECC060100	○	60 mm	100 mm	NR	5/25
	ECC08040	○	80 mm	40 mm	NR	5/25
	ECC08060	○	80 mm	60 mm	NR	5/25
	ECC08080	○	80 mm	80 mm	NR	5/25
	ECC080100	○	80 mm	100 mm	NR	5/25
	ECC010040	○	100 mm	40 mm	NR	5/25
	ECC010060	○	100 mm	60 mm	NR	5/25
	ECC010080	○	100 mm	80 mm	NR	5/25
	ECC0100100	○	100 mm	100 mm	NR	5/25
	ECC012040	○	120 mm	40 mm	NR	5/25
	ECC012060	○	120 mm	60 mm	NR	5/25
	ECC012080	○	120 mm	80 mm	NR	5/25
	ECC0150*	○	150 mm	10 mm	NR	5/25
	ECC0200*	○	200 mm	10 mm	NR	5/25

* CABLE RETAINER for duct sizes 150x60 mm, 200x60 mm, 200x80 mm

	Code	Color	Description	Unit	Pack
Junction box for cable trunkings					IK07
					IP40
					GWT 650°
	ECSSB2	○	165x165x75 mm - for trunkings with height 20, 25, 40 and 60 mm	NR	1/5
	ECSSB3	○	250x250x100 mm - for trunkings with height 60 and 80 mm	NR	1/4

	Code	Color	Dimensions	Center holes	Unit	Pack
Recessed box for cable trunking modular devices					IP40	GWT 650°
	ECKIT100A	○	100 x 60 mm	60/67.5 mm	NR	1/10
	ECKIT120A	○	120 x 60 mm	60/67.5 mm	NR	1/10
	ECKIT150A	○	150 x 60 mm	60/67.5 mm	NR	1/5
	ECKIT80B	○	80 x 60 mm	83.5 mm	NR	1/10
	ECKIT100B	○	100 x 60 mm	83.5 mm	NR	1/10
	ECKIT120B	○	120 x 60 mm	83.5 mm	NR	1/10
	ECKIT150B	○	150 x 60 mm	83.5 mm	NR	1/5

SERIES CPH - TRUNKING LENGHTS HALOGEN FREE

	Code	Color	Width	Depth	Ready for separators	Unit	Pack
Cable trunkings							GWT 960°
	ECCPH2540	○	25 mm	40 mm	0	MT	100/1800
	ECCPH2560	○	25 mm	60 mm	0	MT	70/1260
	ECCPH2580	○	25 mm	80 mm	0	MT	56/1008
	ECCPH4040	○	40 mm	40 mm	0	MT	70/1260
	ECCPH4060	○	40 mm	60 mm	0	MT	56/1008
	ECCPH4080	○	40 mm	80 mm	0	MT	40/720
	ECCPH6040	○	60 mm	40 mm	0	MT	50/900
	ECCPH6060	○	60 mm	60 mm	0	MT	32/576
	ECCPH6080	○	60 mm	80 mm	0	MT	36/432
	ECCPH8040	○	80 mm	40 mm	2	MT	40/720
	ECCPH8060	○	80 mm	60 mm	2	MT	28/504
	ECCPH8080	○	80 mm	80 mm	2	MT	30/360
	ECCPH10040	○	100 mm	40 mm	2	MT	28/504
	ECCPH10060	○	100 mm	60 mm	2	MT	20/360
	ECCPH10080	○	100 mm	80 mm	2	MT	24/288
	ECCPH12040	○	120 mm	40 mm	2	MT	24/432
	ECCPH12060	○	120 mm	60 mm	2	MT	20/360
	ECCPH12080	○	120 mm	80 mm	2	MT	16/288

Items available on request

	Code	Color	Width	Unit	Pack
Cover for cable trunkings					GWT 960°
	ECCR25HG	○	25 mm	MT	100
	ECCR40HG	○	40 mm	MT	100
	ECCR60HG	○	60 mm	MT	100
	ECCR80HG	○	80 mm	MT	100
	ECCR100HG	○	100 mm	MT	60
	ECCR120HG	○	120 mm	MT	80

Items available on request

SERIES CAP - FLOOR TRUNKINGS

	Code	Color	Width	Height	Compartments	Unit	Pack
Floor mount trunkings							GWT 960°
							UL94 V0
	ECCAP5012B	○	50 mm	12 mm	3	MT	50
	ECCAP5012G	●	50 mm	12 mm	3	MT	50
	ECCAP7517A	●	75 mm	17 mm	3	MT	50
	ECCAP7517B	○	75 mm	17 mm	3	MT	50
	ECCAP7517G	●	75 mm	17 mm	3	MT	50

WIRING DEVICE TRUNKINGS



SERIES KUADRA - FOR 45X45 DEVICES

IP40 IK08

Code	Color	Width	Depth	Ways No.	Unit	Pack
------	-------	-------	-------	----------	------	------

Device installation trunkings

GWT 960° UL94 V0



EC2209055	○	90 mm	55 mm	1	MT	24
EC22013555-2	○	135 mm	55 mm	2	MT	16
EC22016555-3	○	165 mm	55 mm	3	MT	16

Code	Color	Width	Length	Unit	Pack
------	-------	-------	--------	------	------

Cover for device installation trunkings

GWT 960° UL94 V0

DOUBLE INSULATION BOTTOM COVER



EC220CC25	○	25 mm	100 mm	NR	50
-----------	---	-------	--------	----	----

SPARE COVER LID



EC220CC45	○	45 mm	2 m	MT	50
-----------	---	-------	-----	----	----

Code	Color	Description	Unit	Pack
------	-------	-------------	------	------

Cover strip for device installation trunkings

GWT 650°

COVER LID JOINT - DEVICES



EC220GA45	○	Cover/device 45 mm - joint	NR	5/50
-----------	---	----------------------------	----	------

COVER LID JOINT



EC220GC45	○	Cover joint 45 mm	NR	5/50
-----------	---	-------------------	----	------

Inner bend for device installation trunkings

GWT 650°



EC220AI9055	○	90 mm	55 mm	NR	1/10
EC220AI13555	○	135 mm	55 mm	NR	1/10
EC220AI16555	○	165 mm	55 mm	NR	1/10

Code	Color	Width	Depth	Unit	Pack
------	-------	-------	-------	------	------

Outer bend for device installation trunkings

GWT 650°



EC220AE9055	○	90 mm	55 mm	NR	1/10
EC220AE13555	○	135 mm	55 mm	NR	1/8
EC220AE16555	○	165 mm	55 mm	NR	1/8

Code	Color	Width	Depth	Unit	Pack
------	-------	-------	-------	------	------

Flat corner for device installation trunkings

GWT 650°



EC220AP9055	○	90 mm	55 mm	NR	1/10
EC220AP13555	○	135 mm	55 mm	NR	1/8
EC220AP16555	○	165 mm	55 mm	NR	1/8

Code	Color	Description	Unit	Pack
------	-------	-------------	------	------

Joint clip for device installation trunkings

GWT 650°



EC220GU9055	○	dim. 90x55 e 135x55	NR	10/50
EC220GU16555	○	dim. 165x55	NR	5/50

Code	Color	Width	Depth	Unit	Pack
------	-------	-------	-------	------	------

End cap for device installation trunkings

GWT 650°



EC220TT9055	○	90 mm	55 mm	NR	2/10
EC220TT13555	○	135 mm	55 mm	NR	2/10
EC220TT16555	○	165 mm	55 mm	NR	2/10

SERIES BR - FOR 60X60 DEVICES

IP40 IK08

Code	Color	Width	Depth	Ways No.	Unit	Pack
------	-------	-------	-------	----------	------	------

Device installation trunkings

GWT 960° UL94 V0



ECBR11060B	○	110 mm	60 mm	1	MT	20
ECBR13065B	○	130 mm	65 mm	1	MT	12




TRUNKINGS WALL AND CEILING

Code	Color	Width	Length	Unit	Pack
Cover for device installation trunkings					GWT 960° UL94 V0
◀ ECBRC80B	○	80 mm	2 m	MT	100



Code	Color	Width	Depth	Unit	Pack
Inner corner for device installation trunkings					GWT 960° UL94 V0
ECBRAI11060B	○	110 mm	65 mm	NR	1
◀ ECBRAI13065B	○	130 mm	65 mm	NR	1



Code	Color	Width	Depth	Unit	Pack
Outer corner for device installation trunkings					GWT 960° UL94 V0
ECBRAE11060B	○	110 mm	60 mm	NR	1
◀ ECBRAE13065B	○	130 mm	65 mm	NR	1



Code	Color	Width	Unit	Pack
clip for device installation trunkings				GWT 650°
◀ ECBRGU11060B	○		NR	10/50
ECBRGU13065B	○		NR	10/50



Code	Color	Width	Depth	Unit	Pack
End cap for device installation trunkings					GWT 650°
◀ ECBRTT11060B	○	110 mm	60 mm	NR	10
ECBRTT13065B	○	130 mm	65 mm	NR	10



Code	Color	Description	Unit	Pack
Recessed box for device installation trunkings				GWT 650°
◀ ECBRS1	○	71x71x50 mm - 1 module	NR	50
ECBRS2	○	142x71x50 mm - 2 module	NR	25



FLOOR DISTRIBUTION SYSTEMS



UTILITY FLOOR BOXES

IP54 IK07 GWT 650°

Code	Color	Description	Unit	Pack
------	-------	-------------	------	------



Modular floor box for wiring devices

CAJAS DE SUELO


EC16001	○	2 + 2 dispositivos con interaxis de 60 mm	NR	1/10
◀ EC16002	●	2 + 2 dispositivos con interaxis de 60 mm	NR	1/10
EC16003	○	2 + 2 dispositivos con interaxis de 60 mm	NR	1/10

CONJUNTOS DE EXTENSIÓN

EC16001H	○	Expansiones horizontales 2 + 2 dispositivos	NR	1/10
EC16001V	○	Expansiones verticales 2 + 2 dispositivos	NR	1/10
EC16002H	●	Expansiones horizontales 2 + 2 dispositivos	NR	1/10
◀ EC16002V	●	Expansiones verticales 2 + 2 dispositivos	NR	1/10
EC16003H	○	Expansiones horizontales 2 + 2 dispositivos	NR	1/10
EC16003V	○	Expansiones verticales 2 + 2 dispositivos	NR	1/10



AC TRUNKINGS



TRUNKING LENGTHS

Code	Color	Width	Depth	Unit	Pack
------	-------	-------	-------	------	------

Code	Color	Width	Depth	Unit	Pack
------	-------	-------	-------	------	------

AC trunkings



EC9006045	○	60 mm	45 mm	MT	30
EC9007055	○	70 mm	55 mm	MT	24
EC9008060	○	80 mm	60 mm	MT	16
EC9009065	○	90 mm	65 mm	MT	16
EC90010060	○	100 mm	60 mm	MT	16
EC90011075	○	110 mm	75 mm	MT	16

TRUNKING FITTINGS

Code	Color	Width	Depth	Unit	Pack
------	-------	-------	-------	------	------

Code	Color	Width	Depth	Unit	Pack
------	-------	-------	-------	------	------

Inner corner for AC trunkings



EC9106045	○	60 mm	45 mm	NR	10
EC9107055	○	70 mm	55 mm	NR	10
EC9108060	○	80 mm	60 mm	NR	10
EC9109065	○	90 mm	65 mm	NR	10
EC91010060	○	100 mm	60 mm	NR	10
EC91011075	○	110 mm	75 mm	NR	10

Code	Color	Width	Depth	Unit	Pack
------	-------	-------	-------	------	------

Outer corner for AC trunkings



EC9206045	○	60 mm	45 mm	NR	10
EC9207055	○	70 mm	55 mm	NR	10
EC9208060	○	80 mm	60 mm	NR	10
EC9209065	○	90 mm	65 mm	NR	10
EC92010060	○	100 mm	60 mm	NR	10
EC92011075	○	110 mm	75 mm	NR	10

Fiat corner for AC trunkings



EC9306045	○	60 mm	45 mm	NR	10
EC9307055	○	70 mm	55 mm	NR	10
EC9308060	○	80 mm	60 mm	NR	10
EC9309065	○	90 mm	65 mm	NR	10
EC93010060	○	100 mm	60 mm	NR	10
EC93011075	○	110 mm	75 mm	NR	10

Joint cover for AC trunkings



EC9406045	○	60 mm	45 mm	NR	20
EC9407055	○	70 mm	55 mm	NR	20
EC9408060	○	80 mm	60 mm	NR	20
EC9409065	○	90 mm	65 mm	NR	20
EC94010060	○	100 mm	60 mm	NR	20
EC94011075	○	110 mm	75 mm	NR	10

Tee for AC trunkings



EC9506045	○	60 mm	45 mm	NR	10
EC9507055	○	70 mm	55 mm	NR	10
EC9508060	○	80 mm	60 mm	NR	10
EC9509065	○	90 mm	65 mm	NR	10
EC95010060	○	100 mm	60 mm	NR	10
EC95011075	○	110 mm	75 mm	NR	10

End cap for AC trunkings



EC9606045	○	60 mm	45 mm	NR	20
EC9607055	○	70 mm	55 mm	NR	20
EC9608060	○	80 mm	60 mm	NR	20
EC9609065	○	90 mm	65 mm	NR	20
EC96010060	○	100 mm	60 mm	NR	20
EC96011075	○	110 mm	75 mm	NR	10



Code	Color	Width	Depth	Unit	Pack
------	-------	-------	-------	------	------



Wall cover for AC trunkings

STRAIGHT WALL COVER



◀ EC9706045	○	60 mm	45 mm	NR	20
EC9707055	○	70 mm	55 mm	NR	20
EC9708060	○	80 mm	60 mm	NR	20
EC9709065	○	90 mm	65 mm	NR	20
EC97010060	○	100 mm	60 mm	NR	20
EC97011075	○	110 mm	75 mm	NR	10

ELBOW WALL COVER




◀ EC9806045	○	60 mm	45 mm	NR	10
EC9807055	○	70 mm	55 mm	NR	10
EC9808060	○	80 mm	60 mm	NR	10
EC9809065	○	90 mm	65 mm	NR	10
EC98010060	○	100 mm	60 mm	NR	10
EC98011075	○	110 mm	75 mm	NR	10

Code	Color	Width	Depth	Unit	Pack
------	-------	-------	-------	------	------



Retainig clip for AC trunkings

RETAINING CLIPS



◀ EC9036045	○	60 mm	45 mm	NR	30
EC9037055	○	70 mm	55 mm	NR	30
EC9038060	○	80 mm	60 mm	NR	30
EC9039065	○	90 mm	65 mm	NR	30
EC90310060	○	100 mm	60 mm	NR	30
EC90311075	○	110 mm	75 mm	NR	30

Code	Color	Width	Height	Length	Unit	Pack
------	-------	-------	--------	--------	------	------



Floor stand for AC trunkings

FLOOR STAND



◀ EC90411	○	115 mm	75 mm	420 mm	NR	1/24
-----------	---	--------	-------	--------	----	------

FLOOR STAND



◀ EC90401	○	90 mm	80 mm	350 mm	NR	2/24
EC90402	○	90 mm	80 mm	450 mm	NR	2/24

END CAP DOR FLOOR STAND



◀ EC90403	○	90 mm	80 mm	5 mm	NR	1/24
-----------	---	-------	-------	------	----	------



Accessories for AC trunkings

CONDENSATE DRAIN BOX SET



◀ EC90201	○	455x100x65 mm	NR	1/20
-----------	---	---------------	----	------

Code	Color	Description	Unit	Pack
------	-------	-------------	------	------



Conduit Coupler



◀ EC901Y	○	Ø 16/18/20 mm	NR	20/200
----------	---	---------------	----	--------

Code	Color	Inner diameter	Diameter of conduits	Unit	Pack
------	-------	----------------	----------------------	------	------




Draining spiral conduits



◀ EC990GFE16	○	16 mm	20.2 mm	MT	30/5400
EC990GFE18	○	18 mm	22.2 mm	MT	30/4320
EC990GFE20	○	20 mm	24.2 mm	MT	30/4320

CABLE MANAGEMENT



SLOTTED TRUNKINGS


GWT
960°
UL94
V0

Code	Color	Width	Height	Unit	Pack
------	-------	-------	--------	------	------




Slotted cable trunking

GREY - TYPE A - WIDE SLOTS 8/12/8



ECA2525	●	25 mm	25 mm	MT	100/2000
ECA2540	●	25 mm	40 mm	MT	100/1800
ECA2560	●	25 mm	60 mm	MT	70/1260
ECA2580	●	25 mm	80 mm	MT	56/1008
ECA25100	●	25 mm	100 mm	MT	20/800
ECA4025	●	40 mm	25 mm	MT	80/1600
ECA4040	●	40 mm	40 mm	MT	70/1260
ECA4060	●	40 mm	60 mm	MT	56/1008
ECA4080	●	40 mm	80 mm	MT	40/720
ECA40100	●	40 mm	100 mm	MT	32/576
ECA6040	●	60 mm	40 mm	MT	50/900
ECA6060	●	60 mm	60 mm	MT	32/576
ECA6080	●	60 mm	80 mm	MT	36/432
ECA60100	●	60 mm	100 mm	MT	24/288
ECA8040	●	80 mm	40 mm	MT	40/720
ECA8060	●	80 mm	60 mm	MT	28/504
ECA8080	●	80 mm	80 mm	MT	30/360
ECA80100	●	80 mm	100 mm	MT	24/288
ECA10040	●	100 mm	40 mm	MT	28/504
ECA10060	●	100 mm	60 mm	MT	20/360
ECA10080	●	100 mm	80 mm	MT	24/288
ECA100100	●	100 mm	100 mm	MT	16/192
ECA12040	●	120 mm	40 mm	MT	24/432
ECA12060	●	120 mm	60 mm	MT	20/360
ECA12080	●	120 mm	80 mm	MT	16/288
ECA15080	●	150 mm	80 mm	MT	12/216
ECA150100	●	150 mm	100 mm	MT	8/144

GREY - TYPE S - NARROW SLOTS 4/6/4



ECS2525	●	25 mm	25 mm	MT	100/2000
ECS2540	●	25 mm	40 mm	MT	100/1800
ECS2560	●	25 mm	60 mm	MT	70/1260
ECS2580	●	25 mm	80 mm	MT	56/1008
ECS25100	●	25 mm	100 mm	MT	20/800
ECS4025	●	40 mm	25 mm	MT	80/1600
ECS4040	●	40 mm	40 mm	MT	70/1260
ECS4060	●	40 mm	60 mm	MT	56/1008
ECS4080	●	40 mm	80 mm	MT	40/720


WHITE - TYPE S - NARROW SLOTS 4/6/4



ECS2540B	○	25 mm	40 mm	MT	100/1800
ECS2560B	○	25 mm	60 mm	MT	70/1260
ECS2580B	○	25 mm	80 mm	MT	56/1008
ECS4040B	○	40 mm	40 mm	MT	70/1260
ECS4060B	○	40 mm	60 mm	MT	56/1008
ECS4080B	○	40 mm	80 mm	MT	40/720
ECS6060B	○	60 mm	60 mm	MT	32/576
ECS6080B	○	60 mm	80 mm	MT	36/432
ECS60100B	○	60 mm	100 mm	MT	24/288
ECS8080B	○	80 mm	80 mm	MT	30/360
ECS80100B	○	80 mm	100 mm	MT	24/288
ECS10060B	○	100 mm	60 mm	MT	20/360
ECS10080B	○	100 mm	80 mm	MT	24/288
ECS12060B	○	120 mm	60 mm	MT	20/360
ECS12080B	○	120 mm	80 mm	MT	16/288

Colour available on request

BLUE - TYPE A - WIDE SLOTS 8/12/8



ECA2525BL	●	25 mm	25 mm	MT	100/2000
ECA2540BL	●	25 mm	40 mm	MT	100/1800
ECA2560BL	●	25 mm	60 mm	MT	70/1260
ECA2580BL	●	25 mm	80 mm	MT	56/1008
ECA4025BL	●	40 mm	25 mm	MT	80/1600
ECA4040BL	●	40 mm	40 mm	MT	70/1260
ECA4060BL	●	40 mm	60 mm	MT	56/1008
ECA4080BL	●	40 mm	80 mm	MT	40/720
ECA40100BL	●	40 mm	100 mm	MT	32/576
ECA6040BL	●	60 mm	40 mm	MT	50/900
ECA6060BL	●	60 mm	60 mm	MT	32/576
ECA6080BL	●	60 mm	80 mm	MT	36/432
ECA60100BL	●	60 mm	100 mm	MT	24/288
ECA8040BL	●	80 mm	40 mm	MT	40/720
ECA8060BL	●	80 mm	60 mm	MT	28/504
ECA8080BL	●	80 mm	80 mm	MT	30/360
ECA80100BL	●	80 mm	100 mm	MT	24/288
ECA10060BL	●	100 mm	60 mm	MT	20/360
ECA10080BL	●	100 mm	80 mm	MT	24/288
ECA100100BL	●	100 mm	100 mm	MT	16/192

Colour available on request




SLOTTED TRUNKINGS

GWT
960°

UL94
V0

Code	Color	Width	Height	Unit	Pack
------	-------	-------	--------	------	------

BLUE - TYPE S - NARROW SLOTS 4/6/4



ECS2525BL	●	25 mm	25 mm	MT	100/2000
ECS2540BL	●	25 mm	40 mm	MT	100/1800
ECS2560BL	●	25 mm	60 mm	MT	70/1260
ECS2580BL	●	25 mm	80 mm	MT	56/1008
ECS4025BL	●	40 mm	25 mm	MT	80/1600
ECS4040BL	●	40 mm	40 mm	MT	70/1260
ECS4060BL	●	40 mm	60 mm	MT	56/1008
ECS4080BL	●	40 mm	80 mm	MT	40/720
ECS40100BL	●	40 mm	100 mm	MT	32/576
ECS6040BL	●	60 mm	40 mm	MT	50/900
ECS6060BL	●	60 mm	60 mm	MT	32/576
ECS6080BL	●	60 mm	80 mm	MT	36/432
ECS60100BL	●	60 mm	100 mm	MT	24/288
ECS8040BL	●	80 mm	40 mm	MT	40/720
ECS8060BL	●	80 mm	60 mm	MT	28/504
ECS8080BL	●	80 mm	80 mm	MT	30/360
ECS80100BL	●	80 mm	100 mm	MT	24/288
ECS10060BL	●	100 mm	60 mm	MT	20/360
ECS10080BL	●	100 mm	80 mm	MT	24/288
ECS100100BL	●	100 mm	100 mm	MT	16/192

Colour available on request

NOTE: Fittings available in the CABLE TRUNKINGS section

SLOTTED TRUNKINGS HALOGEN FREE

HF

+90°

-25°

GWT
960°

Code	Color	Width	Height	Unit	Pack
------	-------	-------	--------	------	------

Slotted cable trunking

LIGHT GREY - TYPE A - WIDE SLOTS 8/12/8



ECAH2540	○	25 mm	40 mm	MT	100/1800
ECAH2560	○	25 mm	60 mm	MT	70/1260
ECAH2580	○	25 mm	80 mm	MT	56/1008
ECAH4040	○	40 mm	40 mm	MT	70/1260
ECAH4060	○	40 mm	60 mm	MT	56/1008
ECAH4080	○	40 mm	80 mm	MT	40/720
ECAH6040	○	60 mm	40 mm	MT	50/900
ECAH6060	○	60 mm	60 mm	MT	32/576
ECAH6080	○	60 mm	80 mm	MT	36/432
ECAH8040	○	80 mm	40 mm	MT	40/720
ECAH8060	○	80 mm	60 mm	MT	28/504
ECAH8080	○	80 mm	80 mm	MT	30/360
ECAH10040	○	100 mm	40 mm	MT	28/504
ECAH10060	○	100 mm	60 mm	MT	20/360
ECAH10080	○	100 mm	80 mm	MT	24/288
ECAH12040	○	120 mm	40 mm	MT	24/432
ECAH12060	○	120 mm	60 mm	MT	20/360
ECAH12080	○	120 mm	80 mm	MT	16/288

Items available on request

LIGHT GREY - TYPE S - NARROW SLOTS 4/6/4



ECSH2540	○	25 mm	40 mm	MT	100/1800
ECSH2560	○	25 mm	60 mm	MT	70/1260
ECSH2580	○	25 mm	80 mm	MT	56/1008
ECSH4040	○	40 mm	40 mm	MT	70/1260
ECSH4060	○	40 mm	60 mm	MT	56/1008
ECSH4080	○	40 mm	80 mm	MT	40/720
ECSH6040	○	60 mm	40 mm	MT	50/900
ECSH6060	○	60 mm	60 mm	MT	32/576
ECSH6080	○	60 mm	80 mm	MT	36/432
ECSH8040	○	80 mm	40 mm	MT	40/720
ECSH8060	○	80 mm	60 mm	MT	28/504
ECSH8080	○	80 mm	80 mm	MT	30/360
ECSH10040	○	100 mm	40 mm	MT	28/504
ECSH10060	○	100 mm	60 mm	MT	20/360
ECSH10080	○	100 mm	80 mm	MT	24/288
ECSH12040	○	120 mm	40 mm	MT	24/432
ECSH12060	○	120 mm	60 mm	MT	20/360
ECSH12080	○	120 mm	80 mm	MT	16/288

NOTE: Fittings available in the CABLE TRUNKINGS section

TRUNKING CUTTING TOOL



Plate shear

Code	Color	Description	Unit	Pack
------	-------	-------------	------	------

ECADC		L Max 125 mm - H max 120 mm	NR	1
-------	--	-----------------------------	----	---



Replacement blade

ECLAMA	○	Spare blade for cutting machine	NR	1
--------	---	---------------------------------	----	---



DIN RAILS



DIN mounting rails

Code	Length	Thickness	Description	Unit	Pack
------	--------	-----------	-------------	------	------

EC460	2000 mm	1 mm	35 x 7,5 mm	NR	20
EC460F*	2000 mm	1 mm	35 x 7,5 mm	NR	20
EC46015	2000 mm	1.5 mm	35 x 15 mm	NR	10


* With holes

FLEXIBLE SLOTTED TRUNKINGS


Code	Color	Width	Height	Length	Unit	Pack
------	-------	-------	--------	--------	------	------

Flexible slotted cable trunkings

PUNCHED FIXING HOLES

	EC23401	●	12.5 mm	12.5 mm	500 mm	NR	112
	EC23402	●	16 mm	16 mm	500 mm	NR	84
	EC23403	●	20 mm	20 mm	500 mm	NR	112
	EC23404	●	25 mm	25 mm	500 mm	NR	70
	EC23405	●	30 mm	30 mm	500 mm	NR	50
	EC23406	●	40 mm	40 mm	500 mm	NR	50
	EC23407	●	50 mm	50 mm	500 mm	NR	32

SELF-FIXING ADHESIVE

	EC23411	●	12.5 mm	12.5 mm	500 mm	NR	112
	EC23412	●	16 mm	16 mm	500 mm	NR	84
	EC23413	●	20 mm	20 mm	500 mm	NR	112
	EC23414	●	25 mm	25 mm	500 mm	NR	70
	EC23415	●	30 mm	30 mm	500 mm	NR	50
	EC23416	●	40 mm	40 mm	500 mm	NR	50
	EC23417	●	50 mm	50 mm	500 mm	NR	32

SPIRAL WRAPS

Code	Color	Inner diameter	Outer diameter	Unit	Pack
------	-------	----------------	----------------	------	------

Spiral wraps

[HTTP://ELETTROCANALIOIM.GMDE.IT/LOGHI_MARCHI-CERTIFICAZIONI/DEF_ICONE-35.TIF](http://ELETTROCANALIOIM.GMDE.IT/LOGHI_MARCHI-CERTIFICAZIONI/DEF_ICONE-35.TIF)

	ECPA04	○	4 mm	6 mm	MT	25/500
	ECPA06	○	6 mm	8 mm	MT	25/300
	ECPA08	○	8 mm	10 mm	MT	25/200
	ECPA10	○	10 mm	12 mm	MT	25/150
	ECPA12	○	12 mm	14 mm	MT	20/120
	ECPA14	○	14 mm	16 mm	MT	20/100

BLACK

HF

	ECPN04	●	4 mm	6 mm	MT	25/500
	ECPN06	●	6 mm	8 mm	MT	25/300
	ECPN08	●	8 mm	10 mm	MT	25/200
	ECPN10	●	10 mm	12 mm	MT	25/150
	ECPN12	●	12 mm	14 mm	MT	20/120
	ECPN14	●	14 mm	16 mm	MT	20/100

TRANSLUCENT

HF

	ECP04		4 mm	6 mm	MT	25/500
	ECP06		6 mm	8 mm	MT	25/300
	ECP08		8 mm	10 mm	MT	25/200
	ECP10		10 mm	12 mm	MT	25/150
	ECP12		12 mm	14 mm	MT	20/120
	ECP14		14 mm	16 mm	MT	20/100

PORTABLE



PLUGS

IK08
HF

Code	Color	Description	Rated current	Clock hour	Unit	Pack
------	-------	-------------	---------------	------------	------	------

CEE plug (IEC 60309)

IP44 - 16 A

IP44


EC69470		2P-24V	16 A		NR	1/10/80
EC69471		3P-24V	16 A		NR	1/10/80
EC69170		2P+E-110V	16 A	4 h	NR	1/10/80
EC69171		3P+E-110V	16 A	4 h	NR	1/10/80
EC69070		2P+E-220V	16 A	6 h	NR	1/10/80
EC69270		3P+E-220V	16 A	9 h	NR	1/10/80
EC69271		3P+N+E-220V	16 A	9 h	NR	1/10/80
EC69072		3P+E-380V	16 A	6 h	NR	1/10/80
EC69074		3P+N+E-380V	16 A	6 h	NR	1/10/80

IP44 - 32 A

IP44


EC69172		2P+E-110V	32 A	4 h	NR	1/10/80
EC69173		3P+E-110V	32 A	4 h	NR	1/10/80
EC69272		2P+E-220V	32 A	6 h	NR	1/10/80
EC69273		3P+E-220V	32 A	9 h	NR	1/10/80
EC69076		3P+E-380V	32 A	6 h	NR	1/10/80
EC69078		3P+N+E-380V	32 A	6 h	NR	1/10/60

IP67- 16 A

IP67


EC69472		2P-24V	16 A		NR	1/10/80
EC69473		3P-24V	16 A		NR	1/10/60
EC69174		2P+E-110V	16 A	4 h	NR	1/10/80
EC69175		3P+E-110V	16 A	4 h	NR	1/10/60
EC69071		2P+E-220V	16 A	6 h	NR	1/10/80
EC69274		3P+E-220V	16 A	9 h	NR	1/10/60
EC69275		3P+N+E-220V	16 A	9 h	NR	1/10/40
EC69073		3P+E-380V	16 A	6 h	NR	1/10/60
EC69075		3P+N+E-380V	16 A	6 h	NR	1/10/60

IP67 - 32 A

IP67


EC69176		2P+E-110V	32 A	4 h	NR	1/10/40
EC69177		3P+E-110V	32 A	4 h	NR	1/10/40
EC69276		2P+E-220V	32 A	6 h	NR	1/10/40
EC69277		3P+E-220V	32 A	9 h	NR	1/10/40
EC69077		3P+E-380V	32 A	6 h	NR	1/10/40
EC69079		3P+N+E-380V	32 A	6 h	NR	1/10/40

IP67 - 63 A

IP67


EC69179		3P+E-110V	63 A	4 h	NR	1/2/16
EC69278		2P+E-220V	63 A	6 h	NR	1/2/16
EC69279		3P+E-220V	63 A	9 h	NR	1/2/16
EC69370		3P+E-380V	63 A	6 h	NR	1/2/16
EC69371		3P+N+E-380V	63 A	6 h	NR	1/2/16

IP67 - 125 A

IP67


EC69671		2P+E-220V	125 A	6 h	NR	1/2/8
EC69674		3P+E-220V	125 A	9 h	NR	1/2/8
EC69673		3P+E-380V	125 A	6 h	NR	1/2/8
EC69675		3P+N+E-380V	125 A	6 h	NR	1/2/8

SOCKETS

IK08
HF

Code	Color	Description	Rated current	Clock hour	Unit	Pack
------	-------	-------------	---------------	------------	------	------

CEE sockets (IEC 60309)

IP44 - 16 A

IP44


EC69480		2P-24V	16 A		NR	1/10/80
EC69481		3P-24V	16 A		NR	1/10/80
EC69180		2P+E-110V	16 A	4 h	NR	1/10/80
EC69181		3P+E-110V	16 A	4 h	NR	1/10/80
EC69080		2P+E-220V	16 A	6 h	NR	1/10/80
EC69280		3P+E-220V	16 A	9 h	NR	1/10/80
EC69281		3P+N+E-220V	16 A	9 h	NR	1/10/80
EC69082		3P+E-380V	16 A	6 h	NR	1/10/80
EC69084		3P+N+E-380V	16 A	6 h	NR	1/10/80

IP44 - 32 A

IP44


EC69182		2P+E-110V	32 A	4 h	NR	1/10/60
EC69183		3P+E-110V	32 A	4 h	NR	1/10/60
EC69282		2P+E-220V	32 A	6 h	NR	1/10/60
EC69283		3P+E-220V	32 A	9 h	NR	1/10/60
EC69086		3P+E-380V	32 A	6 h	NR	1/10/60
EC69088		3P+N+E-380V	32 A	6 h	NR	1/10/40

IP67 - 16 A

IP67


EC69482		2P-24V	16 A		NR	1/10/80
EC69483		3P-24V	16 A		NR	1/10/60
EC69184		2P+E-110V	16 A	4 h	NR	1/10/80
EC69185		3P+E-110V	16 A	4 h	NR	1/10/60
EC69081		2P+E-220V	16 A	6 h	NR	1/10/80
EC69284		3P+E-220V	16 A	9 h	NR	1/10/60
EC69285		3P+N+E-220V	16 A	9 h	NR	1/10/40
EC69083		3P+E-380V	16 A	6 h	NR	1/10/60
EC69085		3P+N+E-380V	16 A	6 h	NR	1/10/40

IP67 - 32 A

IP67


EC69186		2P+E-110V	32 A	4 h	NR	1/10/60
EC69187		3P+E-110V	32 A	4 h	NR	1/10/60
EC69286		2P+E-220V	32 A	6 h	NR	1/10/60
EC69287		3P+E-220V	32 A	9 h	NR	1/10/60
EC69087		3P+E-380V	32 A	6 h	NR	1/10/40
EC69089		3P+N+E-380V	32 A	6 h	NR	1/10/40

SOCKETS

IK08

HF

IP67 - 63 A

IP67



Code	Color	Description	Rated current	Clock hour	Unit	Pack
EC69288	Blue	2P+E-220V	63 A	6 h	NR	1/2/16
EC69289	Blue	3P+E-220V	63 A	9 h	NR	1/2/16
EC69380	Red	3P+E-380V	63 A	6 h	NR	1/2/16
EC69381	Red	3P+N+E-380V	63 A	6 h	NR	1/2/16

IP67 - 125 A

IP67



Code	Color	Description	Rated current	Clock hour	Unit	Pack
EC69681	Blue	2P+E-220V	125 A	6 h	NR	1/2/8
EC69684	Blue	3P+E-220V	125 A	9 h	NR	1/2/8
EC69683	Red	3P+E-380V	125 A	6 h	NR	1/2/8
EC69685	Red	3P+N+E-380V	125 A	6 h	NR	1/2/8

PHASE INVERTER PLUGS

IK08

HF

CEE plug (IEC 60309)

IP44

IP44



Code	Color	Description	Rated current	Clock hour	Unit	Pack
EC69072P	Red	3P+E - 380V	16 A	6 h	NR	1/10
EC69074P	Red	3P+N+E - 380V	16 A	6 h	NR	1/10
EC69076P	Red	3P+E - 380V	32 A	6 h	NR	1/10
EC69078P	Red	3P+N+E - 380V	32 A	6 h	NR	1/10

IP67

IP67



Code	Color	Description	Rated current	Clock hour	Unit	Pack
EC69073P	Red	3P+E - 380V	16 A	6 h	NR	1/10
EC69075P	Red	3P+N+E - 380V	16 A	6 h	NR	1/10
EC69077P	Red	3P+E - 380V	32 A	6 h	NR	1/10
EC69079P	Red	3P+N+E - 380V	32 A	6 h	NR	1/10

RUBBER PLUGS-SOCKETS



Plug

IP44

FRENCH STANDARD



Code	Color	Description	Rated voltage	Insert direction	Unit	Pack
EC6902F	Black	2P+E	250 V	Angled	NR	1/20
EC6903F	Black	2P+E	250 V	Straight	NR	1/20

GERMAN STANDARD



Code	Color	Description	Rated voltage	Insert direction	Unit	Pack
EC6902D	Black	2P+E	250 V	Angled	NR	1/20
EC6903D	Black	2P+E	250 V	Straight	NR	1/30



Sockets

FRENCH STANDARD



Code	Color	Description	Rated voltage	Insert direction	Unit	Pack
EC6906F	Black	2P+E	250 V	Straight	NR	1/20
EC6907F	Black	2P+T	250 V	Straight	NR	1/20

GERMAN STANDARD



Code	Color	Description	Rated voltage	Insert direction	Unit	Pack
EC6906D	Black	2P+E	250 V	Straight	NR	1/20
EC6907D	Black	2P+E	250 V	Straight	NR	1/20

PANEL AND WALL-MOUNT



WALL PLUGS

IK08 HF

Code	Color	Description	Rated current	Clock hour	Unit	Pack
------	-------	-------------	---------------	------------	------	------

CEE appliance inlet (IEC 60309)

IP44 - 16 A

IP44



EC690701	Blue	2P+E-220V	16 A	6 h	NR	1/10/40
EC690721	Red	3P+E-380V	16 A	6 h	NR	1/10/40
EC690741	Red	3P+N+E-380V	16 A	6 h	NR	1/10/40

IP44 - 32 A

IP44



EC692721	Blue	2P+E-220V	32 A	6 h	NR	1/10/40
EC690761	Red	3P+E-380V	32 A	6 h	NR	1/10/40
EC690781	Red	3P+N+E-380V	32 A	6 h	NR	1/10/40

IP67 - 16 A

IP67



EC690711	Blue	2P+E-220V	16 A	6 h	NR	1/5/30
EC690731	Red	3P+E-380V	16 A	6 h	NR	1/5/30
EC690751	Red	3P+N+E-380V	16 A	6 h	NR	1/5/30

IP67 - 32 A

IP67



EC692761	Blue	2P+E-220V	32 A	6 h	NR	1/5/30
EC690771	Red	3P+E-380V	32 A	6 h	NR	1/5/20
EC690791	Red	3P+N+E-380V	32 A	6 h	NR	1/5/20

IP67 - 63 A

IP67



EC692781	Blue	2P+E-220V	63 A	6 h	NR	1/2
EC693701	Red	3P+E-380V	63 A	6 h	NR	1/2
EC693711	Red	3P+N+E-380V	63 A	6 h	NR	1/2

FEATURES: Sloped base

PANEL SOCKETS

Code	Color	Description	Rated current	Clock hour	Unit	Pack
------	-------	-------------	---------------	------------	------	------

Panel-mounted CEE socket outlet (IEC 60309)

IK08 HF

IP44 - 16 A

IP44



EC69400	Blue	2P-24V	16 A		NR	1/10/80
EC69401	Blue	3P-24V	16 A		NR	1/10/80
EC69100	Yellow	2P+E-110V	16 A	4 h	NR	1/10/80
EC69101	Yellow	3P+E-110V	16 A	4 h	NR	1/10/80
EC69050	Blue	2P+E-220V	16 A	6 h	NR	1/10/80
EC69250	Blue	3P+E-220V	16 A	9 h	NR	1/10/80
EC69251	Blue	3P+N+E-220V	16 A	9 h	NR	1/10/60
EC69052	Red	3P+E-380V	16 A	6 h	NR	1/10/80
EC69054	Red	3P+N+E-380V	16 A	6 h	NR	1/10/60

IP44 - 32 A

IP44



EC69102	Yellow	2P+E-110V	32 A	4 h	NR	1/10/60
EC69103	Yellow	3P+E-110V	32 A	4 h	NR	1/10/60
EC69252	Blue	2P+E-220V	32 A	6 h	NR	1/10/60
EC69253	Blue	3P+E-220V	32 A	9 h	NR	1/10/60
EC69060	Red	3P+E-380V	32 A	6 h	NR	1/10/60
EC69061	Red	3P+N+E-380V	32 A	6 h	NR	1/10/60

IP67 - 16 A

IP67



EC69402	Blue	2P-24V	16 A		NR	1/10/80
EC69403	Blue	3P-24V	16 A		NR	1/10/80
EC69104	Yellow	2P+E-110V	16 A	4 h	NR	1/10/80
EC69105	Yellow	3P+E-110V	16 A	4 h	NR	1/10/80
EC69051	Blue	2P+E-220V	16 A	6 h	NR	1/10/80
EC69254	Blue	3P+E-220V	16 A	9 h	NR	1/10/80
EC69255	Blue	3P+N+E-220V	16 A	9 h	NR	1/10/60
EC69053	Red	3P+E-380V	16 A	6 h	NR	1/10/80
EC69055	Red	3P+N+E-380V	16 A	6 h	NR	1/10/60

IP67 - 32 A

IP67



EC69106	Yellow	2P+E-110V	32 A	4 h	NR	1/10/80
EC69107	Yellow	3P+E-110V	32 A	4 h	NR	1/10/60
EC69256	Blue	2P+E-220V	32 A	6 h	NR	1/10/80
EC69257	Blue	3P+E-220V	32 A	9 h	NR	1/10/60
EC69058	Red	3P+E-380V	32 A	6 h	NR	1/10/40
EC69059	Red	3P+N+E-380V	32 A	6 h	NR	1/10/40

IP67 - 63 A

IP67



EC69258	Blue	2P+E-220V	63 A	6 h	NR	1/2/16
EC69259	Blue	3P+E-220V	63 A	9 h	NR	1/2/16
EC69350	Red	3P+E-380V	63 A	6 h	NR	1/2/16
EC69351	Red	3P+N+E-380V	63 A	6 h	NR	1/2/16

IP67 - 125 A

IP67



EC69651	Blue	2P+E-220V	125 A	6 h	NR	1/2/8
EC69654	Blue	3P+E-220V	125 A	9 h	NR	1/2/8
EC69653	Red	3P+E-380V	125 A	6 h	NR	1/2/8
EC69655	Red	3P+N+E-380V	125 A	6 h	NR	1/2/8

Code	Color	Description	Rated current	Clock hour	Unit	Pack
------	-------	-------------	---------------	------------	------	------

CEE socket outlet (IEC 60309)

IK08 HF

IP44 - 16A - BASE ANGLE 20°

IP44

	EC694001		2P-24V	16 A		NR	1/12
	EC694011		3P-24V	16 A		NR	1/12
	EC691001		2P+E-110V	16 A	4 h	NR	1/12
	EC691011		3P+E-110V	16 A	4 h	NR	1/12
	 EC690501		2P+E-220V	16 A	6 h	NR	1/12
	EC692501		3P+E-220V	16 A	9 h	NR	1/12
	EC690521		3P+E-380V	16 A	6 h	NR	1/12
	EC690541		3P+N+E-380V	16 A	6 h	NR	1/12

IP44 - 32A - BASE ANGLE 20°

IP44

	EC691021	2P+E-110V	32 A	4 h	NR	1/12
	EC691031	3P+E-110V	32 A	4 h	NR	1/12
	EC692521	2P+E-220V	32 A	6 h	NR	1/12
	EC692531	3P+E-220V	32 A	9 h	NR	1/12
	EC690561	3P+E-380V	32 A	6 h	NR	1/12
	EC690581	3P+N+E-380V	32 A	6 h	NR	1/12

IP67 - 16A - BASE ANGLE 20°

IP67

	EC694021		2P-24V	16 A		NR	1/12
	EC694031		3P-24V	16 A		NR	1/12
	EC691041		2P+E-110V	16 A	4 h	NR	1/12
	EC691051		3P+E-110V	16 A	4 h	NR	1/12
	EC690511		2P+E-220V	16 A	6 h	NR	1/12
	EC692541		3P+E-220V	16 A	9 h	NR	1/12
	◀EC690531		3P+E-380V	16 A	6 h	NR	1/12
	EC690551		3P+N+E-380V	16 A	6 h	NR	1/12

IP67 - 32A - BASE ANGLE 20°

IP67

	EC691061	2P+E-110V	32 A	4 h	NR	1/12
	EC691071	3P+E-110V	32 A	4 h	NR	1/12
	EC692561	2P+E-220V	32 A	6 h	NR	1/12
	EC692571	3P+E-220V	32 A	9 h	NR	1/12
	EC690571	3P+E-380V	32 A	6 h	NR	1/12
	EC690591	3P+N+E-380V	32 A	6 h	NR	1/12

IP67 - 63A - SLOPED BASE

IP67

	EC692581	2P+E-220V	63 A	6 h	NR	1/2
	EC692591	3P+E-220V	63 A	9 h	NR	1/2
	EC693501	3P+E-380V	63 A	6 h	NR	1/2
	EC693511	3P+N+E-380V	63 A	6 h	NR	1/2

IP44 - 16A - STRAIGHT BASE - SOCKET SLOPED 20°

IP44

	EC694001D		2P-24V	16 A		NR	1/12
	EC694011D		3P-24V	16 A		NR	1/12
	EC691001D		2P+E-110V	16 A	4 h	NR	1/12
	EC691011D		3P+E-110V	16 A	4 h	NR	1/12
	 EC690501D		2P+E-220V	16 A	6 h	NR	1/12
	EC692501D		3P+E-220V	16 A	9 h	NR	1/12
	EC690521D		3P+E-380V	16 A	6 h	NR	1/12
	EC690541D		3P+N+E-380V	16 A	6 h	NR	1/12

IP44 - 32A - STRAIGHT BASE - SOCKET SLOPED 20°

IP44

	EC691021D	2P+E-110V	32 A	4 h	NR	1/12
	EC691031D	3P+E-110V	32 A	4 h	NR	1/12
	EC692521D	2P+E-220V	32 A	6 h	NR	1/12
	EC692531D	3P+E-220V	32 A	9 h	NR	1/12
	EC690561D	3P+E-380V	32 A	6 h	NR	1/12
	EC690581D	3P+N+E-380V	32 A	6 h	NR	1/12

IP67 - 16A - STRAIGHT BASE - SOCKET SLOPED 20°

IP67

	EC694021D		2P-24V	16 A		NR	1/12
	EC694031D		3P-24V	16 A		NR	1/12
	EC691041D		2P+E-110V	16 A	4 h	NR	1/12
	EC691051D		3P+E-110V	16 A	4 h	NR	1/12
	EC690511D		2P+E-220V	16 A	6 h	NR	1/12
	EC692541D		3P+E-220V	16 A	9 h	NR	1/12
	 EC690531D		3P+E-380V	16 A	6 h	NR	1/12
	EC690551D		3P+N+E-380V	16 A	6 h	NR	1/12

IP67 - 32A - STRAIGHT BASE - SOCKET SLOPED 20°

IP67

	EC691061D	2P+E-110V	32 A	4 h	NR	1/12
	EC691071D	3P+E-110V	32 A	4 h	NR	1/12
	EC692561D	2P+E-220V	32 A	6 h	NR	1/12
	EC692571D	3P+E-220V	32 A	9 h	NR	1/12
	EC690571D	3P+E-380V	32 A	6 h	NR	1/12
	EC690591D	3P+N+E-380V	32 A	6 h	NR	1/12

Code	Color	Description	Unit	Pack
------	-------	-------------	------	------


Panel mounted socket outlet with protective contact

IP54

	EC690514	2P+E 16A - F 50x50	NR	1/100
	EC690515	2P+E 16A - Schuko 50x50	NR	1/100

Code	Color	Description	Unit	Pack
------	-------	-------------	------	------

Accessories/spare parts for small distribution board

	202405	Additional gasket 50x50 mm	NR	50
---	--------	----------------------------	----	----

Code	Color	Description	Unit	Pack
------	-------	-------------	------	------

Holder for modular domestic switching devices

IP55

	EC69056	2P+E P40 10/16A	NR	1/30
	EC69057	Empty flange for GW system	NR	1/30

SWITCHED INTERLOCKED



VERTICAL - WITH FUSE HOLDER

IK08 HF

Code	Color	Description	Rated current	Clock hour	Unit	Pack
------	-------	-------------	---------------	------------	------	------

CEE socket outlet, disconnectable (IEC 60309)

IP44 - FLUSH-MOUNT

IP44



EC691904F	Yellow	2P+E-110V	16 A	4 h	NR	1/10
EC690904F	Blue	2P+E-220V	16 A	6 h	NR	1/10
EC692904F	Blue	3P+E-220V	16 A	9 h	NR	1/10
EC690924F	Red	3P+E-380V	16 A	6 h	NR	1/10
EC690944F	Red	3P+N+E-380V	16 A	6 h	NR	1/10
EC692924F	Blue	2P+E-220V	32 A	6 h	NR	1/10
EC692934F	Blue	3P+E-220V	32 A	9 h	NR	1/10
EC690964F	Red	3P+E-380V	32 A	6 h	NR	1/10
EC690984F	Red	3P+N+E-380V	32 A	6 h	NR	1/10

IP65 - FLUSH-MOUNT

IP65



EC691944F	Yellow	2P+E-110V	16 A	4 h	NR	1/10
EC690914F	Blue	2P+E-220V	16 A	6 h	NR	1/10
EC692944F	Blue	3P+E-220V	16 A	9 h	NR	1/10
EC690934F	Red	3P+E-380V	16 A	6 h	NR	1/10
EC690954F	Red	3P+N+E-380V	16 A	6 h	NR	1/10
EC692964F	Blue	2P+E-220V	32 A	6 h	NR	1/10
EC692974F	Blue	3P+E-220V	32 A	9 h	NR	1/10
EC690974F	Red	3P+E-380V	32 A	6 h	NR	1/10
EC690994F	Red	3P+N+E-380V	32 A	6 h	NR	1/10
EC692584F	Blue	2P+E-220V	63 A	6 h	NR	1/10
EC692594F	Blue	3P+E-220V	63 A	9 h	NR	1/10
EC693504F	Red	3P+E-380V	63 A	6 h	NR	1/10
EC693514F	Red	3P+N+E-380V	63 A	6 h	NR	1/10

IP44 - WALL-MOUNT

IP44



EC6919041F	Yellow	2P+E-110V	16 A	4 h	NR	1/10
EC6909041F	Blue	2P+E-220V	16 A	6 h	NR	1/10
EC6929041F	Blue	3P+E-220V	16 A	9 h	NR	1/10
EC6909241F	Red	3P+E-380V	16 A	6 h	NR	1/10
EC6909441F	Red	3P+N+E-380V	16 A	6 h	NR	1/10
EC6929241F	Blue	2P+E-220V	32 A	6 h	NR	1/10
EC6929341F	Blue	3P+E-220V	32 A	9 h	NR	1/10
EC6909641F	Red	3P+E-380V	32 A	6 h	NR	1/10
EC6909841F	Red	3P+N+E-380V	32 A	6 h	NR	1/10

IP65 - WALL-MOUNT

IP65



EC6919441F	Yellow	2P+E-110V	16 A	4 h	NR	1/10
EC6909141F	Blue	2P+E-220V	16 A	6 h	NR	1/10
EC6929441F	Blue	3P+E-220V	16 A	9 h	NR	1/10
EC6909341F	Red	3P+E-380V	16 A	6 h	NR	1/10

VERTICAL - WITHOUT FUSE HOLDER

IK08 HF

Code	Color	Description	Rated current	Clock hour	Unit	Pack
------	-------	-------------	---------------	------------	------	------

CEE socket outlet, disconnectable (IEC 60309)

IP44 - FLUSH-MOUNT

IP44



EC691904	Yellow	2P+E-110V	16 A	4 h	NR	1/10
EC690904	Blue	2P+E-220V	16 A	6 h	NR	1/10
EC692904	Blue	3P+E-220V	16 A	9 h	NR	1/10
EC690924	Red	3P+E-380V	16 A	6 h	NR	1/10
EC690944	Red	3P+N+E-380V	16 A	6 h	NR	1/10
EC692924	Blue	2P+E-220V	32 A	6 h	NR	1/10
EC692934	Blue	3P+E-220V	32 A	9 h	NR	1/10
EC690964	Red	3P+E-380V	32 A	6 h	NR	1/10
EC690984	Red	3P+N+E-380V	32 A	6 h	NR	1/10

IP65 - FLUSH-MOUNT

IP65



EC691944	Yellow	2P+E-110V	16 A	4 h	NR	1/10
EC690914	Blue	2P+E-220V	16 A	6 h	NR	1/10
EC692944	Blue	3P+E-220V	16 A	9 h	NR	1/10
EC690934	Red	3P+E-380V	16 A	6 h	NR	1/10
EC690954	Red	3P+N+E-380V	16 A	6 h	NR	1/10
EC692964	Blue	2P+E-220V	32 A	6 h	NR	1/10
EC692974	Blue	3P+E-220V	32 A	9 h	NR	1/10
EC690974	Red	3P+E-380V	32 A	6 h	NR	1/10
EC690994	Red	3P+N+E-380V	32 A	6 h	NR	1/10
EC692584	Blue	2P+E-220V	63 A	6 h	NR	1/10
EC692594	Blue	3P+E-220V	63 A	9 h	NR	1/10
EC693504	Red	3P+E-380V	63 A	6 h	NR	1/10
EC693514	Red	3P+N+E-380V	63 A	6 h	NR	1/10

IP44 - WALL-MOUNT

IP44



EC6919041	Yellow	2P+E-110V	16 A	4 h	NR	1/10
EC6909041	Blue	2P+E-220V	16 A	6 h	NR	1/10
EC6929041	Blue	3P+E-220V	16 A	9 h	NR	1/10
EC6909241	Red	3P+E-380V	16 A	6 h	NR	1/10
EC6909441	Red	3P+N+E-380V	16 A	6 h	NR	1/10
EC6929241	Blue	2P+E-220V	32 A	6 h	NR	1/10
EC6929341	Blue	3P+E-220V	32 A	9 h	NR	1/10
EC6909641	Red	3P+E-380V	32 A	6 h	NR	1/10
EC6909841	Red	3P+N+E-380V	32 A	6 h	NR	1/10

IP65 - WALL-MOUNT

IP65



EC6919441	Yellow	2P+E-110V	16 A	4 h	NR	1/10
EC6909141	Blue	2P+E-220V	16 A	6 h	NR	1/10
EC6929441	Blue	3P+E-220V	16 A	9 h	NR	1/10
EC6909341	Red	3P+E-380V	16 A	6 h	NR	1/10
EC6909541	Red	3P+N+E-380V	16 A	6 h	NR	1/10
EC6929641	Blue	2P+E-220V	32 A	6 h	NR	1/10
EC6929741	Blue	3P+E-220V	32 A	9 h	NR	1/10

VERTICAL - WITHOUT FUSE HOLDER

IK08

HF

Code	Color	Description	Rated current	Clock hour	Unit	Pack
EC6909741	●	3P+E-380V	32 A	6 h	NR	1/10
EC6909941	●	3P+N+E-380V	32 A	6 h	NR	1/10
EC6925841	●	2P+E-220V	63 A	6 h	NR	1/10
EC6925941	●	3P+E-220V	63 A	9 h	NR	1/10
EC6935041	●	3P+E-380V	63 A	6 h	NR	1/10
EC6935141	●	3P+N+E-380V	63 A	6 h	NR	1/10

VERTICAL - LOW VOLTAGE

IK08

IP44

HF

Code	Color	Description	Rated current	Unit	Pack
------	-------	-------------	---------------	------	------

CEE socket outlet, disconnectable (IEC 60309)

FLUSH-MOUNT



EC694924	●	2P-24V without fuse holder	16 A	NR	1/10
EC694924F	●	2P-24V with fuse holder	16 A	NR	1/10

WALL-MOUNT



EC6949241	●	2P-24 V without fuse holder	16 A	NR	1/10
EC6949241F	●	2P-24V with fuse holder	16 A	NR	1/10

HORIZONTAL - WITH FUSE HOLDER

IK08

HF

Code	Color	Description	Rated current	Clock hour	Unit	Pack
------	-------	-------------	---------------	------------	------	------

CEE socket outlet, disconnectable (IEC 60309)

IP44 - FLUSH-MOUNT

IP44



EC69190F	●	2P+E-110V	16 A	4 h	NR	1/10
EC69090F	●	2P+E-220V	16 A	6 h	NR	1/10
EC69290F	●	3P+E-220V	16 A	9 h	NR	1/10
EC69092F	●	3P+E-380V	16 A	6 h	NR	1/10
EC69094F	●	3P+N+E-380V	16 A	6 h	NR	1/10
EC69292F	●	2P+E-220V	32 A	6 h	NR	1/10
EC69293F	●	3P+E-220V	32 A	9 h	NR	1/10
EC69096F	●	3P+E-380V	32 A	6 h	NR	1/10
EC69098F	●	3P+N+E-380V	32 A	6 h	NR	1/10

IP65 - FLUSH-MOUNT

IP65



EC69194F	●	2P+E-110V	16 A	4 h	NR	1/10
EC69091F	●	2P+E-220V	16 A	6 h	NR	1/10
EC69294F	●	3P+E-220V	16 A	9 h	NR	1/10
EC69093F	●	3P+E-380V	16 A	6 h	NR	1/10
EC69095F	●	3P+N+E-380V	16 A	6 h	NR	1/10
EC69296F	●	2P+E-220V	32 A	6 h	NR	1/10
EC69297F	●	3P+E-220V	32 A	9 h	NR	1/10
EC69097F	●	3P+E-380V	32 A	6 h	NR	1/10
EC69099F	●	3P+N+E-380V	32 A	6 h	NR	1/10

IP44 - WALL-MOUNT

IP44



EC691901F	●	2P+E-110V	16 A	4 h	NR	1/10
EC690901F	●	2P+E-220V	16 A	6 h	NR	1/10
EC692901F	●	3P+E-220V	16 A	9 h	NR	1/10
EC690921F	●	3P+E-380V	16 A	6 h	NR	1/10
EC690941F	●	3P+N+E-380V	16 A	6 h	NR	1/10
EC692921F	●	2P+E-220V	32 A	6 h	NR	1/10
EC692931F	●	3P+E-220V	32 A	9 h	NR	1/10
EC690961F	●	3P+E-380V	32 A	6 h	NR	1/10
EC690981F	●	3P+N+E-380V	32 A	6 h	NR	1/10

IP65 - WALL-MOUNT

IP65



EC691941F	●	2P+E-110V	16 A	4 h	NR	1/10
EC690911F	●	2P+E-220V	16 A	6 h	NR	1/10
EC692941F	●	3P+E-220V	16 A	9 h	NR	1/10
EC690931F	●	3P+E-380V	16 A	6 h	NR	1/10
EC690951F	●	3P+N+E-380V	16 A	6 h	NR	1/10
EC692961F	●	2P+E-220V	32 A	6 h	NR	1/10
EC692971F	●	3P+E-220V	32 A	9 h	NR	1/10
EC690971F	●	3P+E-380V	32 A	6 h	NR	1/10
EC690991F	●	3P+N+E-380V	32 A	6 h	NR	1/10

HORIZONTAL - WITHOUT FUSE HOLDER

IK08

HF

Code	Color	Description	Rated current	Clock hour	Unit	Pack
------	-------	-------------	---------------	------------	------	------

CEE socket outlet, disconnectable (IEC 60309)

IP44 - FLUSH-MOUNT

IP44



EC69190	●	2P+E-110V	16 A	4 h	NR	1/24
EC69090	●	2P+E-220V	16 A	6 h	NR	1/24
EC69290	●	3P+E-220V	16 A	9 h	NR	1/24
EC69092	●	3P+E-380V	16 A	6 h	NR	1/24
EC69094	●	3P+N+E-380V	16 A	6 h	NR	1/24
EC69292	●	2P+E-220V	32 A	6 h	NR	1/24
EC69293	●	3P+E-220V	32 A	9 h	NR	1/24
EC69096	●	3P+E-380V	32 A	6 h	NR	1/24
EC69098	●	3P+N+E-380V	32 A	6 h	NR	1/24

IP65 - WALL-MOUNT

IP65



EC69194	●	2P+E-110V	16 A	4 h	NR	1/24
EC69091	●	2P+E-220V	16 A	6 h	NR	1/24
EC69294	●	3P+E-220V	16 A	9 h	NR	1/24
EC69093	●	3P+E-380V	16 A	6 h	NR	1/24
EC69095	●	3P+N+E-380V	16 A	6 h	NR	1/24
EC69296	●	2P+E-220V	32 A	6 h	NR	1/24
EC69297	●	3P+E-220V	32 A	9 h	NR	1/24
EC69097	●	3P+E-380V	32 A	6 h	NR	1/24
EC69099	●	3P+N+E-380V	32 A	6 h	NR	1/24

IP44 - WALL-MOUNT

IP44



EC691901	●	2P+E-110V	16 A	4 h	NR	1/24
EC690901	●	2P+E-220V	16 A	6 h	NR	1/24
EC692901	●	3P+E-220V	16 A	9 h	NR	1/24
EC690921	●	3P+E-380V	16 A	6 h	NR	1/24
EC690941	●	3P+N+E-380V	16 A	6 h	NR	1/24
EC692921	●	2P+E-220V	32 A	6 h	NR	1/24
EC692931	●	3P+E-220V	32 A	9 h	NR	1/24
EC690961	●	3P+E-380V	32 A	6 h	NR	1/24
EC690981	●	3P+N+E-380V	32 A	6 h	NR	1/24



HORIZONTAL - WITHOUT FUSE HOLDER

IK08

HF

IP65 - WALL-MOUNT

IP65



Code	Color	Description	Rated current	Clock hour	Unit	Pack
EC691941	Yellow	2P+E-110V	16 A	4 h	NR	1/24
EC690911	Blue	2P+E-220V	16 A	6 h	NR	1/24
EC692941	Blue	3P+E-220V	16 A	9 h	NR	1/24
EC690931	Red	3P+E-380V	16 A	6 h	NR	1/24
EC690951	Red	3P+N+E-380V	16 A	6 h	NR	1/24
EC692961	Blue	2P+E-220V	32 A	6 h	NR	1/24
EC692971	Blue	3P+E-220V	32 A	9 h	NR	1/24
EC690971	Red	3P+E-380V	32 A	6 h	NR	1/24
EC690991	Red	3P+N+E-380V	32 A	6 h	NR	1/24

ACCESSORIES FOR INTERLOCKED SOCKETS

Code

Color

Description

Unit

Pack



Accessories/spare parts for CEE plugs and sockets (IEC 60309)

BASES FOR VERTICAL INTERLOCKED SOCKETS



EC6909004	○	Wall mounting box	NR	1/10
EC690920	○	Flush mounting box with flange	NR	1/14
EC690930	○	Dry lining box with flange	NR	1/14

MODULAR BASES FOR VERTICAL INTERLOCKED SOCKETS

GWT
650°



EC6909014	○	Base 1 Interlocked vertical socket	NR	1/10
EC6909024	○	Base 2 Interlocked vertical sockets	NR	1/5
EC6909034	○	Base 3 Interlocked vertical sockets	NR	1/3
EC6909044	○	Base 4 Interlocked vertical sockets	NR	1/2

BOXES FOR HORIZONTAL INTERLOCKED SOCKETS



EC690900	○	Wall mount without fuse holder	NR	1/20
EC690905	○	Wall mount with fuse holder	NR	1/14
EC690910	○	Flush mount without fuse holder	NR	1/12
EC690915	○	Dry lining flush mount without fuse holder	NR	1/12

Code

Color

Description

Unit

Pack



Accessories/spare parts for small distribution board

IP65

GWT
650°

FLANGES



EC690F1	○	Blank flange 74x85 mm	NR	1/10
EC690F3	○	Blank flange 120x280 for 69045-46	NR	1/10
EC690F4	○	Flange for 16/32A sockets - 69045 / 69046 modular box	NR	1/20
EC690F6	○	For auxiliary controls Ø 22 mm	NR	1/10
EC690F7	○	For sockets 50x50 mm - Ø 43 mm	NR	1/10

COUPLING ELEMENTS



EC52121	○	PG21 type	NR	10/50
EC52129	○	PG29 type	NR	10/50
EC52136	○	PG36 type	NR	10/50

Code

Description

Unit

Pack



DIN Mounting rail



202702	For base 6909014	NR	10
202705	For base 6909024	NR	10

Code

Color

Description

Unit

Pack



Cylindrical fuse

EC690FU02	○	10x38 Fuse gG - 2A	NR	10/50
EC690FU06	○	10x38 Fuse gG - 6A	NR	10/50
EC690FU16	○	10x38 Fuse gG - 16A	NR	10/50
EC690FU32	○	10x38 Fuse gG - 32A	NR	10/50
EC690FU63	○	15x36 Fuse D02 gG - 63A	NR	10/50

MULTIPLE WAY CONNECTORS AND ADAPTORS



MULTIPLE WAY PLUGS-SOCKETS

Code	Color	Description	Cable length	IP	Unit	Pack
------	-------	-------------	--------------	----	------	------

CEE socket outlet combination (IEC 60309)

2 OUTPUTS - 16A PLUGS

	EC691702	●	2P+E-110V	IP44	NR	1/10
	EC691742	●	2P+E-110V	IP67	NR	1/5
	EC690702	●	2P+E-220V	IP44	NR	1/10
	EC690712	●	2P+E-220V	IP67	NR	1/10
	EC690722	●	3P+E-380V	IP44	NR	1/5
	EC690732	●	3P+E-380V	IP67	NR	1/5

3 OUTPUTS - 16A PLUGS

	EC691703	●	2P+E-110V	IP44	NR	1/6
	EC691743	●	2P+E-110V	IP67	NR	1/6
	EC690703	●	2P+E-220V	IP44	NR	1/5
	EC690713	●	2P+E-220V	IP67	NR	1/5
	EC692703	●	3P+E-220V	IP44	NR	1/4
	EC692713	●	3P+N+E-220V	IP44	NR	1/4
	EC692743	●	3P+E-220V	IP67	NR	1/4
	EC692753	●	3P+N+E-220V	IP67	NR	1/4
	EC690723	●	3P+E-380V	IP44	NR	1/4
	EC690733	●	3P+E-380V	IP67	NR	1/4
	EC690743	●	3P+N+E-380V	IP44	NR	1/4
	EC690753	●	3P+N+E-380V	IP67	NR	1/4

3 OUTPUTS - 16A PLUGS - WITH CABLE

	EC690714-3	●	2P+E-220V	3 m	IP67	NR	1
	EC690714-20	●	2P+E-220V	20 m	IP67	NR	1
	EC690714-30	●	2P+E-220V	30 m	IP67	NR	1
	EC690754-3	●	3P+N+E-380V	3 m	IP67	NR	1

3 OUTPUTS - 32A PLUGS

	EC690763	●	3P+E-380V	IP44	NR	1/4
	EC690773	●	3P+E-380V	IP67	NR	1/4
	EC690783	●	3P+N+E-380V	IP44	NR	1/4
	EC690793	●	3P+N+E-380V	IP67	NR	1/4

PLUG-SOCKET ADAPTORS

Code	Color	Description	IP	Unit	Pack
------	-------	-------------	----	------	------

CEE socket outlet combination (IEC 60309)

ADAPTORS - 2P-16A CEE SOCKET TO DOMESTIC PLUG

IP20



EC690512	●	Schuko plug 16A	IP20	NR	1/10
EC690513	●	Italian plug 16A	IP20	NR	1/10

ADAPTORS - 16A CEE PLUG TO DOMESTIC SOCKET

IP20



EC690510	●	2P+E-220V-Schuko+2x Ital.	IP20	NR	1/10/80
EC690520	●	2P+E-220V-2x2P Ital.	IP20	NR	1/10
EC690525	●	2P+E-220V-2P Schuko Ital.	IP20	NR	1/10
EC690530	●	3P+N+E-380V-Schuko Ital.	IP20	NR	1/10
EC690540	●	3P+N+E-380V-2x Ital.	IP20	NR	1/10

SERIES KLECT - SCHUKO SOCKETS TO CEE

IP67



EC690550	●	2P+E 220V-2P Schuko	IP67	NR	1/12
EC690555	●	2P+E 220V-2P+E Schuko	IP67	NR	1/12

SAFETY SWITCHES



EMERGENCY STOP

IK08



GWT 650°

Code	Color	Rated current I _n	No. Poles	Dimensions	Unit	Pack
------	-------	------------------------------	-----------	------------	------	------

Switch disconnecter (low voltage)

16 A ÷ 100 A

IP67



EC660162E	○	16 A	2	155x115x105 mm	NR	1/24
EC660163E	○	16 A	3	155x115x105 mm	NR	1/24
EC660164E	○	16 A	4	155x115x105 mm	NR	1/24
EC660202E	○	20 A	2	155x115x105 mm	NR	1/24
EC660203E	○	20 A	3	155x115x105 mm	NR	1/24
EC660204E	○	20 A	4	155x115x105 mm	NR	1/24
EC660322E	○	32 A	2	155x115x105 mm	NR	1/24
EC660323E	○	32 A	3	155x115x105 mm	NR	1/24
EC660324E	○	32 A	4	155x115x105 mm	NR	1/24
EC660402E	○	40 A	2	155x115x105 mm	NR	1/24
EC660403E	○	40 A	3	155x115x105 mm	NR	1/24
EC660404E	○	40 A	4	155x115x105 mm	NR	1/24
EC660632E	○	63 A	2	205x155x125 mm	NR	1/10
EC660633E	○	63 A	3	205x155x125 mm	NR	1/10
EC660634E	○	63 A	4	205x155x125 mm	NR	1/10
EC660802E	○	80 A	2	205x155x125 mm	NR	1/10
EC660803E	○	80 A	3	205x155x125 mm	NR	1/10
EC660804E	○	80 A	4	205x155x125 mm	NR	1/10
EC661003E	○	100 A	3	205x155x125 mm	NR	1/10
EC661004E	○	100 A	4	205x155x125 mm	NR	1/10

125 A ÷ 160 A

IP56



EC661254E	○	125 A	4	310x232x175 mm	NR	1
EC661253E	○	125 A	3	310x232x175 mm	NR	1
EC661603E	○	160 A	3	310x232x175 mm	NR	1
EC661604E	○	160 A	4	310x232x175 mm	NR	1

CONTROL VERSION

IK08



GWT 650°

Code	Color	Rated current I _n	No. Poles	Dimensions	Unit	Pack
------	-------	------------------------------	-----------	------------	------	------

Switch disconnecter (low voltage)

LINE SWITCHES

IP56



EC661253C	○	125 A	3	392x312x180 mm	NR	1
EC661254C	○	125 A	4	392x312x180 mm	NR	1
EC661603C	○	160 A	3	392x312x180 mm	NR	1
EC661604C	○	160 A	4	392x312x180 mm	NR	1

DISCONNECTORS 16 A ÷ 100 A

IP67



EC660162M	○	16 A	2	155x115x105 mm	NR	1/24
EC660163M	○	16 A	3	155x115x105 mm	NR	1/24
EC660164M	○	16 A	4	155x115x105 mm	NR	1/24
EC660202M	○	20 A	2	155x115x105 mm	NR	1/24
EC660203M	○	20 A	3	155x115x105 mm	NR	1/24
EC660204M	○	20 A	4	155x115x105 mm	NR	1/24
EC660322M	○	32 A	2	155x115x105 mm	NR	1/24
EC660323M	○	32 A	3	155x115x105 mm	NR	1/24
EC660324M	○	32 A	4	155x115x105 mm	NR	1/24
EC660402M	○	40 A	2	155x115x105 mm	NR	1/24
EC660403M	○	40 A	3	155x115x105 mm	NR	1/24
EC660404M	○	40 A	4	155x115x105 mm	NR	1/24
EC660632M	○	63 A	2	205x155x125 mm	NR	1/10
EC660633M	○	63 A	3	205x155x125 mm	NR	1/10
EC660634M	○	63 A	4	205x155x125 mm	NR	1/10
EC660802M	○	80 A	2	205x155x125 mm	NR	1/10
EC660803M	○	80 A	3	205x155x125 mm	NR	1/10
EC660804M	○	80 A	4	205x155x125 mm	NR	1/10
EC661003M	○	100 A	3	205x155x125 mm	NR	1/10
EC661004M	○	100 A	4	205x155x125 mm	NR	1/10

DISCONNECTORS 125 A ÷ 160 A

IP56



EC661253M	○	125 A	3	310x232x175 mm	NR	1
EC661254M	○	125 A	4	310x232x175 mm	NR	1
EC661603M	○	160 A	3	310x232x175 mm	NR	1
EC661604M	○	160 A	4	310x232x175 mm	NR	1

PANEL-MOUNT

IK08

IP65



GWT 650°

Code	Color	Rated current I _n	No. Poles	Dimensions	Unit	Pack
------	-------	------------------------------	-----------	------------	------	------

Switch disconnecter (low voltage)

EMERGENCY RED KNOB




EC660162EI	○	16 A	2	74x85 mm	NR	1/12
EC660163EI	○	16 A	3	74x85 mm	NR	1/12
EC660164EI	○	16 A	4	74x85 mm	NR	1/12
EC660202EI	○	20 A	2	74x85 mm	NR	1/12
EC660203EI	○	20 A	3	74x85 mm	NR	1/12
EC660204EI	○	20 A	4	74x85 mm	NR	1/12
EC660322EI	○	32 A	2	74x85 mm	NR	1/12
EC660323EI	○	32 A	3	74x85 mm	NR	1/12
EC660324EI	○	32 A	4	74x85 mm	NR	1/12
EC660402EI	○	40 A	2	74x85 mm	NR	1/12
EC660403EI	○	40 A	3	74x85 mm	NR	1/12
EC660404EI	○	40 A	4	74x85 mm	NR	1/12

CONTROL BLACK KNOB



EC660162MI	○	16 A	2	74x85 mm	NR	1/12
EC660163MI	○	16 A	3	74x85 mm	NR	1/12
EC660164MI	○	16 A	4	74x85 mm	NR	1/12
EC660202MI	○	20 A	2	74x85 mm	NR	1/12
EC660203MI	○	20 A	3	74x85 mm	NR	1/12
EC660204MI	○	20 A	4	74x85 mm	NR	1/12
EC660322MI	○	32 A	2	74x85 mm	NR	1/12
EC660323MI	○	32 A	3	74x85 mm	NR	1/12
EC660324MI	○	32 A	4	74x85 mm	NR	1/12
EC660402MI	○	40 A	2	74x85 mm	NR	1/12
EC660403MI	○	40 A	3	74x85 mm	NR	1/12
EC660404MI	○	40 A	4	74x85 mm	NR	1/12

DISTRIBUTION BOARDS



UNWIRED VERSIONS

IP65



GWT 650°

Code	Color	Description	Unit	Pack
------	-------	-------------	------	------

Small distribution board

2 SOCKETS - 4 MODULES



EC69001	○	Blank board	NR	1/15
EC69011	○	Pre-cut for 16/32A sockets	NR	1/15
EC69021	○	Flanges for 16A sockets	NR	1/15

3 SOCKETS - 4 MODULES



EC69002	○	Blank board	NR	1/13
EC69012	○	Pre-cut for 16/32A sockets	NR	1/13
EC69022	○	Flanges for 16A sockets	NR	1/13

4 SOCKETS - 8 MODULES



EC69003	○	Blank board	NR	1
EC69013	○	Pre-cut for 16/32A sockets	NR	1
EC69023	○	Flanges for 16A sockets	NR	1

3 SOCKETS - 12 MODULES



EC69004	○	Blank board	NR	1
EC69014	○	Pre-cut for 16/32A sockets	NR	1
EC69024	○	Flanges for 16A sockets	NR	1

4 SOCKETS - 12 MODULES



EC69035	○	Flanges for 4 sockets without fuses horizontal	NR	1
---------	---	--	----	---

6 SOCKETS - 12 MODULES



EC69005	○	Blank board	NR	1
EC69015	○	Pre-cut for 16/32A sockets	NR	1
EC69025	○	Flanges for 16A sockets	NR	1

2 SOCKETS - 12 MODULES



EC69034	○	Flanges for 2 sockets without fuses horizontal	NR	1
EC69045	○	Flanges for 2 sockets without fuses vertical	NR	1

8 SOCKETS - 19 MODULES



EC69006	○	Blank board	NR	1
EC69016	○	Pre-cut for 16/32A sockets	NR	1
EC69026	○	Flanges for 16A sockets	NR	1

3 SOCKETS - 19 MODULES



EC69046	○	Flanges for 3 sockets without fuses vertical	NR	1
---------	---	--	----	---

4 SOCKETS - 19 MODULES



EC69036	○	Flanges for 4 sockets with fuses horizontal	NR	1
---------	---	---	----	---

ACCESSORIES FOR DISTRIBUTION BOARDS

Code	Color	Description	Unit	Pack
------	-------	-------------	------	------

Accessories/spare parts for small distribution board

COUPLING ELEMENTS

IP65 GWT 650°



EC52121	○	PG21 type	NR	10/50
EC52129	○	PG29 type	NR	10/50
EC52136	○	PG36 type	NR	10/50

HANDLE

IP65 GWT 650°



EC690MA	●	For all distribution boards 690	NR	1/10
---------	---	---------------------------------	----	------

FLANGES

IP65 GWT 650°



EC690F1	○	Blank flange 74x85 mm	NR	1/10
EC690F2	○	Blank flange 104x153 for 69034-35	NR	1/10
EC690F3	○	Blank flange 120x280 for 69045-46	NR	1/10
EC690F4	○	Flange for 16/32A sockets - 69045 / 69046 modular box	NR	1/20
EC690F5	○	Blank flange 197x149 for 69036	NR	1/10
EC690F6	○	For auxiliary controls Ø 22 mm	NR	1/10
EC690F7	○	For sockets 50x50 mm - Ø 43 mm	NR	1/10

ACCESSORIES FOR DISTRIBUTION BOARDS

Code	Color	Description	Unit	Pack
------	-------	-------------	------	------

METAL STANDS



EC69040	○	For 8 modules boards	NR	1
EC69040T	○	For 8 modules boards - with protection	NR	1
EC69041	○	For 12-19 modules boards	NR	1
EC69041T	○	For 12 modules boards - with protection	NR	1

Mounting clamp for junction boxes

HF

**GWT
650°**

WALL-MOUNT BRACKET



EC600SF	○	To keep IP-protection and double insulation for boxes 4xx Dimensions C6-C7-C8-C9-C10 - enclosures 600-610-620-690 - 20x13x59 mm	NR	50
----------------	---	---	----	----

SERIES DBO - BOARD SYSTEM


**GWT
650°**

Code	Description	IP	Unit	Pack
------	-------------	----	------	------

CEE socket outlet combination (IEC 60309)

2X16A VERTICAL SOCKETS



EC6902120	1x2P - 1x3P	IP44	NR	1
EC6902121	2x2P	IP44	NR	1
EC6902122	1x2P - 1xP40	IP44	NR	1
EC6902123	2xP40	IP44	NR	1
EC6902124	2x3P	IP44	NR	1
EC6902130	1x2P - 1x3P	IP65	NR	1
EC6902131	2x2P	IP65	NR	1
EC6902132	2x3P	IP65	NR	1

3X16A VERTICAL SOCKETS



EC6902220	2x2P - 1x3P	IP44	NR	1
EC6902221	1x2P - 1x3P - 1x3P+N	IP44	NR	1
EC6902222	2x2P - 1xP40	IP44	NR	1
EC6902223	1x2P - 2x3P	IP44	NR	1
EC6902224	1x2P - 1x3P - 1xP40	IP44	NR	1
EC6902225	3x2P	IP44	NR	1
EC6902226	3xP40	IP44	NR	1
EC6902227	3x3P	IP44	NR	1
EC6902230	2x2P - 1x3P	IP65	NR	1
EC6902231	1x2P - 2x3P	IP65	NR	1
EC6902232	1x2P - 1x3P - 1x3P+N	IP65	NR	1
EC6902233	3x2P	IP65	NR	1
EC6902234	3x3P	IP65	NR	1

4X16A SOCKETS



EC6902320	2x2P - 2x3P	IP44	NR	1
EC6902321	2x2P - 1x3P - 1x3P+N	IP44	NR	1
EC6902322	1x2P - 1x3P - 1x3P+N - 1xP40	IP44	NR	1
EC6902323	2x2P - 2xP40	IP44	NR	1
EC6902324	4x2P	IP44	NR	1
EC6902325	4x3P	IP44	NR	1

EC6902326	3x2P - 1x3P	IP44	NR	1
EC6902329	2x2P - 1x3P - 1xP40	IP44	NR	1
EC6902330	2x2P - 2x3P	IP65	NR	1
EC6902331	2x2P - 1x3P - 1x3P+N	IP65	NR	1
EC6902332	1x2P - 2x3P - 1x3P+N	IP65	NR	1
EC6902333	4x2P	IP65	NR	1
EC6902334	4x3P	IP65	NR	1
EC6902335	3x2P - 1x3P+N	IP65	NR	1
EC6902336	3x2P - 1x3P	IP65	NR	1
EC6902337	2x2P - 2x3P+N	IP65	NR	1
EC6902338	1x2P - 3x3P	IP65	NR	1

3X16A HORIZONTAL SOCKETS



EC6902420	2x2P - 1x3P	IP44	NR	1
EC6902421	1x2P - 2x3P	IP44	NR	1
EC6902422	1x2P - 1x3P - 1x3P+N	IP44	NR	1
EC6902423	1x2P - 1x3P - 1xP40	IP44	NR	1
EC6902424	3x2P	IP44	NR	1
EC6902425	3x3P	IP44	NR	1
EC6902430	2x2P - 1x3P	IP65	NR	1
EC6902431	1x2P - 2x3P	IP65	NR	1
EC6902432	1x2P - 1x3P - 1x3P+N	IP65	NR	1
EC6902433	3x2P	IP65	NR	1
EC6902434	3x3P	IP65	NR	1

2X16A HORIZONTAL INTERLOCKED SOCKETS



EC6902460	2x2P	IP44	NR	1
EC6902461	2x3P	IP44	NR	1
EC6902462	1x2P - 1x3P	IP44	NR	1
EC6902463	1x2P - 1x3P+N	IP44	NR	1
EC6902470	2x2P	IP65	NR	1
EC6902471	2x3P	IP65	NR	1
EC6902472	1x2P - 1x3P	IP65	NR	1
EC6902473	1x2P - 1x3P+N	IP65	NR	1

2X16-32A HORIZONTAL INTERLOCKED SOCKETS



EC6902464	1x2P - 1x3P 32A	IP44	NR	1
EC6902465	1x2P - 1x3P+N 32A	IP44	NR	1
EC6902474	1x2P - 1x3P 32A	IP65	NR	1
EC6902475	1x2P - 1x3P+N 32A	IP65	NR	1

6X16A SOCKETS



EC6902520	3x2P - 3x3P	IP44	NR	1
EC6902521	2x2P - 2x3P - 2x3P+N	IP44	NR	1
EC6902522	2x2P - 2x3P - 1x3P+N - 1xP40	IP44	NR	1
EC6902523	2x2P - 1x3P - 1x3P+N - 2xP40	IP44	NR	1
EC6902524	6x2P	IP44	NR	1
EC6902525	6x3P	IP44	NR	1
EC6902530	3x2P - 3x3P	IP65	NR	1
EC6902531	2x2P - 2x3P - 2x3P+N	IP65	NR	1
EC6902532	3x2P - 2x3P - 1x3P+N	IP65	NR	1
EC6902533	6x2P	IP65	NR	1
EC6902534	6x3P	IP65	NR	1
EC6902535	4x2P - 2x3P	IP65	NR	1

SERIES DBO - BOARD SYSTEM



Code	Description	IP	Unit	Pack
------	-------------	----	------	------

8X16A SOCKETS



EC6902620	8x2P	IP44	NR	1
EC6902621	4x2P - 4x3P	IP44	NR	1
EC6902622	4x2P - 4x3P+N	IP44	NR	1
EC6902623	4x2P - 2x3P - 2x3P+N	IP44	NR	1
EC6902630	8x2P	IP65	NR	1
EC6902631	4x2P - 4x3P	IP65	NR	1
EC6902632	4x2P - 4x3P+N	IP65	NR	1
EC6902633	4x2P - 2x3P - 2x3P+N	IP65	NR	1

4X16A HORIZONTAL INTERLOCKED SOCKETS



EC6902560	2x2P - 2x3P	IP44	NR	1
EC6902561	2x2P - 1x3P - 1x3P+N	IP44	NR	1
EC6902562	4x2P	IP44	NR	1
EC6902563	4x3P	IP44	NR	1
EC6902570	2x2P - 2x3P	IP65	NR	1
EC6902571	2x2P - 1x3P - 1x3P+N	IP65	NR	1
EC6902572	4x2P	IP65	NR	1
EC6902573	4x3P	IP65	NR	1

4X16-32A HORIZONTAL INTERLOCKED SOCKETS



EC6902564	2x2P - 1x3P - 1x3P 32A	IP44	NR	1
EC6902565	2x2P - 1x3P - 1x3P+N 32A	IP44	NR	1
EC6902574	2x2P - 1x3P - 1x3P 32A	IP65	NR	1
EC6902575	2x2P - 1x3P - 1x3P+N 32A	IP65	NR	1

4X16A HORIZONTAL INTERLOCKED SOCKETS - WITH FUSE HOLDER



EC6903620	2x2P - 2x3P	IP44	NR	1
EC6903621	2x2P - 2x3P+N	IP44	NR	1
EC6903622	2x2P - 2x3P 32A	IP44	NR	1
EC6903623	2x2P - 2x3P+N 32A	IP44	NR	1
EC6903630	2x2P - 2x3P	IP65	NR	1
EC6903631	2x2P - 2x3P+N	IP65	NR	1
EC6903632	2x2P - 2x3P 32A	IP65	NR	1
EC6903633	2x2P - 2x3P+N 32A	IP65	NR	1

2X16A VERTICAL INTERLOCKED SOCKETS - WITH FUSE HOLDER



EC6904540	2x2P	IP44	NR	1
EC6904541	2x3P	IP44	NR	1
EC6904542	2x3P+N	IP44	NR	1
EC6904543	1x2P - 1x3P	IP44	NR	1
EC6904544	1x2P - 1x3P+N	IP44	NR	1
EC6904545	1x3P - 1x3P+N	IP44	NR	1
EC6904560	2x2P	IP65	NR	1
EC6904561	2x3P	IP65	NR	1
EC6904562	2x3P+N	IP65	NR	1
EC6904563	1x2P - 1x3P	IP65	NR	1
EC6904564	1x2P - 1x3P+N	IP65	NR	1
EC6904565	1x3P - 1x3P+N	IP65	NR	1

2X16-32A VERTICAL INTERLOCKED SOCKETS - WITH FUSE HOLDER



EC6904546	2x2P 32A	IP44	NR	1
EC6904547	2x3P 32A	IP44	NR	1
EC6904548	2x3P+N 32A	IP44	NR	1
EC6904549	1x2P - 1x3P 32A	IP44	NR	1
EC6904550	1x2P - 1x3P+N 32A	IP44	NR	1

EC6904551	1x3P 32A - 1x3P+N 32A	IP44	NR	1
EC6904566	2x2P 32A	IP65	NR	1
EC6904567	2x3P 32A	IP65	NR	1
EC6904568	2x3P+N 32A	IP65	NR	1
EC6904569	1x2P - 1x3P 32A	IP65	NR	1
EC6904570	1x2P - 1x3P+N 32A	IP65	NR	1
EC6904571	1x3P 32A - 1x3P+N 32A	IP65	NR	1

3X16-32A VERTICAL INTERLOCKED SOCKETS - WITH FUSE HOLDER



EC6904620	2x2P - 1x3P	IP44	NR	1
EC6904621	1x2P - 2x3P+N	IP44	NR	1
EC6904622	2x2P - 1x3P 32A	IP44	NR	1
EC6904623	2x2P - 1x3P+N 32A	IP44	NR	1
EC6904630	2x2P - 1x3P	IP65	NR	1
EC6904631	1x2P - 2x3P+N	IP65	NR	1
EC6904632	2x2P - 1x3P 32A	IP65	NR	1
EC6904633	2x2P - 1x3P+N 32A	IP65	NR	1

SERIES ACS - BOARD SYSTEM



Code	Description	IP	Unit	Pack
------	-------------	----	------	------



CEE socket outlet combination (IEC 60309)

2X16A VERTICAL SOCKETS



EC6902100	1x2P - 1x3P	IP44	NR	1
EC6902101	1x2P - 1xSchuko/biv	IP44	NR	1
EC6902102	2x2P	IP44	NR	1
EC6902103	2xSchuko/biv	IP44	NR	1
EC6902104	2x3P	IP44	NR	1
EC6902110	1x2P - 1x3P	IP65	NR	1
EC6902111	2x2P	IP65	NR	1
EC6902112	2x3P	IP65	NR	1

3X16A VERTICAL SOCKETS



EC6902200	2x2P - 1x3P	IP44	NR	1
EC6902201	1x2P - 1x3P - 1x3P+N	IP44	NR	1
EC6902202	2x2P - 1xP40	IP44	NR	1
EC6902203	1x2P - 2x3P	IP44	NR	1
EC6902204	1x2P - 1x3P - 1xP40	IP44	NR	1
EC6902205	3x2P	IP44	NR	1
EC6902206	3x3P	IP44	NR	1
EC6902207	3xP40	IP44	NR	1
EC6902210	2x2P - 1x3P	IP65	NR	1
EC6902211	1x2P - 2x3P	IP65	NR	1
EC6902212	1x2P - 1x3P - 1x3P+N	IP65	NR	1
EC6902213	3x2P	IP65	NR	1
EC6902214	3x3P	IP65	NR	1

4X16A SOCKETS



EC6902300	2x2P - 2x3P	IP44	NR	1
EC6902301	2x2P - 1x3P - 1x3P+N	IP44	NR	1
EC6902302	1x2P - 1x3P - 1x3P+N - 1xP40	IP44	NR	1
EC6902303	2x2P - 2xP40	IP44	NR	1
EC6902304	4x2P	IP44	NR	1
EC6902305	4x3P	IP44	NR	1
EC6902308	3x2P - 1x3P	IP44	NR	1
EC6902309	2x2P - 1x3P - 1xP40	IP44	NR	1
EC6902310	2x2P - 2x3P	IP65	NR	1
EC6902311	2x2P - 1x3P - 1x3P+N	IP65	NR	1
EC6902312	1x2P - 2x3P - 1x3P+N	IP65	NR	1

SERIES ACS - BOARD SYSTEM



GWT
650°

Code	Description	IP	Unit	Pack
EC6902313	4x2P	IP65	NR	1
EC6902314	4x3P	IP65	NR	1
EC6902315	3x2P - 1x3P+N	IP65	NR	1
EC6902318	3x2P - 1x3P	IP65	NR	1

4X16A SOCKETS - WITH KICKSTAND STAND



EC6902300C	2x2P - 2x3P	IP44	NR	1
EC6902303C	2x2P - 2xP40	IP44	NR	1
EC6902304C	4x2P	IP44	NR	1
EC6902310C	2x2P - 2x3P	IP65	NR	1
EC6902313C	4x2P	IP65	NR	1

4X16A SOCKETS - WITH ROOFED STAND



EC6902300T	2x2P - 2x3P	IP44	NR	1
EC6902301T	2x2P - 1x3P - 1x3P+N	IP44	NR	1
EC6902302T	1x2P - 1x3P - 1x3P+N - 1xP40	IP44	NR	1
EC6902303T	2x2P - 2xP40	IP44	NR	1
EC6902304T	4x2P	IP44	NR	1
EC6902305T	4x3P	IP44	NR	1
EC6902310T	2x2P - 2x3P	IP65	NR	1
EC6902311T	2x2P - 1x3P - 1x3P+N	IP65	NR	1
EC6902312T	1x2P - 2x3P - 1x3P+N	IP65	NR	1
EC6902313T	4x2P	IP65	NR	1
EC6902314T	4x3P	IP65	NR	1
EC6902318T	3x2P - 1x3P	IP65	NR	1

3X16A HORIZONTAL SOCKETS



EC6902400	2x2P - 1x3P	IP44	NR	1
EC6902401	1x2P - 2x3P	IP44	NR	1
EC6902402	1x2P - 1x3P - 1x3P+N	IP44	NR	1
EC6902403	1x2P - 1x3P - 1xP40	IP44	NR	1
EC6902404	3x2P	IP44	NR	1
EC6902405	3x3P	IP44	NR	1
EC6902410	2x2P - 1x3P	IP65	NR	1
EC6902411	1x2P - 2x3P	IP65	NR	1
EC6902412	1x2P - 1x3P - 1x3P+N	IP65	NR	1
EC6902413	3x2P	IP65	NR	1
EC6902414	3x3P	IP65	NR	1

2X16A HORIZONTAL INTERLOCKED SOCKETS



EC6902440	2x2P	IP44	NR	1
EC6902441	2x3P	IP44	NR	1
EC6902442	1x2P - 1x3P	IP44	NR	1
EC6902443	1x2P - 1x3P+N	IP44	NR	1
EC6902450	2x2P	IP65	NR	1
EC6902451	2x3P	IP65	NR	1
EC6902452	1x2P - 1x3P	IP65	NR	1
EC6902453	1x2P - 1x3P+N	IP65	NR	1

2X16-32A HORIZONTAL INTERLOCKED SOCKETS



EC6902444	1x2P - 1x3P 32A	IP44	NR	1
EC6902445	1x2P - 1x3P+N 32A	IP44	NR	1
EC6902454	1x2P - 1x3P 32A	IP65	NR	1
EC6902455	1x2P - 1x3P+N 32A	IP65	NR	1

6X16A SOCKETS



EC6902500	3x2P - 3x3P	IP44	NR	1
EC6902501	2x2P - 2x3P - 2x3P+N	IP44	NR	1
EC6902502	2x2P - 2x3P - 1x3P+N - 1xP40	IP44	NR	1
EC6902503	2x2P - 1x3P - 1x3P+N - 2xP40	IP44	NR	1
EC6902504	6x2P	IP44	NR	1
EC6902505	6x3P	IP44	NR	1
EC6902510	3x2P - 3x3P	IP65	NR	1
EC6902511	2x2P - 2x3P - 2x3P+N	IP65	NR	1
EC6902512	3x2P - 2x3P - 1x3P+N	IP65	NR	1
EC6902513	6x2P	IP65	NR	1
EC6902514	6x3P	IP65	NR	1
EC6902515	4x2P - 2x3P	IP65	NR	1
EC6902516	6x2P	IP65	NR	1

8X16A SOCKETS



EC6902600	8x2P	IP44	NR	1
EC6902601	4x2P - 4x3P	IP44	NR	1
EC6902602	4x2P - 4x3P+N	IP44	NR	1
EC6902603	4x2P - 2x3P - 2x3P+N	IP44	NR	1
EC6902610	8x2P	IP65	NR	1
EC6902611	4x2P - 4x3P	IP65	NR	1
EC6902612	4x2P - 4x3P+N	IP65	NR	1
EC6902613	4x2P - 2x3P - 2x3P+N	IP65	NR	1

6X16A SOCKETS - WITH KICKSTAND



EC6902500C	3x2P - 3x3P	IP44	NR	1
EC6902501C	2x2P - 2x3P - 2x3P+N	IP44	NR	1
EC6902502C	2x2P - 2x3P - 1x3P+N - 1xP40	IP44	NR	1
EC6902503C	2x2P - 1x3P - 1x3P+N - 2xP40	IP44	NR	1
EC6902504C	6x2P	IP44	NR	1
EC6902505C	6x3P	IP44	NR	1
EC6902510C	3x2P - 3x3P	IP65	NR	1
EC6902511C	2x2P - 2x3P - 2x3P+N	IP65	NR	1
EC6902512C	3x2P - 2x3P - 1x3P+N	IP65	NR	1
EC6902513C	6x2P	IP65	NR	1
EC6902514C	6x3P	IP65	NR	1
EC6902515C	4x2P - 2x3P	IP65	NR	1

6X16A - WITH ROOFED STAND



EC6902500T	3x2P - 3x3P	IP44	NR	1
EC6902501T	2x2P - 2x3P - 2x3P+N	IP44	NR	1
EC6902502T	2x2P - 2x3P - 1x3P+N - 1xP40	IP44	NR	1
EC6902503T	2x2P - 1x3P - 1x3P+N - 2xP40	IP44	NR	1
EC6902504T	6x2P	IP44	NR	1
EC6902505T	6x3P	IP44	NR	1
EC6902510T	3x2P - 3x3P	IP65	NR	1
EC6902511T	2x2P - 2x3P - 2x3P+N	IP65	NR	1
EC6902512T	3x2P - 2x3P - 1x3P+N	IP65	NR	1
EC6902513T	6x2P	IP65	NR	1
EC6902514T	6x3P	IP65	NR	1
EC6902515T	4x2P - 2x3P	IP65	NR	1

SERIES ACS - BOARD SYSTEM



Code	Description	IP	Unit	Pack
------	-------------	----	------	------

4X16A HORIZONTAL INTERLOCKED SOCKETS



EC6902540	2x2P - 2x3P	IP44	NR	1
EC6902541	2x2P - 1x3P - 1x3P+N	IP44	NR	1
EC6902542	4x2P	IP44	NR	1
EC6902543	4x3P	IP44	NR	1
EC6902550	2x2P - 2x3P	IP65	NR	1
EC6902551	2x2P - 1x3P - 1x3P+N	IP65	NR	1
EC6902552	4x2P	IP65	NR	1
EC6902553	4x3P	IP65	NR	1

4X16-32A HORIZONTAL INTERLOCKED SOCKETS



EC6902544	2x2P - 1x3P - 1x3P 32A	IP44	NR	1
EC6902545	2x2P - 1x3P - 1x3P+N 32A	IP44	NR	1
EC6902554	2x2P - 1x3P - 1x3P 32A	IP65	NR	1
EC6902555	2x2P - 1x3P - 1x3P+N 32A	IP65	NR	1

4X16-32A HORIZONTAL INTERLOCKED SOCKETS - WITH FUSE HOLDER



EC6903600	2x2P - 2x3P	IP44	NR	1
EC6903601	2x2P - 2x3P+N	IP44	NR	1
EC6903602	2x2P - 2x3P 32A	IP44	NR	1
EC6903603	2x2P - 2x3P+N 32A	IP44	NR	1
EC6903610	2x2P - 2x3P	IP65	NR	1
EC6903611	2x2P - 2x3P+N	IP65	NR	1
EC6903612	2x2P - 2x3P 32A	IP65	NR	1
EC6903613	2x2P - 2x3P+N 32A	IP65	NR	1

2X16A VERTICAL INTERLOCKED SOCKETS - WITH FUSE HOLDER



EC6904500	2x2P	IP44	NR	1
EC6904501	2x3P	IP44	NR	1
EC6904502	2x3P+N	IP44	NR	1
EC6904503	1x2P - 1x3P	IP44	NR	1
EC6904504	1x2P - 1x3P+N	IP44	NR	1
EC6904505	1x3P - 1x3P+N	IP44	NR	1
EC6904520	2x2P	IP65	NR	1
EC6904521	2x3P	IP65	NR	1
EC6904522	2x3P+N	IP65	NR	1
EC6904523	1x2P - 1x3P	IP65	NR	1
EC6904524	1x2P - 1x3P+N	IP65	NR	1
EC6904525	1x3P - 1x3P+N	IP65	NR	1

2X16-32A VERTICAL INTERLOCKED SOCKETS - WITH FUSE HOLDER



EC6904506	2x2P 32A	IP44	NR	1
EC6904507	2x3P 32A	IP44	NR	1
EC6904508	2x3P+N 32A	IP44	NR	1
EC6904509	1x2P - 1x3P 32A	IP44	NR	1
EC6904510	1x2P - 1x3P+N 32A	IP44	NR	1
EC6904511	1x3P 32A - 1x3P+N 32A	IP44	NR	1
EC6904526	2x2P 32A	IP65	NR	1
EC6904527	2x3P 32A	IP65	NR	1
EC6904528	2x3P+N 32A	IP65	NR	1
EC6904529	1x2P - 1x3P 32A	IP65	NR	1
EC6904530	1x2P - 1x3P+N 32A	IP65	NR	1
EC6904531	1x3P 32A - 1x3P+N 32A	IP65	NR	1

3X16-32A VERTICAL INTERLOCKED SOCKETS - WITH FUSE HOLDER



EC6904600	2x2P - 1x3P	IP44	NR	1
EC6904601	1x2P - 2x3P+N	IP44	NR	1
EC6904602	2x2P - 1x3P 32A	IP44	NR	1
EC6904603	2x2P - 1x3P+N 32A	IP44	NR	1
EC6904610	2x2P - 1x3P	IP65	NR	1
EC6904611	1x2P - 2x3P+N	IP65	NR	1
EC6904612	2x2P - 1x3P 32A	IP65	NR	1
EC6904613	2x2P - 1x3P+N 32A	IP65	NR	1

2 SOCKETS 24V-150VA - FOR SCAFFOLDING

IP44



EC6902306	2x2P 24V - twilight sensor	IP44	NR	1
EC6902307	2x2P 24V	IP44	NR	1

E-BIKE CHARGING WALL BOX

IP55



EC6902113	2x2P P40	IP55	NR	1
EC6902319	4x2P P40	IP55	NR	1

SERIES ACS - PANEL SYSTEM 700

Code	Description	Rated current	Unit	Pack
------	-------------	---------------	------	------



Energy distributor for construction site

IP65



GWT 650°

4 HORIZONTAL INTERLOCKED SOCKETS - POWER SUPPLY WITH TERMINAL BLOCK



EC6900700	1x2P16 - 2x3P16 - 1x3P32	32 A	NR	1
EC6900701	1x2P16 - 2x3P+N16 - 1x3P+N32	32 A	NR	1
EC6900702	1x2P16 - 3x3P16	32 A	NR	1
EC6900703	2x2P16 - 1x3P16 - 1x3P+N16	32 A	NR	1
EC6900704	2x2P16 - 1x3P16 - 1x3P32	32 A	NR	1
EC6900705	2x2P16 - 1x3P16 - 1x3P32	63 A	NR	1
EC6900706	2x2P16 - 1x3P16 - 1x3P+N32	32 A	NR	1
EC6900707	2x2P16 - 2x3P16	32 A	NR	1
EC6900708	2x2P16 - 1x3P+N16 - 1x3P32	32 A	NR	1
EC6900709	2x2P16 - 1x3P+N16 - 1x3P+N32	32 A	NR	1
EC6900710	2x2P16 - 1x3P32 - 1x3P+N32	32 A	NR	1
EC6900711	2x2P16 - 2x3P32	32 A	NR	1
EC6900712	3x2P16 - 1x3P16	32 A	NR	1
EC6900713	3x2P16 - 1x3P32	32 A	NR	1
EC6900714	3x2P16 - 1x3P+N32	32 A	NR	1
EC6900715	4x2P16	16 A	NR	1
EC6900716	4x2P16	32 A	NR	1
EC6900717	4x2P16	16 A	NR	1

Code	Description	Rated current	Unit	Pack
------	-------------	---------------	------	------

4 HORIZONTAL INTERLOCKED SOCKETS - POWER SUPPLY WITH PLUG



EC6900750	1x2P16 - 2x3P16 - 1x3P32	32 A	NR	1
EC6900751	1x2P16 - 2x3P+N16 - 1x3P+N32	32 A	NR	1
EC6900752	1x2P16 - 3x3P16	32 A	NR	1
EC6900753	2x2P16 - 1x3P16 - 1x3P+N16	32 A	NR	1
EC6900754	2x2P16 - 1x3P16 - 1x3P32	32 A	NR	1
EC6900755	2x2P16 - 1x3P16 - 1x3P32	63 A	NR	1
EC6900756	2x2P16 - 1x3P16 - 1x3P+N32	32 A	NR	1
EC6900757	2x2P16 - 2x3P16	32 A	NR	1
EC6900758	2x2P16 - 1x3P+N16 - 1x3P32	32 A	NR	1
EC6900759	2x2P16 - 1x3P+N16 - 1x3P+N32	32 A	NR	1
EC6900760	2x2P16 - 1x3P32 - 1x3P+N32	32 A	NR	1
EC6900761	2x2P16 - 2x3P32	32 A	NR	1
EC6900762	3x2P16 - 1x3P16	32 A	NR	1
EC6900763	3x2P16 - 1x3P32	32 A	NR	1
EC6900764	3x2P16 - 1x3P+N32	32 A	NR	1

5 HORIZONTAL INTERLOCKED SOCKETS - POWER SUPPLY WITH TERMINAL BLOCK



EC6900720	2x2P16 - 2x3P16 - 1x3P32	32 A	NR	1
EC6900721	2x2P16 - 2x3P16 - 1x3P32	63 A	NR	1
EC6900722	2x2P16 - 2x3P16 - 1x3P+N32	63 A	NR	1
EC6900723	3x2P16 - 1x3P16 - 1x3P32	32 A	NR	1
EC6900724	3x2P16 - 1x3P16 - 1x3P32	63 A	NR	1
EC6900725	3x2P16 - 1x3P16 - 1x3P+N16	32 A	NR	1
EC6900726	3x2P16 - 1x3P16 - 1x3P+N32	63 A	NR	1

5 HORIZONTAL INTERLOCKED SOCKETS - POWER SUPPLY WITH PLUG



EC6900770	2x2P16 - 2x3P16 - 1x3P32	32 A	NR	1
EC6900771	2x2P16 - 2x3P16 - 1x3P32	63 A	NR	1
EC6900772	2x2P16 - 2x3P16 - 1x3P+N32	63 A	NR	1
EC6900773	3x2P16 - 1x3P16 - 1x3P32	32 A	NR	1
EC6900774	3x2P16 - 1x3P16 - 1x3P32	63 A	NR	1
EC6900775	3x2P16 - 1x3P16 - 1x3P+N16	32 A	NR	1
EC6900776	3x2P16 - 1x3P16 - 1x3P+N32	63 A	NR	1

6 HORIZONTAL INTERLOCKED SOCKETS - POWER SUPPLY WITH TERMINAL BLOCK



EC6900730	2x2P16 - 1x3P16 - 1x3P+N16 1x3P32A - 1x3P+N32	32 A	NR	1
EC6900731	2x2P16 - 1x3P16 - 3x3P+N32	63 A	NR	1
EC6900732	2x2P16 - 2x3P16 - 1x3P32 - 1x3P+N32	32 A	NR	1
EC6900733	2x2P16 - 2x3P16 - 2x3P+N16	32 A	NR	1
EC6900734	2x2P16 - 3x3P16 - 1x3P32	63 A	NR	1
EC6900735	2x2P16 - 4x3P16	63 A	NR	1
EC6900736	3x2P16 - 2x3P16 - 1x3P+N16	16 A	NR	1
EC6900737	3x2P16 - 2x3P16 - 1x3P32	32 A	NR	1
EC6900738	3x2P16 - 2x3P16 - 1x3P32	63 A	NR	1
EC6900739	3x2P16 - 2x3P16 - 1x3P+N32	32 A	NR	1
EC6900740	3x2P16 - 2x3P+N16 - 1x3P+N32	32 A	NR	1
EC6900741	3x2P16 - 3x3P16	32 A	NR	1
EC6900742	3x2P16 - 1x3P+N16 - 1x3P+N16 - 1x3P+N32	32 A	NR	1
EC6900743	3x2P16 - 1x3P32 - 2x3P+N32	32 A	NR	1
EC6900744	3x2P16 - 1x3P16 - 2x3P+N32	32 A	NR	1
EC6900745	4x2P16 - 2x3P16	32 A	NR	1
EC6900746	4x2P16 - 1x3P16 - 1x3P32	32 A	NR	1
EC6900747	4x2P16 - 1x3P16 - 1x3P+N16	32 A	NR	1
EC6900748	5x2P16 - 1x3P16	32 A	NR	1
EC6900749	6x2P16	16 A	NR	1

6 HORIZONTAL INTERLOCKED SOCKETS - POWER SUPPLY WITH PLUG



EC6900780	2x2P16 - 1x3P16 - 1x3P+N16 1x3P32A - 1x3P+N32	32 A	NR	1
EC6900781	2x2P16 - 1x3P16 - 3x3P+N32	63 A	NR	1
EC6900782	2x2P16 - 2x3P16 - 1x3P32 - 1x3P+N32	32 A	NR	1
EC6900783	2x2P16 - 2x3P16 - 2x3P+N16	32 A	NR	1
EC6900784	2x2P16 - 3x3P16 - 1x3P32	63 A	NR	1
EC6900785	2x2P16 - 4x3P16	63 A	NR	1
EC6900787	3x2P16 - 2x3P16 - 1x3P32	32 A	NR	1
EC6900788	3x2P16 - 2x3P16 - 1x3P32	63 A	NR	1
EC6900789	3x2P16 - 2x3P16 - 1x3P+N32	32 A	NR	1
EC6900790	3x2P16 - 2x3P+N16 - 1x3P+N32	32 A	NR	1
EC6900791	3x2P16 - 3x3P16	32 A	NR	1
EC6900792	3x2P16 - 1x3P16 - 1x3P+N16 - 1x3P+N32	32 A	NR	1
EC6900793	3x2P16 - 1x3P32 - 2x3P+N32	32 A	NR	1
EC6900794	3x2P16 - 1x3P16 - 2x3P+N32	32 A	NR	1
EC6900795	4x2P16 - 2x3P16	32 A	NR	1
EC6900796	4x2P16 - 1x3P16 - 1x3P32	32 A	NR	1
EC6900797	4x2P16 - 1x3P16 - 1x3P+N16	32 A	NR	1
EC6900798	5x2P16 - 1x3P16	32 A	NR	1

Code	Color	Description	Unit	Pack
------	-------	-------------	------	------



Accessories/spare parts for small distribution board

EC69007S	○	Metallic support for construction site boards 700 series	NR	1
EC69007R	○	Spare door	NR	1
EC69007REL	○	Push-button with contact	NR	1
EC625SC*	○	Safety lock with handle - unified keys	NR	1/150
EC625SR*	○	Set of 2 triangular spare standard locks	NR	1/10
EC600SC*	○	Cylinder safety lock enclosures 620-630-635	NR	1/10
EC625ST*	○	Triangular spare key	NR	10

SERIES ACS - PANEL SYSTEM 800

Code	Description	Rated current	Unit	Pack
------	-------------	---------------	------	------



Energy distributor for construction site

IP65	GWT 650°
------	----------

UNWIRED VERSIONS



EC69008	Construction site enclosure for ASC Boards	NR	1
EC690081*	Construction site empty suitable for 6 vertical interlocked sockets	NR	1
EC690082*	Construction site empty suitable for 8 horizontal interlocked sockets WFH	NR	1

11/12 SOCKETS - POWER SUPPLY WITH TERMINAL BLOCK



EC69008A1	4xP40-3x2P16-2x3P16 1x3P+N32- 1x3P+N63	100 A	NR	1
EC69008A2	6x2P16-3x3P16 1x3P+N16- 2x3P+N32	80 A	NR	1
EC69008A3	12x2P16	63 A	NR	1
EC69008A4	6x2P16-6x3P16	80 A	NR	1

Code	Description	Rated current	Unit	Pack
------	-------------	---------------	------	------

16 SOCKETS - POWER SUPPLY WITH TERMINAL BLOCK



EC69008A5	8x2P16-8x3P16	80 A	NR	1
EC69008A6	8x2P16-4x3P16-4x3P+N16	80 A	NR	1

5 VERTICAL INTERLOCKED SOCKETS - POWER SUPPLY WITH TERMINAL BLOCK



EC6900800	1x2P16-1x3P16-3x3P32	100 A	NR	1
EC6900801	1x2P16-1x3P16-3x3P+N32	100 A	NR	1
EC6900802	1x2P16-2x3P16-2x3P32	80 A	NR	1
EC6900803	2x2P16-3x3P16	63 A	NR	1
EC6900804	2x2P16-3x3P32	80 A	NR	1
EC6900805	2x2P16-1x3P16-2x3P32	80 A	NR	1
EC6900806	2x2P16-1x3P16-1x3P+N16-1x3P+N32	63 A	NR	1
EC6900807	3x2P16-2x3P32	63 A	NR	1
EC6900808	3x2P16-1x3P+N16-1x3P+N32	80 A	NR	1
EC6900809	4x3P16-1x3P32	80 A	NR	1
EC6900810	2x2P32-3x3P+N32	125 A	NR	1
EC6900811	1x2P16-2x3P16-1x3P32-1x3P63	125 A	NR	1
EC6900812	2x2P16-1x3P16-1x3P32-1x3P63	100 A	NR	1
EC6900813	2x2P16-1x3P16-1x3P+N32-1x3P63	100 A	NR	1
EC6900814	1x2P16-2x3P16-1x3P32-1x3P+N63	100 A	NR	1
EC6900815	2x2P16-1x3P+N16-1x3P+N32-1x3P+N63	100 A	NR	1
EC6900816	3x2P16-1x3P+N32-1x3P+N63	100 A	NR	1
EC6900817	2xP40-2x2P16-1x3P32-1x3P63	100 A	NR	1

5 VERTICAL INTERLOCKED SOCKETS - POWER SUPPLY WITH PLUG



EC6900820	1x2P16-1x3P16-3x3P32	100 A	NR	1
EC6900821	1x2P16-1x3P16-3x3P+N32	100 A	NR	1
EC6900822	1x2P16-2x3P16-2x3P32	80 A	NR	1
EC6900823	2x2P16-3x3P32	80 A	NR	1
EC6900824	2x2P16-1x3P16-2x3P32	80 A	NR	1
EC6900825	2x2P16-1x3P16-1x3P+N16-1x3P+N32	63 A	NR	1
EC6900826	2x2P16-2x3P16-1x3P+N32	63 A	NR	1
EC6900827	3x2P16-2x3P32	63 A	NR	1
EC6900828	1x2P16-2x3P16-1x3P32-1x3P63	125 A	NR	1
EC6900829	2x2P16-1x3P16-1x3P32-1x3P63	100 A	NR	1
EC6900830	1x2P16-2x3P16-1x3P+N32-1x3P+N63	125 A	NR	1
EC6900831	2x2P16-1x3P16-1x3P+N32-1x3P+N63	100 A	NR	1
EC6900832	2xP40-1x2P16-1x3P16-1x3P+N32-1x3P+N63	100 A	NR	1

6 VERTICAL INTERLOCKED SOCKETS - POWER SUPPLY WITH TERMINAL BLOCK



EC6910800	4x2P16-2x3P16	80 A	NR	1
EC6910801	3x2P16-3x3P16	80 A	NR	1
EC6910802	3x2P16-2x3P16-1x3P32	80 A	NR	1
EC6910803	3x2P16-2x3P16-1x3P+N32	80 A	NR	1
EC6910804	2x2P16-3x3P16-1x3P32	100 A	NR	1
EC6910805	2x2P16-2x3P16-2x3P32	125 A	NR	1
EC6910806	2x2P16-2x3P+N16-2x3P+N32	125 A	NR	1
EC6910807	2x2P16-2x3P16-1x3P32-1x3P+N32	125 A	NR	1
EC6910808	2x2P16-1x3P16-3x3P+N32	125 A	NR	1
EC6910809	3x2P16-2x3P+N32-1x3P+N63	125 A	NR	1
EC6910810	1x2P16-2x3P+N16-2x3P+N32-1x3P+N63	125 A	NR	1
EC6910811	1x2P16-4x3P+N32-1x3P+N63	125 A	NR	1

EC6910812	2x2P16-1x3P16-2x3P+N32-1x3P+N63	125 A	NR	1
EC6910813	2x2P16-1x3P16-1x3P+N16-2x3P+N32	125 A	NR	1
EC6910814	2x2P16-1x3P16-1x3P+N16-1x3P+N32-1x3P+N63	125 A	NR	1
EC6910815	2x2P16-2x3P16-1x3P+N32-1x3P63	125 A	NR	1
EC6910816	2x2P16-2x3P16-1x3P+N32-1x3P+N63	125 A	NR	1
EC6910817	2x2P16-4x3P+N32	125 A	NR	1
EC6910818	3x2P16-1x3P16-1x3P+N32-1x3P+N63	125 A	NR	1
EC6910819	3x2P16-1x3P+N16-1x3P+N32-1x3P+N63	125 A	NR	1
EC6910820	3x2P16-2x3P+N16-1x3P+N63	125 A	NR	1
EC6910821	3x2P16-2x3P16-1x3P+N16	80 A	NR	1
EC6910822	4x2P16-1x3P+N32-1x3P+N63	125 A	NR	1

6 HORIZONTAL INTERLOCKED SOCKETS - POWER SUPPLY WITH TERMINAL BLOCK



EC6900840	2x2P16-3x3P16-1x3P32	63 A	NR	1
EC6900841	3x2P16-2x3P16-1x3P32	63 A	NR	1
EC6900842	3x2P16-3x3P16	63 A	NR	1
EC6900843	4x2P16-1x3P16-1x3P32	63 A	NR	1
EC6900844	4x2P16-1x3P16-1x3P+N16	63 A	NR	1
EC6900845	4x2P16-1x3P16-1x3P+N32	63 A	NR	1
EC6900846	3x2P16-2x3P+N16-1x3P+N32	63 A	NR	1
EC6900847	3x2P16-1x3P16-1x3P+N16-1x3P32	63 A	NR	1
EC6900848	3x2P16-1x3P16-2x3P+N16	63 A	NR	1
EC6900849	2x2P16-2x3P16-1x3P+N16-1x3P32	63 A	NR	1
EC6900850	3x2P16-2x3P16-1x2P32	63 A	NR	1
EC6900851	3x2P16-2x3P16-1x3P+N32	63 A	NR	1
EC6900852	3x2P16-1x3P16-1x3P+N16-1x3P+N32	63 A	NR	1
EC6900853	2xP40-3x2P16-2x3P16-1x3P32	63 A	NR	1
EC6900854	2xP40-3x2P16-2x3P+N16-1x3P+N32	63 A	NR	1
EC6900855	2x2P16-2x3P+N16-2x3P+N32	63 A	NR	1
EC6900856	2x2P16-2x3P16-2x3P32	63 A	NR	1
EC6900857	2x2P16-1x3P16-1x3P+N16-1x3P32-1x3P+N32	63 A	NR	1
EC6900858	2xP40-3x2P16-2x3P16-1x3P+N32	63 A	NR	1
EC6910840	3x2P16-3x3P16	32 A	NR	1
EC6910841	4x2P16-2x3P16	32 A	NR	1
EC6910842	4x2P16-2x3P+N16	32 A	NR	1
EC6910843	4x2P16-1x3P16-1x3P+N16	32 A	NR	1
EC6910844	2xP40-2x2P16-2x3P16-2x3P+N16	32 A	NR	1
EC6910845	2xP40-2x2P16-1x3P16-1x3P+N16-1x3P32-1x3P+N32	32 A	NR	1
EC6910846	6x2P16	16 A	NR	1

Code	Description	Rated current	Unit	Pack
------	-------------	---------------	------	------

6 HORIZONTAL INTERLOCKED SOCKETS - POWER SUPPLY WITH PLUG



EC6900860	2x2P16-3x3P16-1x3P32	63 A	NR	1
EC6900861	3x2P16-2x3P16-1x3P32	63 A	NR	1
EC6900862	3x2P16-3x3P16	63 A	NR	1
EC6900863	4x2P16-1x3P16-1x3P32	63 A	NR	1
EC6900864	4x2P16-1x3P16-1x3P+N16	63 A	NR	1
EC6900865	4x2P16-1x3P16-1x3P+N32	63 A	NR	1
EC6900866	3x2P16-2x3P+N16-1x3P+N32	63 A	NR	1
EC6900867	3x2P16-1x3P16-1x3P+N16-1x3P32	63 A	NR	1
EC6900868	3x2P16-1x3P16-2x3P+N16	63 A	NR	1
EC6900869	2x2P16-2x3P16-1x3P+N16-1x3P32	63 A	NR	1
EC6900870	3x2P16-2x3P16-1x2P32	63 A	NR	1
EC6900871	3x2P16-2x3P16-1x3P+N32	63 A	NR	1
EC6900872	3x2P16-1x3P16-1x3P+N16-1x3P+N32	63 A	NR	1
EC6900873	2xP40-3x2P16-2x3P16-1x3P32	63 A	NR	1
EC6900874	2xP40-3x2P16-2x3P+N16-1x3P+N32	63 A	NR	1
EC6910860	3x2P16-3x3P16	32 A	NR	1
EC6910861	4x2P16-2x3P16	32 A	NR	1
EC6910862	4x2P16-2x3P+N16	32 A	NR	1
EC6910863	4x2P16-1x3P16-1x3P+N16	32 A	NR	1
EC6910864	2xP40-2x2P16-2x3P16-2x3P+N16	32 A	NR	1
EC6910865	2xP40-2x2P16-1x3P16 1x3P+N16-1x3P32-1x3P+N32	32 A	NR	1

8/9 HORIZONTAL INTERLOCKED SOCKETS - POWER SUPPLY WITH TERMINAL BLOCK



EC6900880	2x2P16-2x3P16-2x3P+N16-2x3P32	63 A	NR	1
EC6900881	2x2P16-2x3P16-2x3P+N16-2x3P+N32	63 A	NR	1
EC6900882	4x2P16-2x3P16-2x3P+N16	63 A	NR	1
EC6900883	4x2P16-2x3P16-2x3P32	63 A	NR	1
EC6900884	4x2P16-2x3P16-2x3P+N32	63 A	NR	1
EC6900885	4x2P16-2x3P16-2x2P32	63 A	NR	1
EC6900886	1x2P16-1x3P16-2x2P32 2x3P32-2x3P+N32	80 A	NR	1
EC6900887	2xP40-2x2P16-2x3P16-2x3P+N16	63 A	NR	1
EC6900888	2xP40-2x2P16-2x3P32-2x3P+N32	63 A	NR	1
EC6900889	4x2P16-4x3P16	63 A	NR	1
EC6910880	8x2P16	63 A	NR	1
EC6910881	6x2P16-2x3P16	63 A	NR	1
EC6910882	3x2P16-2x3P16-1x3P+N16-1x3P32-1x3P+N32	32 A	NR	1
EC6910883	2x2P16-2x3P16-2x3P+N16-1x3P32-1x3P+N32+1x3P+N63	125 A	NR	1
EC6910884	4x2P16-1x3P16-1x3P+N16-1x3P32-1x3P+N32+1x3P+N63	125 A	NR	1
EC6910885	6x2P16-1x3P+N16-1x3P+N32+1x3P+N63	125 A	NR	1

8/9 HORIZONTAL INTERLOCKED SOCKETS - POWER SUPPLY WITH PLUG



EC6900890	2x2P16-2x3P16-2x3P+N16-2x3P32	63 A	NR	1
EC6900891	2x2P16-2x3P16-2x3P+N16-2x3P+N32	63 A	NR	1
EC6900892	4x2P16-2x3P16-2x3P+N16	63 A	NR	1
EC6900893	4x2P16-2x3P16-2x3P32	63 A	NR	1
EC6900894	4x2P16-2x3P16-2x3P+N32	63 A	NR	1
EC6900895	4x2P16-2x3P16-2x2P32	63 A	NR	1
EC6900896	1x2P16-1x3P16-2x2P32 2x3P32-2x3P+N32	80 A	NR	1
EC6900897	2xP40-2x2P16-2x3P16-2x3P+N16	63 A	NR	1
EC6900898	2xP40-2x2P16-2x3P32-2x3P+N32	63 A	NR	1
EC6900899	4x2P16-4x3P16	63 A	NR	1
EC6910890	8x2P16	63 A	NR	1
EC6910891	6x2P16-2x3P16	62 A	NR	1

EC6910892	3x2P16-2x3P16-1x3P+N16-1x3P32-1x3P+N32	32 A	NR	1
EC6910893	2x2P16-2x3P16-2x3P+N16-1x3P32-1x3P+N32+1x3P+N63	125 A	NR	1
EC6910894	4x2P16-1x3P16-1x3P+N16-1x3P32-1x3P+N32+1x3P+N63	125 A	NR	1
EC6910895	6x2P16-1x3P+N16-1x3P+N32+1x3P+N63	125 A	NR	1

Code	Description	Unit	Pack
------	-------------	------	------



Accessories/spare parts for small distribution board

SPARE DOORS



EC69008R	Kit of 2 spare doors	NR	1
-----------------	----------------------	----	---

SPARE EMERGENCY FLANGED PUSH-BUTTON



EC69008E	Push-button with contact 75x75x22	NR	1
-----------------	-----------------------------------	----	---

SPARE SAFETY LOCK



EC69008T	Standard key locks for construction site boards	NR	1
-----------------	---	----	---

METAL STAND AND BRACKETS



EC69008S	For construction site boards 69008 - 69108 series	NR	1
EC69008P	Galvanized steel brackets for construction site boards 250x40x3 mm	NR	1

Code	Description	Rated current	Unit	Pack
------	-------------	---------------	------	------



Small distribution board equipped



LINE PROTECTION PANEL



EC690PL1	16A 1P+N 30mA 10kA	16 A	NR	1
EC690PL2	32A 1P+N 30mA 10kA	32 A	NR	1
EC690PL3	16A 3P+N 30mA 10kA	16 A	NR	1
EC690PL4	32A 3P+N 30mA 10kA	32 A	NR	1
EC690PL5	63A 3P+N 30mA 10kA	63 A	NR	1
EC690PL6	80A 3P+N 30mA 10kA	80 A	NR	1
EC690PL7	100A 3P+N 30mA 10kA	100 A	NR	1

LINE PROTECTION PANEL - WITH EMERGENCY BUTTON



EC690PL1E	16A 1P+N 30mA 10kA	16 A	NR	1
EC690PL2E	32A 1P+N 30mA 10kA	32 A	NR	1
EC690PL3E	16A 3P+N 30mA 10kA	16 A	NR	1
EC690PL4E	32A 3P+N 30mA 10kA	32 A	NR	1
EC690PL5E	63A 3P+N 30mA 10kA	63 A	NR	1
EC690PL6E	80A 3P+N 30mA 10kA	80 A	NR	1
EC690PL7E	100A 3P+N 30mA 10kA	100 A	NR	1

CABLE REELS AND EXTENSION CORDS



CABLE REELS

GWT
650°

Code	Description	Cable length	IP	Unit	Pack
------	-------------	--------------	----	------	------

Cable reel

2 DOMESTIC SOCKETS - 20/30 METERS CABLE H07RN-F

IP44



EC6992020	2xP40 - 3x2,5 mm ²	30 m	IP44	NR	1
EC6992020L	2xP40 - 3x2,5 mm ²	40 m	IP44	NR	1
EC6992025	2 french - 3x2,5 mm ²	30 m	IP44	NR	1
EC6992025L	2 french - 3x2,5 mm ²	40 m	IP44	NR	1

2 SOCKETS - 30/40/50 METERS CABLE H05VV-F

IP44



EC6992021	2x2P - 3x1,5 mm ²	30 m	IP44	NR	1
EC6992021L	2x2P - 3x1,5 mm ²	40 m	IP44	NR	1
EC6992021XL	2x2P - 3x1,5 mm ²	50 m	IP44	NR	1
EC6992022	1x2P+1xP40 - 3x1,5 mm ²	30 m	IP44	NR	1
EC6992022L	1x2P+1xP40 - 3x1,5 mm ²	40 m	IP44	NR	1
EC6992022XL	1x2P+1xP40	50 m	IP44	NR	1

2 SOCKETS - 20 METERS CABLE H07RN-F



EC6992120	1x2P+1x3P 5x2,5 mm ²	20 m	IP44	NR	1
EC6992125	2x3P+E - 5x2,5 mm ²	20 m	IP44	NR	1
EC6992126	1x2P+1x3P+E - 5x2,5 mm ²	20 m	IP44	NR	1
EC6992130	1x2P+1x3P - 5x2,5 mm ²	20 m	IP55	NR	1
EC6992135	2x3P+E - 5x2,5 mm ²	20 m	IP55	NR	1
EC6992136	1x2P+1x3P+E - 5x2,5 mm ²	20 m	IP55	NR	1

2 SOCKETS - 30 METERS CABLE H07RN-F



EC6992121	2x2P - 3x2,5 mm ²	30 m	IP44	NR	1
EC6992122	1x2P+1xP40 - 3x2,5 mm ²	30 m	IP44	NR	1
EC6992124	2x3P - 4x2,5 mm ²	30 m	IP44	NR	1
EC6992131	2x2P - 3x2,5 mm ²	30 m	IP55	NR	1
EC6992134	2x3P - 4x2,5 mm ²	30 m	IP55	NR	1

2 SOCKETS - 40 METERS CABLE H07RN-F



EC6992121L	2x2P - 3x2,5 mm ²	40 m	IP44	NR	1
EC6992122L	1x2P+1xP40 - 3x2,5 mm ²	40 m	IP44	NR	1
EC6992124L	2x3P - 4x2,5 mm ²	40 m	IP44	NR	1
EC6992131L	2x2P - 3x2,5 mm ²	40 m	IP55	NR	1
EC6992134L	2x3P - 4x2,5 mm ²	40 m	IP55	NR	1

3 SOCKETS - 20 METERS CABLE H07RN-F



EC6992220	2x2P+1x3P - 5x2,5 mm ²	20 m	IP44	NR	1
EC6992221	1x2P+1x3P-1x3P+E - 5x2,5 mm ²	20 m	IP44	NR	1
EC6992223	1x2P+2x3P - 5x2,5 mm ²	20 m	IP44	NR	1
EC6992224	1x2P+1x3P+1xP40 - 5x2,5 mm ²	20 m	IP44	NR	1
EC6992228	3x3P - 4x2,5 mm ²	20 m	IP44	NR	1
EC6992230	2x2P+1x3P - 5x2,5 mm ²	20 m	IP55	NR	1
EC6992231	1x2P+1x3P-1x3P+E - 5x2,5 mm ²	20 m	IP55	NR	1
EC6992233	1x2P+2x3P - 5x2,5 mm ²	20 m	IP55	NR	1
EC6992238	3x3P - 5x2,5 mm ²	20 m	IP55	NR	1

3 SOCKETS - 30 METERS CABLE H07RN-F



EC6992222	2x2P+1xP40 - 3x2,5 mm ²	30 m	IP44	NR	1
EC6992225	3x2P - 3x2,5 mm ²	30 m	IP44	NR	1
EC6992226	1x2P+2xP40 - 3x2,5 mm ²	30 m	IP44	NR	1
EC6992227	3x3P - 4x2,5 mm ²	30 m	IP44	NR	1
EC6992235	3x2P - 3x2,5 mm ²	30 m	IP55	NR	1
EC6992237	3x3P - 4x2,5 mm ²	30 m	IP55	NR	1

3 SOCKETS - 40 METERS CABLE H07RN-F



EC6992222L	2x2P+1xP40 - 3x2,5 mm ²	40 m	IP44	NR	1
EC6992225L	3x2P - 3x2,5 mm ²	40 m	IP44	NR	1
EC6992226L	1x2P+2xP40 - 3x2,5 mm ²	40 m	IP44	NR	1
EC6992235L	3x2P - 3x2,5 mm ²	40 m	IP55	NR	1

4 SOCKETS - 30 METERS CABLE H07RN-F



EC6992320	2x2P+2x3P - 5x2,5 mm ²	30 m	IP44	NR	1
EC6992324	4x2P - 3x2,5 mm ²	30 m	IP44	NR	1
EC6992325	4x3P - 4x2,5 mm ²	30 m	IP44	NR	1
EC6992326	4x3P+E - 5x2,5 mm ²	30 m	IP44	NR	1
EC6992327	2x2P+2x3P+E - 5x2,5 mm ²	30 m	IP44	NR	1
EC6992328	3x2P+1x3P - 5x2,5 mm ²	30 m	IP44	NR	1
EC6992329	3x2P+1x3P+E - 5x2,5 mm ²	30 m	IP44	NR	1
EC6992330	2x2P+2x3P - 5x2,5 mm ²	30 m	IP55	NR	1
EC6992334	4x2P - 3x2,5 mm ²	30 m	IP55	NR	1
EC6992335	4x3P - 4x2,5 mm ²	30 m	IP55	NR	1
EC6992336	4x3P+E - 5x2,5 mm ²	30 m	IP55	NR	1
EC6992337	2x2P+2x3P+E - 5x2,5 mm ²	30 m	IP55	NR	1
EC6992338	3x2P+1x3P - 5x2,5 mm ²	30 m	IP55	NR	1
EC6992339	3x2P+1x3P+E - 5x2,5 mm ²	30 m	IP55	NR	1

4 SOCKETS - 50 METERS CABLE H07RN-F



EC6992320L	2x2P+2x3P - 5x2,5 mm ²	50 m	IP44	NR	1
EC6992324L	4x2P - 3x2,5 mm ²	50 m	IP44	NR	1
EC6992325L	4x3P - 4x2,5 mm ²	50 m	IP44	NR	1
EC6992326L	4x3P+E - 5x2,5 mm ²	50 m	IP44	NR	1
EC6992327L	2x2P+2x3P+E - 5x2,5 mm ²	50 m	IP44	NR	1
EC6992328L	3x2P+1x3P - 5x2,5 mm ²	50 m	IP44	NR	1
EC6992329L	3x2P+1x3P+E - 5x2,5 mm ²	50 m	IP44	NR	1
EC6992330L	2x2P+2x3P - 5x2,5 mm ²	50 m	IP55	NR	1
EC6992334L	4x2P - 3x2,5 mm ²	50 m	IP55	NR	1
EC6992335L	4x3P - 4x2,5 mm ²	50 m	IP55	NR	1
EC6992336L	4x3P+E - 5x2,5 mm ²	50 m	IP55	NR	1
EC6992337L	2x2P+2x3P+E - 5x2,5 mm ²	50 m	IP55	NR	1
EC6992338L	3x2P+1x3P - 5x2,5 mm ²	50 m	IP55	NR	1
EC6992339L	3x2P+1x3P+E - 5x2,5 mm ²	50 m	IP55	NR	1

CABLE REELS

GWT
650°

4 SOCKETS WITH WHEELS - 30 METERS CABLE H07RN-F



Code	Description	Cable length	IP	Unit	Pack
EC6992320M	2x2P+2x3P - 5x2,5 mm ²	30 m	IP44	NR	1
EC6992324M	4x2P - 3x2,5 mm ²	30 m	IP44	NR	1
EC6992325M	4x3P - 4x2,5 mm ²	30 m	IP44	NR	1
EC6992326M	4x3P+E - 5x2,5 mm ²	30 m	IP44	NR	1
EC6992327M	2x2P+2x3P+E - 5x2,5 mm ²	30 m	IP44	NR	1
EC6992328M	3x2P+1x3P - 5x2,5 mm ²	30 m	IP44	NR	1
EC6992329M	3x2P+1x3P+E - 5x2,5 mm ²	30 m	IP44	NR	1
EC6992330M	2x2P+2x3P - 5x2,5 mm ²	30 m	IP55	NR	1
EC6992334M	4x2P - 3x2,5 mm ²	30 m	IP55	NR	1
EC6992335M	4x3P - 4x2,5 mm ²	30 m	IP55	NR	1
EC6992336M	4x3P+E - 5x2,5 mm ²	30 m	IP55	NR	1
EC6992337M	2x2P+2x3P+E - 5x2,5 mm ²	30 m	IP55	NR	1
EC6992338M	3x2P+1x3P - 5x2,5 mm ²	30 m	IP55	NR	1
EC6992339M	3x2P+1x3P+E - 5x2,5 mm ²	30 m	IP55	NR	1

4 SOCKETS WITH WHEELS - 50 METERS CABLE H07RN-F



Code	Description	Cable length	IP	Unit	Pack
EC6992320LM	2x2P+2x3P - 5x2,5 mm ²	50 m	IP44	NR	1
EC6992324LM	4x2P - 3x2,5 mm ²	50 m	IP44	NR	1
EC6992325LM	4x3P - 4x2,5 mm ²	50 m	IP44	NR	1
EC6992326LM	4x3P+E - 5x2,5 mm ²	50 m	IP44	NR	1
EC6992327LM	2x2P+2x3P+E - 5x2,5 mm ²	50 m	IP44	NR	1
EC6992328LM	3x2P+1x3P - 5x2,5 mm ²	50 m	IP44	NR	1
EC6992329LM	3x2P+1x3P+E - 5x2,5 mm ²	50 m	IP44	NR	1
EC6992330LM	2x2P+2x3P - 5x2,5 mm ²	50 m	IP55	NR	1
EC6992334LM	4x2P - 3x2,5 mm ²	50 m	IP55	NR	1
EC6992335LM	4x3P - 4x2,5 mm ²	50 m	IP55	NR	1
EC6992336LM	4x3P+E - 5x2,5 mm ²	50 m	IP55	NR	1
EC6992337LM	2x2P+2x3P+E - 5x2,5 mm ²	50 m	IP55	NR	1
EC6992338LM	3x2P+1x3P - 5x2,5 mm ²	50 m	IP55	NR	1
EC6992339LM	3x2P+1x3P+E - 5x2,5 mm ²	50 m	IP55	NR	1

UNWIRED CABLE REELS WITH KICKSTAND



Code	Description	Unit	Pack
EC69901	2 sockets	NR	1
EC69902	3 sockets	NR	1
EC69903	4 sockets	NR	1
EC69905	4 sockets - with wheels	NR	1

EXTENSION CORDS

Power cord

16 A - IP44

IP44



Code	Color	Description	Length	Unit	Pack
EC699P10	Blue	2P+E - 3x2,5 mm ²	10 m	NR	1
EC699P11	Red	3P+E - 4x2,5 mm ²	10 m	NR	1
EC699P12	Red	3P+N+E - 5x2,5 mm ²	10 m	NR	1
EC699P13	Blue	2P+E - 3x2,5 mm ²	20 m	NR	1
EC699P14	Red	3P+E - 4x2,5 mm ²	20 m	NR	1
EC699P15	Red	3P+N+E - 5x2,5 mm ²	20 m	NR	1
EC699P16	Blue	2P+E - 3x2,5 mm ²	30 m	NR	1
EC699P17	Red	3P+E - 4x2,5 mm ²	30 m	NR	1
EC699P18	Red	3P+N+E - 5x2,5 mm ²	30 m	NR	1

16 A - IP67

IP67



Code	Color	Description	Length	Unit	Pack
EC699P20	Blue	2P+E - 3x2,5 mm ²	10 m	NR	1
EC699P21	Red	3P+E - 4x2,5 mm ²	10 m	NR	1
EC699P22	Red	3P+N+E - 5x2,5 mm ²	10 m	NR	1
EC699P23	Blue	2P+E - 3x2,5 mm ²	20 m	NR	1
EC699P24	Red	3P+E - 4x2,5 mm ²	20 m	NR	1
EC699P25	Red	3P+N+E - 5x2,5 mm ²	20 m	NR	1
EC699P26	Blue	2P+E - 3x2,5 mm ²	30 m	NR	1
EC699P27	Red	3P+E - 4x2,5 mm ²	30 m	NR	1
EC699P28	Red	3P+N+E - 5x2,5 mm ²	30 m	NR	1

32 A - IP44

IP44



Code	Color	Description	Length	Unit	Pack
EC699P30	Blue	2P+E - 3x4 mm ²	10 m	NR	1
EC699P31	Red	3P+E - 4x4 mm ²	10 m	NR	1
EC699P32	Red	3P+N+E - 5x4 mm ²	10 m	NR	1
EC699P33	Blue	2P+E - 3x4 mm ²	20 m	NR	1
EC699P34	Red	3P+E - 4x4 mm ²	20 m	NR	1
EC699P35	Red	3P+N+E - 5x4 mm ²	20 m	NR	1
EC699P36	Blue	2P+E - 3x4 mm ²	30 m	NR	1
EC699P37	Red	3P+E - 4x4 mm ²	30 m	NR	1
EC699P38	Red	3P+N+E - 5x4 mm ²	30 m	NR	1

32 A - IP67

IP67



Code	Color	Description	Length	Unit	Pack
EC699P40	Blue	2P+E - 3x4 mm ²	10 m	NR	1
EC699P41	Red	3P+E - 4x4 mm ²	10 m	NR	1
EC699P42	Red	3P+N+E - 5x4 mm ²	10 m	NR	1
EC699P43	Blue	2P+E - 3x4 mm ²	20 m	NR	1
EC699P44	Red	3P+E - 4x4 mm ²	20 m	NR	1
EC699P45	Red	3P+N+E - 5x4 mm ²	20 m	NR	1
EC699P46	Blue	2P+E - 3x4 mm ²	30 m	NR	1
EC699P47	Red	3P+E - 4x4 mm ²	30 m	NR	1
EC699P48	Red	3P+N+E - 5x4 mm ²	30 m	NR	1

RECESSED MODULAR ENCLOSURES



SERIES 632 ESSENZA - MODULAR ENCLOSURES

IP40



Code

Color

Modules

Rows

Terminal
blocks/holes

Unit

Pack

Small distribution board

ENCLOSURE FRAME - WHITE

GWT
650°

◀ EC63212C	○	12	1	NR	1/5
EC63224C	○	24	2	NR	1
EC63236C*	○	36	3	NR	1

* Available from March

ENCLOSURE FRAME - WHITE - EQUIPPED

GWT
650°

EC63212CE	○	12	1	2x12	NR	1/5
◀ EC63224CE	○	24	2	4x12	NR	1
EC63236CE*	○	36	3	4x12 + 4x4	NR	1

* Available from March

ENCLOSURE FRAME - SAND

GWT
650°

◀ EC63212S	○	12	1	NR	1/5
EC63224S	○	24	2	NR	1
EC63236S*	○	36	3	NR	1

* Available from March

ENCLOSURE FRAME - SAND - EQUIPPED

GWT
650°

EC63212SE	○	12	1	2x12	NR	1/5
◀ EC63224SE	○	24	2	4x12	NR	1
EC63236SE*	○	36	3	4x12 + 4x4	NR	1

* Available from March

ENCLOSURE FRAME - BLACK

GWT
650°

◀ EC63212N	●	12	1	NR	1/5
EC63224N	●	24	2	NR	1
EC63236N*	●	36	3	NR	1

* Available from March

ENCLOSURE FRAME - BLACK - EQUIPPED

GWT
650°

EC63212NE	●	12	1	2x12	NR	1/5
◀ EC63224NE	●	24	2	4x12	NR	1
EC63236NE*	●	36	3	4x12 + 4x4	NR	1

* Available from March

RECESSED MASONRY BOX

GWT
650°

◀ EC63212F	●	12	1	NR	1/5
EC63224F	●	24	2	NR	1/4
EC63236F*	●	36	3	NR	1/2

* Available from March

RECESSED DRY-LINING BOX

GWT
850°

◀ EC63212FPL	●	12	1	NR	1/5
EC63224FPL	●	24	2	NR	1/4
EC63236FPL*	●	36	3	NR	1/2

* Available from March

FEATURES: EQUIPPED modular enclosures are supplied with PE+N terminal blocks

Modular enclosures kit

MASONRY MODULAR ENCLOSURES

GWT
650°

EC63212C-F	○	12	1	NR	1/5
EC63212N-F	●	12	1	NR	1/5
EC63212S-F	○	12	1	NR	1/5
EC63224C-F	○	24	2	NR	1
◀ EC63224N-F	●	24	2	NR	1
EC63224S-F	○	24	2	NR	1
EC63236C-F*	○	36	3	NR	1
EC63236N-F*	●	36	3	NR	1
EC63236S-F*	○	36	3	NR	1

* Available from March

MASONRY MODULAR ENCLOSURES - EQUIPPED

GWT
650°

EC63212CE-F	○	12	1	2x12	NR	1/5
EC63212NE-F	●	12	1	2x12	NR	1/5
EC63212SE-F	○	12	1	2x12	NR	1/5
EC63224CE-F	○	24	2	4x12	NR	1
◀ EC63224NE-F	●	24	2	4x12	NR	1
EC63224SE-F	○	24	2	4x12	NR	1
EC63236NE-F*	●	36	3	4x12 + 4x4	NR	1
EC63236CE-F*	○	36	3	4x12 + 4x4	NR	1
EC63236SE-F*	○	36	3	4x12 + 4x4	NR	1

* Available from March

DRY LINING MODULAR ENCLOSURES

GWT
850°

EC63212C-FPL	○	12	1	NR	1/5
EC63212N-FPL	●	12	1	NR	1/5
EC63212S-FPL	○	12	1	NR	1/5
EC63224C-FPL	○	24	2	NR	1
◀ EC63224N-FPL	●	24	2	NR	1
EC63224S-FPL	○	24	2	NR	1
EC63236C-FPL*	○	36	3	NR	1
EC63236N-FPL*	●	36	3	NR	1
EC63236S-FPL*	○	36	3	NR	1

* Available from March

DRY LINING MODULAR ENCLOSURES - EQUIPPED

GWT
850°

EC63212CE-FPL	○	12	1	2x12	NR	1/5
EC63212NE-FPL	●	12	1	2x12	NR	1/5
EC63212SE-FPL	○	12	1	2x12	NR	1/5
EC63224CE-FPL	○	23	2	4x12	NR	1
◀ EC63224NE-FPL	●	24	2	4x12	NR	1
EC63224SE-FPL	○	24	2	4x12	NR	1
EC63236CE-FPL*	○	36	3	4x12 + 4x4	NR	1
EC63236NE-FPL*	●	36	3	4x12 + 4x4	NR	1
EC63236SE-FPL*	○	36	3	4x12 + 4x4	NR	1

* Available from March

FEATURES: EQUIPPED modular enclosures are supplied with PE+N terminal blocks

SERIES 630 - MASONRY MODULAR ENCLOSURES
IP40

**GWT
650°**

Code	Color	Modules	Rows	Terminal blocks/holes	Unit	Pack
------	-------	---------	------	-----------------------	------	------

Small distribution board
WHITE - BLANK DOOR


EC63004C	○	4	1		NR	1/20
EC63008C	○	8	1		NR	1/9
EC63012C	○	12	1		NR	1/7
EC63018C	○	18	1		NR	1
EC63024C	○	24	2		NR	1
EC63036C	○	36	2		NR	1
EC63054C	○	54	3		NR	1
EC63072C	○	72	4		NR	1

WHITE - BLANK DOOR - EQUIPPED


EC63004CE	○	4	1	2x4	NR	1/20
EC63008CE	○	8	1	2x8	NR	1/9
EC63012CE	○	12	1	2x12	NR	1/7
EC63018CE	○	18	1	2x12	NR	1
EC63024CE	○	24	2	4x12	NR	1
EC63036CE	○	36	2	4x12 + 4x8	NR	1
EC63054CE	○	54	3	8x12	NR	1
EC63072CE	○	72	4	8x12	NR	1

WHITE - TRANSPARENT DOOR


EC63004B	○	4	1		NR	1/20
EC63008B	○	8	1		NR	1/9
EC63012B	○	12	1		NR	1/7
EC63018B	○	18	1		NR	1
EC63024B	○	24	2		NR	1
EC63036B	○	36	2		NR	1
EC63054B	○	54	3		NR	1
EC63072B	○	72	4		NR	1

WHITE - TRANSPARENT DOOR - EQUIPPED


EC63004BE	○	4	1	2x4	NR	1/20
EC63008BE	○	8	1	2x8	NR	1/9
EC63012BE	○	12	1	2x12	NR	1/7
EC63018BE	○	18	1	2x12	NR	1
EC63024BE	○	24	2	4x12	NR	1
EC63036BE	○	36	2	4x12 + 4x8	NR	1
EC63054BE	○	54	3	8x12	NR	1
EC63072BE	○	72	4	8x12	NR	1

GREY - TRANSPARENT DOOR


EC63004	○	4	1		NR	1/20
EC63008	○	8	1		NR	1/9
EC63012	○	12	1		NR	1/7
EC63018	○	18	1		NR	1
EC63024	○	24	2		NR	1
EC63036	○	36	2		NR	1
EC63054	○	54	3		NR	1
EC63072	○	72	4		NR	1

GREY - TRANSPARENT DOOR - EQUIPPED


EC63004E	○	4	1	2x4	NR	1/20
EC63008E	○	8	1	2x8	NR	1/9
EC63012E	○	12	1	2x12	NR	1/7
EC63018E	○	18	1	2x12	NR	1
EC63024E	○	24	2	4x12	NR	1
EC63036E	○	36	2	4x12 + 4x8	NR	1
EC63054E	○	54	3	8x12	NR	1
EC63072E	○	72	4	8x12	NR	1

BLACK - TRANSPARENT DOOR


EC63004N	●	4	1		NR	1/20
EC63008N	●	8	1		NR	1/9
EC63012N	●	12	1		NR	1/7
EC63018N	●	18	1		NR	1
EC63024N	●	24	2		NR	1
EC63036N	●	36	2		NR	1
EC63054N	●	54	3		NR	1
EC63072N	●	72	4		NR	1

BLACK - TRANSPARENT DOOR - EQUIPPED


EC63004NE	●	4	1	2x4	NR	1/20
EC63008NE	●	8	1	2x8	NR	1/9
EC63012NE	●	12	1	2x12	NR	1/7
EC63018NE	●	18	1	2x12	NR	1
EC63024NE	●	24	2	4x12	NR	1
EC63036NE	●	36	2	4x12 + 4x8	NR	1
EC63054NE	●	54	3	8x12	NR	1
EC63072NE	●	72	4	8x12	NR	1

FEATURES: EQUIPPED modular enclosures are supplied with PE+N terminal blocks

SERIES 635 - DRY LINING MODULAR ENCLOSURES
IP40

**GWT
850°**

Code	Color	Modules	Rows	Terminal blocks/holes	Unit	Pack
------	-------	---------	------	-----------------------	------	------

Small distribution board
WHITE - TRANSPARENT DOOR


EC63508B	○	8	1		NR	1/9
EC63512B	○	12	1		NR	1/7
EC63518B	○	18	1		NR	1
EC63524B	○	24	2		NR	1
EC63536B	○	36	2		NR	1
EC63554B	○	54	3		NR	1
EC63572B	○	72	4		NR	1

WHITE - TRANSPARENT DOOR - EQUIPPED


EC63508BE	○	8	1	2x8	NR	1/9
EC63512BE	○	12	1	2x12	NR	1/7
EC63518BE	○	18	1	2x12	NR	1
EC63524BE	○	24	2	4x12	NR	1
EC63536BE	○	36	2	4x12 + 4x8	NR	1
EC63554BE	○	54	3	8x12	NR	1
EC63572BE	○	72	4	8x12	NR	1

FEATURES: EQUIPPED modular enclosures are supplied with PE+N terminal blocks

ACCESSORIES FOR MODULAR ENCLOSURES

Code	Color	Description	Unit	Pack
------	-------	-------------	------	------

Terminals

TERMINAL BLOCKS WITH SUPPORT

GWT
960°
UL94
V2

	EC890050	1x35+6x16	NR	10/340
	EC890051	1x35+1x25+10x16	NR	10/320
	EC890052	1x35+2x25+12x16	NR	10/240
	EC890053	1x35+6x16	NR	10/340
	EC890054	1x35+1x25+10x16	NR	10/320
	EC890055	1x35+2x25+12x16	NR	10/240
	EC890056	1x35+6x16	NR	10/340
	EC890057	1x35+1x25+10x16	NR	10/320
	EC890058	1x35+2x25+12x16	NR	10/240

BRASS TERMINAL BLOCKS

	EC680M1	4x16	NR	10
	EC680M2	2x16 + 6x10	NR	10
	EC680M3	2x16 + 10x10	NR	10
	EC680M4	1x25 + 4x10	NR	10
	EC680M5	1x25 + 6x10	NR	10
	EC680M6	2x25 + 8x10	NR	10

Code	Color	Description	Unit	Pack
------	-------	-------------	------	------

Accessories for small distribution board

TERMINAL BLOCK SUPPORTS

HF
GWT
960°

	EC67004	Support for 4-8 modules	NR	10
	EC67012	Support for 12-18-24-36-54-72 mod.	NR	10

BLANK FACE PLATE

IP40
GWT
650°

	EC67018	Blank plate 18 modules for 72 modules enclosures (series 620/630/635)	NR	1/10
--	---------	---	----	------

SAFETY LOCK

IP40

	EC600SC	Cylinder safety lock enclosures 620-630-635	NR	1/10
--	---------	---	----	------

MODULAR SLOT COVERS

IP40
HF
GWT
650°

	EC600TC	Blank plate 4,5 modules	NR	25
	EC600TCN	Blank plate 4,5 modules	NR	25
	EC600TCB	Blank plate 4,5 modules	NR	25

Code	Color	Description	Unit	Pack
------	-------	-------------	------	------

DIN rail support for wiring devices

DIN RAIL MOUNT MODULAR FRAME

	ECL4608	3 modules DIN - for 2 MYLIFE electrical device	NR	1/40
--	---------	--	----	------

SERIES 633-638 - MULTIMEDIA MODULAR ENCLOSURES

Code	Color	Modules	Rows	Unit	Pack
------	-------	---------	------	------	------

Small distribution board

IP40

MASONRY ENCLOSURE

GWT
650°

	EC63336C	36	2	NR	1
---	----------	----	---	----	---

DRY LINING ENCLOSURE

GWT
850°

	EC63836C	36	2	NR	1
---	----------	----	---	----	---

FEATURES: With 1 plate with 8 keystone jacks and 2 support brackets

Description	Unit	Pack
-------------	------	------

Mounting accessories (enclosure/cabinet)

MULTIMEDIA ENCLOSURE ACCESSORIES

	EC633MM	Pair of metal adjustable support bracket 96x50x25 mm	NR	1
	EC633PP	Metal component plate with 8 slots for keystone jacks	NR	1

SERIES 631-636 - METAL DOOR MODULAR ENCLOSURES

IP40

Code	Color	Modules	Rows	Terminal blocks/holes	Unit	Pack
------	-------	---------	------	-----------------------	------	------

Small distribution board

MASONRY ENCLOSURES

GWT
650°

	EC63112	14	1	2 - (2x25)+(8x16)	NR	1
	EC63124	28	2	2 - (2x25)+(14x16)	NR	1
	EC63136	42	3	4 - (2x25)+(14x16)	NR	1
	EC63148	56	4	4 - (2x25)+(14x16)	NR	1
	EC63160	60	5	4 - (2x25)+(14x16)	NR	1

DRY LINING ENCLOSURES

GWT
850°

	EC63612	14	1	2 - (2x25)+(8x16)	NR	1
	EC63624	28	2	2 - (2x25)+(14x16)	NR	1
	EC63636	42	3	4 - (2x25)+(14x16)	NR	1
	EC63648	56	4	4 - (2x25)+(14x16)	NR	1
	EC63660	70	5	4 - (2x25)+(14x16)	NR	1

Code	Color	Description	Unit	Pack
------	-------	-------------	------	------

Accessories for small distribution board

GWT
650°

SAFETY LOCK

	EC631SC	Sicherheitszylinderschloss	NR	1
---	---------	----------------------------	----	---

MODULAR SLOT COVERS

	EC600TCP	9 Module grau RAL 9003	NR	25
---	----------	------------------------	----	----



Code	Color	Description	Unit	Pack
------	-------	-------------	------	------

RECESSED JUNCTION BOXES



SERIES 350 - MASONRY

HF

GWT
650°

Code	Color	Width	Length	Depth	Unit	Pack
------	-------	-------	--------	-------	------	------

Flush mount junction boxes

IP40

ORANGE BOXES

	EC350C1	●	91 mm	91 mm	44 mm	NR	1/240
	EC350C2	●	116 mm	94 mm	49 mm	NR	1/150
	EC350C3	●	119 mm	96 mm	69 mm	NR	1/100
	EC350C4	●	151 mm	97 mm	69 mm	NR	1/80
	EC350C5	●	161 mm	130 mm	69 mm	NR	1/60
	EC350C6	●	197 mm	152 mm	69 mm	NR	1/40
	EC350C7	●	295 mm	152 mm	69 mm	NR	1/28
	EC350C8	●	392 mm	152 mm	69 mm	NR	1/20
	EC350C9	●	480 mm	160 mm	69 mm	NR	1/18
	EC350C10	●	512 mm	198 mm	87 mm	NR	1/8
	EC350C11	●	512 mm	290 mm	87 mm	NR	1/6

ORANGE BOXES - MORTAR GUARD

	EC350C1P	●	91 mm	91 mm	44 mm	NR	1/120
	EC350C2P	●	116 mm	94 mm	49 mm	NR	1/90
	EC350C3P	●	119 mm	96 mm	69 mm	NR	1/70
	EC350C4P	●	151 mm	97 mm	69 mm	NR	1/80
	EC350C5P	●	161 mm	130 mm	69 mm	NR	1/60
	EC350C6P	●	197 mm	152 mm	69 mm	NR	1/40
	EC350C7P	●	295 mm	152 mm	69 mm	NR	1/28
	EC350C8P	●	392 mm	152 mm	69 mm	NR	1/20
	EC350C9P	●	480 mm	160 mm	69 mm	NR	1/18

BLUE BOXES

	EC350C1BL	●	91 mm	91 mm	44 mm	NR	1/240
	EC350C2BL	●	116 mm	94 mm	49 mm	NR	1/150
	EC350C3BL	●	119 mm	96 mm	69 mm	NR	1/100
	EC350C4BL	●	151 mm	97 mm	69 mm	NR	1/80
	EC350C5BL	●	161 mm	130 mm	69 mm	NR	1/60
	EC350C6BL	●	197 mm	152 mm	69 mm	NR	1/40
	EC350C7BL	●	295 mm	152 mm	69 mm	NR	1/28
	EC350C8BL	●	392 mm	152 mm	69 mm	NR	1/20
	EC350C9BL	●	480 mm	160 mm	69 mm	NR	1/18
	EC350C10BL	●	512 mm	198 mm	87 mm	NR	1/8
	EC350C11BL	●	512 mm	290 mm	87 mm	NR	1/6



Accessories for junction boxes

INTERNAL SEPARATOR



EC3500S	für Dosen von C4 bis C9	NR	10/100
EC3510S	für Dosen von C10 bis C11	NR	10

SERIES 340 - DRY LINING MODULAR ENCLOSURES

IP40

GWT
850°

Code	Color	Width	Length	Depth	Unit	Pack
------	-------	-------	--------	-------	------	------



Flush mount junction boxes

EC340105	●	120 mm	110 mm	50 mm	NR	1/120
EC340106	●	200 mm	150 mm	75 mm	NR	1/35
EC340107	●	300 mm	150 mm	75 mm	NR	1/23

SERIES 351 - SPARE COVER LIDS

IP40

HF

GWT
650°


Code	Color	Width	Length	Unit	Pack
------	-------	-------	--------	------	------



Cover lids

EC351C1	○	92 mm	92 mm	NR	1/200
EC351C3	○	120 mm	100 mm	NR	1/150
EC351C4	○	152 mm	100 mm	NR	1/120
EC351C5	○	160 mm	130 mm	NR	1/100
EC351C6	○	192 mm	152 mm	NR	1/50
EC351C7	○	294 mm	152 mm	NR	1/50
EC351C8	○	392 mm	152 mm	NR	1/15
EC351C9	○	480 mm	160 mm	NR	1
EC351C10	○	520 mm	200 mm	NR	1
EC351C11	○	520 mm	295 mm	NR	1

BOXES FOR WIRING DEVICES



SERIES 37 - MASONRY RECESSED BOXES

IP40 HF GWT 650°

Code	Color	Description	Unit	Pack
------	-------	-------------	------	------

Flush mount junction boxes for wiring devices

RECTANGULAR BOXES - YELLOW



EC37100	●	3 devices	NR	10/400
EC37104	●	4 devices	NR	10/240
EC37106	●	6/7 devices	NR	10/150

RECTANGULAR BOXES - BLUE



EC37100BL	●	3 devices	NR	10/400
EC37104BL	●	4 devices	NR	10/240
EC37106BL	●	6/7 devices	NR	10/150

ROUND BOXES - ORANGE



EC37065	●	Box Ø 60x40	NR	10/600
EC37085	●	Box Ø 80x40	NR	10/400

Code	Color	Description	Unit	Pack
------	-------	-------------	------	------

Accessories for junction boxes



EC37110	●	Protection lid 3 device for EC37100	NR	10/400
EC37111	●	Plastic spacer	NR	20/200

Code	Color	Box diameter	Unit	Pack
------	-------	--------------	------	------

Cover lids

ROUND COVER LID



EC37165	○	60-60 mm	NR	50/700
EC37185	○	80-80 mm	NR	50/600

SERIES 340 - DRY LINING

IP40 GWT 850°

Code	Color	Modules	Width	Length	Unit	Pack
------	-------	---------	-------	--------	------	------

Flush mount junction boxes

RECTANGULAR BOXES



EC34003	●	3	113 mm	72 mm	NR	10/300
EC34004	●	4	137 mm	72 mm	NR	10/230
EC34006	●	6	188 mm	72 mm	NR	10/160

ROUND BOXES



EC34040	●	1	68 mm	mm	NR	10/550
EC34045	●	1	80 mm	mm	NR	10/350

Width = Diameter

GRP ENCLOSURES



BOARDS

IP66 IK10 HF GWT 960° UL94 V0

Code Color Width Height Depth Unit Pack

Distribution board

BLANK DOOR



EC625001	○	270 mm	305 mm	170 mm	NR	1
EC625002	○	325 mm	430 mm	185 mm	NR	1
EC625003	○	435 mm	505 mm	215 mm	NR	1
EC625004	○	435 mm	655 mm	215 mm	NR	1
EC625005	○	545 mm	655 mm	265 mm	NR	1
EC625006	○	620 mm	810 mm	320 mm	NR	1
EC625007	○	800 mm	1055 mm	360 mm	NR	1

TRANSPARENT WINDOW DOOR



EC625011	○	270 mm	305 mm	170 mm	NR	1
EC625012	○	325 mm	430 mm	185 mm	NR	1
EC625013	○	435 mm	505 mm	215 mm	NR	1
EC625014	○	435 mm	655 mm	215 mm	NR	1
EC625015	○	545 mm	655 mm	265 mm	NR	1
EC625016	○	620 mm	810 mm	320 mm	NR	1
EC625017	○	800 mm	1055 mm	360 mm	NR	1

ACCESSORIES

IP66 IK10 HF GWT 960° UL94 V0

Code Color Description Unit Pack

Accessories for distribution board

INTERNAL FIBRE-GLASS DOOR



EC625022	○	For board 325x430	NR	1
EC625023	○	For board 435x505	NR	1
EC625024	○	For board 435x655	NR	1
EC625025	○	For board 545x655	NR	1
EC625026	○	For board 620x810	NR	1
EC625027	○	For board 800x1055	NR	1

METAL BACK PLATE



EC625031	○	Dim. 207x239 - I	NR	1
EC625032	○	Dim. 264x364 - II	NR	1
EC625033	○	Dim. 372x439 - III	NR	1
EC625034	○	Dim. 372x589 - IV	NR	1
EC625035	○	Dim. 482x589 - V	NR	1
EC625036	○	Dim. 556x739 - VI	NR	1
EC625037	○	Dim. 736x989 - VII	NR	1

INSULATING BACK PLATE



EC625041	○	dim. 207x239 - I	NR	1
EC625042	○	dim. 264x364 - II	NR	1
EC625043	○	dim. 372x439 - III	NR	1
EC625044	○	dim. 372x589 - IV	NR	1
EC625045	○	dim. 482x589 - V	NR	1
EC625046	○	dim. 556x739 - VI	NR	1

MODULAR FRAME UPRIGHTS



EC625072	○	For board - II	NR	1
EC625073	○	For board - III	NR	1
EC625074	○	For boards - IV - V	NR	1
EC625076	○	For board - VI	NR	1
EC625077	○	For board - VII	NR	1

DIN RAIL WITH FIXING SUPPORTS



EC625132	○	12 modules - board - II	NR	1/100
EC625133	○	18 modules - boards - III - IV	NR	1/80
EC625135	○	24 modules - board V	NR	1
EC625136	○	28 modules - board VI	NR	1/25
EC625137	○	38 modules - board VII	NR	1/30

MODULAR CHASSIS FACEPLATES



EC625102	○	12 modules - board - II	NR	1
EC625103	○	18 modules - boards - III - IV	NR	1
EC625105	○	24 modules - board - V	NR	1
EC625106	○	28 modules - board - VI	NR	1
EC625107	○	38 modules - board - VII	NR	1

MODULAR CHASSIS BLANK PLATE



EC625112	○	Axis 125 - board - II	NR	1
EC625113	○	Axis 150 - board - III - IV	NR	1
EC625115	○	Axis 150 - board - V	NR	1
EC625116	○	Axis 150 - board - VI	NR	1
EC625117	○	Axis 200 - board - VII	NR	1

MODULAR CHASSIS DOUBLE HEIGHT BLANK PLATE



EC625122	○	Axis 250 - board - II	NR	1
EC625123	○	Axis 300 - board - III - IV	NR	1
EC625125	○	Axis 300 - board - V	NR	1
EC625126	○	Axis 300 - board - VI	NR	1

BACK PLATE DEPTH ADJUST KIT



EC625REG	○	With brass inserts and screws	NR	1
----------	---	-------------------------------	----	---

WALL MOUNTING BRACKETS



EC625SI	○	Set of 4 stainless steel brackets	NR	1/70
EC625SZ	○	Set of 4 galvanized steel brackets	NR	1/70

ACCESSORIES

IP66 IK10 HF GWT 960° UL94 V0

Code Color Description Unit Pack

CUT LOCK MECHANISM



EC625SC	○	Safety lock with handle - unified keys	NR	1/150
EC625SR	○	Set of 2 triangular spare standard locks	NR	1/10
EC625ST	○	Triangular spare key	NR	10

ENCAPSULATED BRASS NUTS



EC625IO	○	Insertion kit - 10 pcs	NR	1
---------	---	------------------------	----	---

CONNECTING JOINT KIT



EC625GI		Joint kit for all boards	NR	1
---------	--	--------------------------	----	---

POLE MOUNT KIT



EC625SP1	○	Pole support kit - board - I - II	NR	1/15
EC625SP3	○	Pole support kit - board - III - IV	NR	1/15
EC625SP5	○	Pole support kit - board - V - VI	NR	1

SPARE BLANK DOOR



EC625001R	○	Blank door - board I	NR	1
EC625002R	○	Blank door - board II	NR	1
EC625003R	○	Blank door - board III	NR	1
EC625004R	○	Blank door - board IV	NR	1
EC625005R	○	Blank door - board V	NR	1
EC625006R	○	Blank door - board VI	NR	1
EC625007R	○	Blank door - board VII	NR	1

SPARE TRANSPARENT WINDOW DOOR



EC625011R	○	Transparent window door - board I	NR	1
EC625012R	○	Transparent window door - board II	NR	1
EC625013R	○	Transparent window door - board III	NR	1
EC625014R	○	Transparent window door - board IV	NR	1
EC625015R	○	Transparent window door - board V	NR	1
EC625016R	○	Transparent window door - board VI	NR	1
EC625017R	○	Transparent window door - board VII	NR	1

WALL MODULAR ENCLOSURES



SERIES 600 - IP40 MODULAR ENCLOSURES

IP40 GWT 650°

Code Color Modules Rows Terminal blocks/holes Unit Pack



Small distribution board

WHITE



EC60004B	○	4	1		NR	1/22
EC60008B	○	8	1		NR	1/15
EC60012B	○	12	1		NR	1/8
EC60018B	○	18	1		NR	1
EC60024B	○	24	2		NR	1
EC60036B	○	36	2		NR	1
EC60054B	○	54	3		NR	1
EC60072B	○	72	4		NR	1

WHITE - EQUIPPED



EC60004BE	○	4	1	2x4	NR	1/22
EC60008BE	○	8	1	2x8	NR	1/15
EC60012BE	○	12	1	2x12	NR	1/8
EC60018BE	○	18	1	2x12	NR	1
EC60024BE	○	24	2	4x12	NR	1
EC60036BE	○	36	2	4x12 + 4x8	NR	1
EC60054BE	○	54	3	8x12	NR	1
EC60072BE	○	72	4	8x12	NR	1

GREY



EC60004	○	4	1		NR	1/22
EC60008	○	8	1		NR	1/15
EC60012	○	12	1		NR	1/8
EC60018	○	18	1		NR	1
EC60024	○	24	2		NR	1
EC60036	○	36	2		NR	1
EC60054	○	54	3		NR	1

GREY - EQUIPPED



EC60004E	○	4	1	2x4	NR	1/22
EC60008E	○	8	1	2x8	NR	1/15
EC60012E	○	12	1	2x12	NR	1/8
EC60018E	○	18	1	2x12	NR	1
EC60024E	○	24	2	4x12	NR	1
EC60036E	○	36	2	4x12 + 4x8	NR	1
EC60054E	○	54	3	8x12	NR	1

FEATURES: EQUIPPED modular enclosures are supplied with PE+N terminal blocks



**SERIES 620 - IP65 MO
DULAR ENCLOSURES**

IP65



GWT
650°

Code Color Modules Rows Terminal blocks/holes Unit Pack

Small distribution board

GREY



EC62002	○	4	1	NR	1/25
EC62004	○	4	1	NR	1/22
EC62008	○	8	1	NR	1/14
EC62012	○	12	1	NR	1/8
EC62018	○	18	1	NR	1
EC62024	○	24	2	NR	1
EC62036	○	36	2	NR	1
EC62036-3	○	36	3	NR	1
EC62054	○	54	3	NR	1
EC62072	○	72	4	NR	1

GREY - EQUIPPED



EC62004E	○	4	1	2x4	NR	1/22
EC62008E	○	8	1	2x8	NR	1/14
EC62012E	○	12	1	2x12	NR	1/8
EC62018E	○	18	1	2x12	NR	1
EC62024E	○	24	2	4x12	NR	1
EC62036E	○	36	2	4x12 + 4x8	NR	1
EC62036-3E	○	36	3	4x12 + 4x4	NR	1
EC62054E	○	54	3	8x12	NR	1
EC62072E	○	72	4	8x12	NR	1

FEATURES: EQUIPPED modular enclosures are supplied with PE+N terminal blocks

**SERIES 610 - IP40 MO
DULAR ENCLOSURES WITHOUT DOOR**

IP40



GWT
650°

Code Color Modules Rows Terminal blocks/holes Unit Pack

Small distribution board

GREY



EC61002	○	2	1	NR	1/50
EC61003	○	4	1	NR	1/25
EC61004	○	4	1	NR	1/22
EC61008	○	8	1	NR	1/15
EC61012	○	12	1	NR	1/8
EC61018	○	18	1	NR	1
EC61024	○	24	2	NR	1
EC61036	○	36	2	NR	1
EC61054	○	54	3	NR	1

GREY - EQUIPPED



EC61004E	○	4	1	2x4	NR	1/22
EC61008E	○	8	1	2x8	NR	1/15
EC61012E	○	12	1	2x12	NR	1/8
EC61018E	○	18	1	2x12	NR	1
EC61024E	○	24	2	4x12	NR	1
EC61036E	○	36	2	4x12 + 4x8	NR	1
EC61054E	○	54	3	8x12	NR	1

FEATURES: EQUIPPED modular enclosures are supplied with PE+N terminal blocks

ACCESSORIES FOR ENCLOSURES

Code Color Description Unit Pack

Terminals

INSULETED TERMINAL BLOCKS

GWT
960°



EC890050	●	1x35+6x16	NR	10/340
EC890051	●	1x35+1x25+10x16	NR	10/320
EC890052	●	1x35+2x25+12x16	NR	10/240
EC890053	●	1x35+6x16	NR	10/340
EC890054	●	1x35+1x25+10x16	NR	10/320
EC890055	●	1x35+2x25+12x16	NR	10/240
EC890056	●	1x35+6x16	NR	10/340
EC890057	●	1x35+1x25+10x16	NR	10/320
EC890058	●	1x35+2x25+12x16	NR	10/240

BRASS TERMINAL BLOCKS



EC680M1	●	4x16	NR	10
EC680M2	●	2x16 + 6x10	NR	10
EC680M3	●	2x16 + 10x10	NR	10
EC680M4	●	1x25 + 4x10	NR	10
EC680M5	●	1x25 + 6x10	NR	10
EC680M6	●	2x25 + 8x10	NR	10

Accessories for small distribution board

TERMINAL BLOCK HOLDER

HF GWT
960°



EC67004	○	Support for 4-8 modules	NR	10
EC67012	○	Support for 12-18-24-36-54-72 mod.	NR	10

BLANK PANEL

IP40 GWT
650°



EC67018	○	Blank plate 18 modules for 72 modules enclosures (series 620/630/635)	NR	1/10
---------	---	---	----	------

LOCK

IP40



EC600SC	○	Cylinder safety lock enclosures 620-630-635	NR	1/10
---------	---	---	----	------

MODULE COVER CAPS

IP40 HF GWT
650°



EC600TC	○	Blank plate 4,5 modules	NR	25
EC600TCB	○	Blank plate 4,5 modules	NR	25
EC600TCN	●	Blank plate 4,5 modules	NR	25

	Code	Color	Description	Unit	Pack
UNION FITTINGS				IP65	GWT 650°



EC52121	○	PG21 type	NR	10/50
EC52129	○	PG29 type	NR	10/50
EC52136	○	PG36 type	NR	10/50

	Mounting cramp for junction boxes			HF	GWT 650°
--	--	--	--	-----------	-----------------

WALL MOUNTING BRACKETS

EC600SF	○	To keep IP-protection and double insulation for boxes 4xx Dimensions C6-C7-C8-C9-C10 - enclosures 600-610-620-690 - 20x13x59 mm	NR	50
----------------	---	---	----	----

	DIN rail support for wiring devices		
--	--	--	--

DIN APPLIANCE HOLDER

ECL4608	○	3 DIN-Module – 2 Geräte	NR	1/40
----------------	---	-------------------------	----	------

WALL-MOUNT JUNCTION BOXES**SERIES 49 - 1/4 TURN PLASTIC SCREWS - IP55 / IP67****IK08**

Code	Color	Width	Length	Depth	Unit	Pack
------	-------	-------	--------	-------	------	------

Wall mount junction boxes**ABS - SOFT NIPPLES****IP55** **HF** **GWT 650°**

EC491C4	○	110 mm	110 mm	60 mm	NR	1/75
EC491C5	○	160 mm	115 mm	75 mm	NR	1/44
EC491C6	○	200 mm	150 mm	85 mm	NR	1/24
EC491C7	○	250 mm	200 mm	100 mm	NR	1/9
EC491C8	○	310 mm	230 mm	125 mm	NR	1/6

ABS SELF-EXTINGUISHING V0 - SOFT NIPPLES**IP55** **GWT 960°** **UL94 V0**

EC491C4A	○	110 mm	110 mm	60 mm	NR	1/75
EC491C5A	○	160 mm	115 mm	75 mm	NR	1/44
EC491C6A	○	200 mm	150 mm	85 mm	NR	1/24
EC491C7A	○	250 mm	200 mm	100 mm	NR	1/9
EC491C8A	○	310 mm	230 mm	125 mm	NR	1/6

ABS - SMOOTH SIDES**IP67** **HF** **GWT 650°**

EC492C4	○	110 mm	110 mm	60 mm	NR	1/90
EC492C5	○	160 mm	115 mm	75 mm	NR	1/50
EC492C6	○	200 mm	150 mm	85 mm	NR	1/28
EC492C7	○	250 mm	200 mm	100 mm	NR	1/10
EC492C8	○	310 mm	230 mm	125 mm	NR	1/6

ABS SELF-EXTINGUISHING V0 - SMOOTH SIDES**IP67** **GWT 960°** **UL94 V0**

EC492C4A	○	110 mm	110 mm	60 mm	NR	1/90
EC492C5A	○	160 mm	115 mm	75 mm	NR	1/50
EC492C6A	○	200 mm	150 mm	85 mm	NR	1/28
EC492C7A	○	250 mm	200 mm	100 mm	NR	1/10
EC492C8A	○	310 mm	230 mm	125 mm	NR	1/6

ABS - KNOCKOUTS**IP67** **HF** **GWT 650°**

EC493C4	○	110 mm	110 mm	60 mm	NR	1/90
EC493C5	○	160 mm	115 mm	75 mm	NR	1/50
EC493C6	○	200 mm	150 mm	85 mm	NR	1/28
EC493C7	○	250 mm	200 mm	100 mm	NR	1/10
EC493C8	○	310 mm	230 mm	125 mm	NR	1/6



SERIES 49 - 1/4 TURN PLASTIC SCREWS - IP55 / IP67

IK08

Code	Color	Width	Length	Depth	Unit	Pack
------	-------	-------	--------	-------	------	------

POLYCARBONATE - SMOOTH SIDES

IP67 HF +120° GWT 650°



EC492C4P	○	110 mm	110 mm	60 mm	NR	1/90
EC492C5P	○	160 mm	115 mm	75 mm	NR	1/50
EC492C6P	○	200 mm	150 mm	85 mm	NR	1/28
EC492C7P	○	250 mm	200 mm	100 mm	NR	1/10
EC492C8P	○	310 mm	230 mm	125 mm	NR	1/6

SERIES 411 - POLYETHYLENE

IK08 IP55 HF GWT 650°

Code	Color	Width	Length	Depth	Unit	Pack
------	-------	-------	--------	-------	------	------



Wall mount junction boxes

EC411C1	○	71 mm	33 mm	30 mm	NR	1/100
EC411C2	○	65 mm	65 mm	30 mm	NR	1/50
EC411C3	○	75 mm	75 mm	34 mm	NR	1/36
EC411C4	○	90 mm	90 mm	34 mm	NR	1/46

SERIES 400 - NIPPLE VERSION

IK08

Code	Color	Width	Length	Depth	Unit	Pack
------	-------	-------	--------	-------	------	------



Wall mount junction boxes

IP44

IP44 GWT 650°

EC400C1*	○	65 mm	mm	35 mm	NR	5/120
EC400C2*	○	80 mm	mm	40 mm	NR	5/150
EC400C3	○	80 mm	80 mm	40 mm	NR	5/160

* Width = Diameter

IP65

IP55 GWT 650°



EC400C4	○	100 mm	100 mm	50 mm	NR	1/90
EC400C4R	○	120 mm	80 mm	50 mm	NR	1/90
EC400C5	○	150 mm	110 mm	70 mm	NR	1/45
EC400C6	○	190 mm	140 mm	70 mm	NR	1/25
EC400C7	○	240 mm	190 mm	90 mm	NR	1/14
EC400C8	○	300 mm	220 mm	120 mm	NR	1/6
EC400C9	○	380 mm	300 mm	120 mm	NR	1/4
EC400C10	○	460 mm	380 mm	120 mm	NR	1/4

IP44 - SELF-EXTINGUISHING V0

IP44 GWT 960° UL94 V0



EC400C1A*	○	65 mm	mm	35 mm	NR	5/120
EC400C2A*	○	80 mm	mm	40 mm	NR	5/150
EC400C3A	○	80 mm	80 mm	40 mm	NR	5/160

* Width = Diameter

IP55 - SELF-EXTINGUISHING V0

IP55 GWT 960° UL94 V0



EC400C4A	○	100 mm	100 mm	50 mm	NR	1/90
EC400C4RA	○	120 mm	80 mm	50 mm	NR	1/90
EC400C5A	○	150 mm	110 mm	70 mm	NR	1/45
EC400C6A	○	190 mm	140 mm	70 mm	NR	1/25
EC400C7A	○	240 mm	190 mm	90 mm	NR	1/14
EC400C8A	○	300 mm	220 mm	120 mm	NR	1/6
EC400C9A	○	380 mm	300 mm	120 mm	NR	1/4
EC400C10A	○	460 mm	380 mm	120 mm	NR	1/4

SERIES 410 - SMOOTH SIDES

IK08

Code	Color	Width	Length	Depth	Unit	Pack
------	-------	-------	--------	-------	------	------



Wall mount junction boxes

IP56 - HALOGEN FREE

HF GWT 650°



EC410C3*	○	80 mm	80 mm	40 mm	NR	5/150
EC410C4	○	100 mm	100 mm	50 mm	NR	1/100
EC410C4R	○	120 mm	80 mm	50 mm	NR	1/100
EC410C5	○	150 mm	110 mm	70 mm	NR	1/42
EC410C6	○	190 mm	140 mm	70 mm	NR	1/24
EC410C7	○	240 mm	190 mm	70 mm	NR	1/16
EC410C8	○	300 mm	220 mm	120 mm	NR	1/6
EC410C9	○	380 mm	300 mm	120 mm	NR	1/4
EC410C10	○	460 mm	380 mm	120 mm	NR	1/4

* IP44

IP56 - SELF-EXTINGUISHING V0

IP56 GWT 960° UL94 V0



EC410C4A	○	100 mm	100 mm	50 mm	NR	1/100
EC410C4RA	○	120 mm	80 mm	50 mm	NR	1/100
EC410C5A	○	150 mm	110 mm	70 mm	NR	1/42
EC410C6A	○	190 mm	140 mm	70 mm	NR	1/24
EC410C7A	○	240 mm	190 mm	70 mm	NR	1/16
EC410C8A	○	300 mm	220 mm	120 mm	NR	1/6
EC410C9A	○	380 mm	300 mm	120 mm	NR	1/4
EC410C10A	○	460 mm	380 mm	120 mm	NR	1/4

SERIES 420 - SMOOTH SIDES - TRANSPARENT COVER LID

IK08 IP56 HF GWT 650°

Code	Color	Width	Length	Depth	Unit	Pack
------	-------	-------	--------	-------	------	------



Wall mount junction boxes

EC420C5	○	150 mm	110 mm	70 mm	NR	1/42
EC420C6	○	190 mm	140 mm	70 mm	NR	1/24
EC420C7	○	240 mm	190 mm	90 mm	NR	1/16
EC420C8	○	300 mm	220 mm	120 mm	NR	1/6
EC420C9	○	380 mm	300 mm	120 mm	NR	1/4
EC420C10	○	460 mm	380 mm	120 mm	NR	1/4

SERIES 430 - SMOOTH SIDES - HIGH COVER LID

IK08 IP56 HF GWT 650°

Code	Color	Width	Length	Depth	Unit	Pack
------	-------	-------	--------	-------	------	------



Wall mount junction boxes

EC430C5	○	150 mm	110 mm	140 mm	NR	1/18
EC430C6	○	190 mm	140 mm	140 mm	NR	1/16
EC430C7	○	240 mm	190 mm	160 mm	NR	1/8
EC430C8	○	300 mm	220 mm	180 mm	NR	1/4
EC430C9	○	380 mm	300 mm	180 mm	NR	1/3
EC430C10	○	460 mm	380 mm	180 mm	NR	1/3

SERIES 440 - SMOOTH SIDES - HIGH TRANSPARENT COVER LID

IK08 IP56 HF GWT 650°

Code	Color	Width	Length	Depth	Unit	Pack
------	-------	-------	--------	-------	------	------

Wall mount junction boxes



EC440C5	○	150 mm	140 mm	140 mm	NR	1/18
EC440C6	○	190 mm	140 mm	140 mm	NR	1/16
EC440C7	○	240 mm	190 mm	160 mm	NR	1/8
EC440C8	○	300 mm	220 mm	180 mm	NR	1/4
EC440C9	○	380 mm	300 mm	180 mm	NR	1/3
EC440C10	○	460 mm	380 mm	180 mm	NR	1/3

SERIES 480 - POLYCARBONATE - SMOOTH SIDES

IK08 IP56 HF +120° GWT 650°

Code	Color	Width	Length	Depth	Unit	Pack
------	-------	-------	--------	-------	------	------

Wall mount junction boxes



EC480C4	○	100 mm	100 mm	50 mm	NR	1/100
EC480C4R	○	120 mm	80 mm	50 mm	NR	1/100
EC480C5	○	150 mm	110 mm	70 mm	NR	1/42
EC480C6	○	190 mm	140 mm	70 mm	NR	1/24
EC480C7	○	240 mm	190 mm	90 mm	NR	1/16
EC480C8	○	300 mm	220 mm	120 mm	NR	1/6
EC480C9	○	380 mm	300 mm	120 mm	NR	1/4
EC480C10	○	460 mm	380 mm	120 mm	NR	1/4

SERIES 490 - PC BOXES - SMOOTH SIDES - HIGH COVER LID

IK08 IP56 HF +120° GWT 650°

Code	Color	Width	Length	Depth	Unit	Pack
------	-------	-------	--------	-------	------	------

Wall mount junction boxes



EC490C5	○	150 mm	110 mm	140 mm	NR	1/18
EC490C6	○	190 mm	140 mm	140 mm	NR	1/16
EC490C7	○	240 mm	190 mm	160 mm	NR	1/8
EC490C8	○	300 mm	220 mm	180 mm	NR	1/4
EC490C9	○	380 mm	300 mm	180 mm	NR	1/3
EC490C10	○	460 mm	380 mm	180 mm	NR	1/3

ACCESSORIES FOR JUNCTION BOXES

Code	Height	Width	Material	Unit	Pack
------	--------	-------	----------	------	------


Back plates for distribution board

BACK PLATE



EC450P6	170 mm	130 mm	Steel	NR	1/30
EC450P7	224 mm	170 mm	Steel	NR	1/30
EC450P8	286 mm	206 mm	Steel	NR	1/20
EC450P9	362 mm	283 mm	Steel	NR	1/10
EC450P10	437 mm	360 mm	Steel	NR	1/10

INSULATING BACK PLATE



EC451P6	170 mm	130 mm	Plastic	NR	1/30
EC451P7	224 mm	170 mm	Plastic	NR	1/30
EC451P8	286 mm	206 mm	Plastic	NR	1/20
EC451P9	362 mm	283 mm	Plastic	NR	1/10
EC451P10	437 mm	360 mm	Plastic	NR	1/10

Code	Color	Diameter	Unit	Pack
------	-------	----------	------	------

Cable plug sealing clamp

IP55 GWT 960° UL94 V0

CABLE GLANDS



EC47020	○	20 mm	NR	100/800
EC47025	○	25 mm	NR	100/600
EC47025S*	○	25 mm	NR	100/600
EC47032	○	32 mm	NR	100/500
EC47040	○	40 mm	NR	100/300

Code	Length	Height	Thickness	Unit	Pack
------	--------	--------	-----------	------	------

DIN rail



EC460D5	150 mm	7.5 mm	1 mm	NR	10
EC460D6	180 mm	7.5 mm	1 mm	NR	10
EC460D7	230 mm	7.5 mm	1 mm	NR	10
EC460D8	290 mm	7.5 mm	1 mm	NR	10
EC460D9	370 mm	7.5 mm	1 mm	NR	10
EC460D10	450 mm	7.5 mm	1 mm	NR	10
EC460C10*	159 mm	35 mm	1 mm	NR	10

* For C10/C11 boxes

Code	Description	Unit	Pack
------	-------------	------	------

Sealing plug



ECTFLEX13	Cap for boxes C1-C2-C3-C4	NR	100/2000
ECTFLEX18	Cap for boxes C5 and interlocked sockets	NR	100/2000
ECTFLEX19	Cap for boxes C6-C7-C8	NR	100/2000
ECTFLEX25	Cap for boxes C9-C10	NR	100/1500

Code	Color	Description	Unit	Pack
------	-------	-------------	------	------

Accessories for junction boxes

HF GWT 650°

SERIES 400 - SPARE SCREWS



EC400KV1	○	Kit - 10 screws for C4-C5-C6	NR	1
EC400KV2	○	Kit - 10 screws for C7 - 690 series	NR	1
EC400KV3	○	Kit - 10 screws for C8-C9-C10	NR	1



SERIES 485 - ALUMINIUM BOXES

IK07


Code	Color	Width	Length	Depth	Unit	Pack
------	-------	-------	--------	-------	------	------

Junction boxes



EC485C1	●	90 mm	90 mm	53 mm	NR	1/32
EC485C2	●	128 mm	103 mm	55 mm	NR	1/24
EC485C3	●	154 mm	129 mm	58 mm	NR	1/16
EC485C4	●	178 mm	155 mm	74 mm	NR	1/18
EC485C5	●	239 mm	202 mm	85 mm	NR	1/8
EC485C6	●	294 mm	244 mm	114 mm	NR	1/2
EC485C7	●	392 mm	298 mm	144 mm	NR	1

MULTI-FUNCTIONAL JUNCTION BOXES



SERIES 320 - WARNING LIGHTS

IP55

GWT
650°

Code	Color	Description	Unit	Pack
------	-------	-------------	------	------

Lights



EC320B	●	Blue colour	NR	1/30
EC320G	●	Yellow colour	NR	1/30
EC320R	●	Red colour	NR	1/30
EC320T	●	Transparent colour	NR	1/30
EC320V	●	Green colour	NR	1/30

SERIES 650 - ALVEOLAR JUNCTION BOXES

IP40

IK08

HF



GWT
650°

Code	Color	Width	Height	Depth	Unit	Pack
------	-------	-------	--------	-------	------	------

Utility boxes



EC65001	●	200 mm	150 mm	40 mm	NR	1/20
EC65002	●	200 mm	150 mm	60 mm	NR	1/40
EC65003	●	200 mm	150 mm	80 mm	NR	1/28
EC65004	●	300 mm	200 mm	40 mm	NR	1/30
EC65005	●	300 mm	200 mm	60 mm	NR	1/16
EC65006	●	300 mm	200 mm	80 mm	NR	1/12
EC65007	●	300 mm	200 mm	120 mm	NR	1/8
EC65008	●	400 mm	300 mm	60 mm	NR	1/8
EC65009	●	400 mm	300 mm	80 mm	NR	1/6
EC65010	●	400 mm	300 mm	120 mm	NR	1/4

ACCESSORIES



MODULAR ENCLOSURE ACCESSORIES

Code	Color	Description	Unit	Pack
------	-------	-------------	------	------

Accessories for small distribution board

TERMINAL BLOCK SUPPORT

HF GWT 960°

	EC67004	○	Support for 4-8 modules	NR	10
	EC67012	○	Support for 12-18-24-36-54-72 mod.	NR	10

SAFETY LOCK

IP40

	EC600SC	○	Cylinder safety lock enclosures 620-630-635	NR	1/10
--	---------	---	---	----	------

MODULAR SLOT COVERS

IP40 HF GWT 650°

	EC600TC	○	Blank plate 4,5 modules	NR	25
	EC600TCB	○	Blank plate 4,5 modules	NR	25
	EC600TCN	●	Blank plate 4,5 modules	NR	25

Code	Color	Description	Unit	Pack
------	-------	-------------	------	------

Mounting accessories

IP40 GWT 650°

BLANK FACE PLATE

	EC67018	○	Blank plate 18 modules for 72 modules enclosures (series 620/630/635)	NR	1/10
--	---------	---	---	----	------

Code	Color	Thread	Thread type	Unit	Pack
------	-------	--------	-------------	------	------

Sealing cap

HF GWT 650°

METRIC PITCH

	EC52312	○	12	Metric	NR	100/1000
	EC52316	○	16	Metric	NR	100/1000
	EC52320	○	20	Metric	NR	100/1000
	EC52325	○	25	Metric	NR	100/1000
	EC52332	○	32	Metric	NR	50/500
	EC52340	○	40	Metric	NR	50/500
	EC52350	○	50	Metric	NR	50
	EC52363	○	63	Metric	NR	50

PG PITCH

	EC52207	○	7	PG	NR	100/1000
	EC52209	○	9	PG	NR	100/1000
	EC52211	○	11	PG	NR	100/1000
	EC52213	○	13.5	PG	NR	100/1000
	EC52216	○	16	PG	NR	100/1000
	EC52221	○	21	PG	NR	100/1000
	EC52229	○	29	PG	NR	50/500
	EC52236	○	36	PG	NR	50/500
	EC52242	○	42	PG	NR	50
	EC52248	○	48	PG	NR	50

TERMINAL BLOCKS

Code	Color	Description	Unit	Pack
------	-------	-------------	------	------

Terminals

BRASS TERMINAL BLOCKS

	EC680M1	●	4x16	NR	10
	EC680M2	●	2x16 + 6x10	NR	10
	EC680M3	●	2x16 + 10x10	NR	10
	EC680M4	●	1x25 + 4x10	NR	10
	EC680M5	●	1x25 + 6x10	NR	10
	EC680M6	●	2x25 + 8x10	NR	10

TERMINAL BLOCKS WITH SUPPORT

GWT 960°

	EC890050	●	1x35+6x16	NR	10/340
	EC890051	●	1x35+1x25+10x16	NR	10/320
	EC890052	●	1x35+2x25+12x16	NR	10/240
	EC890053	●	1x35+6x16	NR	10/340
	EC890054	●	1x35+1x25+10x16	NR	10/320
	EC890055	●	1x35+2x25+12x16	NR	10/240
	EC890056	●	1x35+6x16	NR	10/340
	EC890057	●	1x35+1x25+10x16	NR	10/320
	EC890058	●	1x35+2x25+12x16	NR	10/240



Code Color Section Rated current Unit Pack



Clamp terminal

GWT
960°

SINGLE-POLE CLAMPS - 10-PIECE SLATS



EC890010	○	1.5-1.5 mm ²	18 A	NR	10/900
EC890011	○	2.5-2.5 mm ²	24 A	NR	10/500
EC890012	○	4-4 mm ²	32 A	NR	10/400
EC890013	○	6-6 mm ²	41 A	NR	10/250
EC890014	○	10-10 mm ²	57 A	NR	10/200
EC890015	○	16-16 mm ²	76 A	NR	10/100

INSULATED SINGLE POLE CABLE CONNECTORS - 1-PACK



EC890016	○	25-25 mm ²	100 A	NR	5/450
EC890017	○	35-35 mm ²	125 A	NR	5/240

EQUIPOTENTIAL BONDING PLATES



EC890020	○	16-50 mm ²	100 A	NR	1/40
EC890021	○	16-25 mm ²	100 A	NR	1/150

CABLE GLANDS

GWT
650°

Code Color Thread Thread type Pitch thread Unit Pack



Cable gland

IP68

PG PITCH - GREY - WITHOUT LOCK NUT



EC50007	○	7	PG	1.27 mm	NR	50/1200
EC50009	○	9	PG	1.41 mm	NR	50/1200
EC50011	○	11	PG	1.41 mm	NR	50/600
EC50013	○	13.5	PG	1.41 mm	NR	50/600
EC50016	○	16	PG	1.41 mm	NR	50/300
EC50021	○	21	PG	1.588 mm	NR	50/300
EC50029	○	29	PG	1.588 mm	NR	25/150
EC50036	○	36	PG	1.588 mm	NR	15/90
EC50042	○	42	PG	1.588 mm	NR	10/60
EC50048	○	48	PG	1.588 mm	NR	5/30

PG PITCH - GREY - WITH LOCK NUT



EC51007	○	7	PG	1.27 mm	NR	50/1200
EC51009	○	9	PG	1.41 mm	NR	50/1200
EC51011	○	11	PG	1.41 mm	NR	50/600
EC51013	○	13.5	PG	1.41 mm	NR	50/600
EC51016	○	16	PG	1.41 mm	NR	50/300
EC51021	○	21	PG	1.588 mm	NR	50/300
EC51029	○	29	PG	1.588 mm	NR	25/150
EC51036	○	36	PG	1.588 mm	NR	15/90
EC51042	○	42	PG	1.588 mm	NR	10/60
EC51048	○	48	PG	1.588 mm	NR	5/30

PG PITCH - BLACK - WITH LOCK NUT



EC51007N	●	7	PG	1.27 mm	NR	50/1200
EC51009N	●	9	PG	1.41 mm	NR	50/1200
EC51011N	●	11	PG	1.41 mm	NR	50/600
EC51013N	●	13.5	PG	1.41 mm	NR	50/600
EC51016N	●	16	PG	1.41 mm	NR	50/300
EC51021N	●	21	PG	1.588 mm	NR	50/300
EC51029N	●	29	PG	1.588 mm	NR	25/150
EC51036N	●	36	PG	1.588 mm	NR	15/90
EC51042N	●	42	PG	1.588 mm	NR	10/60
EC51048N	●	48	PG	1.588 mm	NR	5/30

METRIC PITCH - GREY - WITH LOCK NUT



EC54016	○	16	Metric	1.5 mm	NR	100/600
EC54020	○	20	Metric	1.5 mm	NR	100/600
EC54025	○	25	Metric	1.5 mm	NR	50/300
EC54032	○	32	Metric	1.5 mm	NR	25/150
EC54040	○	40	Metric	1.5 mm	NR	15/90
EC54050	○	50	Metric	1.5 mm	NR	10/60

Code	Color	Thread	Thread type	Unit	Pack
------	-------	--------	-------------	------	------



Locknut for cable gland

HF

PG PITCH



EC52007	○	7	PG	NR	50/1000
EC52009	○	9	PG	NR	50/1000
EC52011	○	11	PG	NR	50/1000
EC52013	○	13.5	PG	NR	50/1000
EC52016	○	16	PG	NR	50/500
EC52021	○	21	PG	NR	50/500
EC52029	○	29	PG	NR	25/500
EC52036	○	36	PG	NR	25/500
EC52042	○	42	PG	NR	10/500
EC52048	○	48	PG	NR	10/500

METRIC PITCH



EC52016M	○	16	Metric	NR	50/500
EC52020M	○	20	Metric	NR	50/500
EC52025M	○	25	Metric	NR	25/500
EC52032M	○	32	Metric	NR	25/300
EC52040M	○	40	Metric	NR	10/300
EC52050M	○	50	Metric	NR	10/300

Code	Color	Metric thread	PG thread	Unit	Pack
------	-------	---------------	-----------	------	------



Sealing rings for cable gland

PG PITCH




EC53007	○	7	NR	100/1000
EC53009	○	9	NR	100/1000
EC53011	○	11	NR	100/1000
EC53013	○	13.5	NR	100/1000
EC53016	○	16	NR	100/500
EC53021	○	21	NR	100/500
EC53029	○	29	NR	100/500
EC53036	○	36	NR	50/500
EC53042	○	42	NR	50/500
EC53048	○	48	NR	50/500

METRIC PITCH



EC53016M	○	16	NR	100/1000
EC53020M	○	20	NR	100/1000
EC53025M	○	25	NR	100/500
EC53032M	○	32	NR	100/500
EC53040M	○	40	NR	50/500
EC53050M	○	50	NR	50/500

EMERGENCY LINE



MODULAR ENCLOSURES

Code	Color	Modules	Rows	Unit	Pack
------	-------	---------	------	------	------



Small distribution board

IP65

GWT 650°

EMERGENCY MODULAR ENCLOSURES



EC64004	●	4	1	NR	1/22
EC64008	●	8	1	NR	1/14

Code	Color	Description	Unit	Pack
------	-------	-------------	------	------



Accessories for small distribution board

IP40

HF

GWT 650°

MODULAR SLOT COVERS



EC600TCR	●	Blank plate 4,5 modules	NR	25
----------	---	-------------------------	----	----

Code	Color	Description	Dimensions	Unit	Pack
------	-------	-------------	------------	------	------



Emergency manual calling points

IK08

IP55

HF

GWT 650°

EMERGENCY PANELS



EC64202	●	Emergency panel 1NO+1NC	118x118x67 mm	NR	1/10
EC64202MAR	●	Emergency panel 1NO+1NC with hammer	118x118x67 mm	NR	1/10

Code	Color	Description	Unit	Pack
------	-------	-------------	------	------



Mounting accessories

EMERGENCY ENCLOSURE ACCESSORIES



EC64400	●	Hammer with chain	NR	1
EC64401	●	Spare glass 4 modules	NR	10
EC64402	●	Spare glass 8 modules	NR	10
EC64403	●	Spare glass for 64202	NR	10
EC64410	●	Spare contact NC red	NR	10
EC64411	●	Spare contact NA green	NR	10
EC64430	●	LED lamp AC 220V white light	NR	1/10

Code	Color	Width	Length	Depth	Unit	Pack
------	-------	-------	--------	-------	------	------



Junction boxes

IK08
IP55
GWT 650°

IP55 - NIPPLES



EC491C4CR	●	110 mm	110 mm	60 mm	NR	1/75
EC491C5CR	●	160 mm	115 mm	75 mm	NR	1/44

IP67 - SMOOTH SIDES

HF


EC492C4CR	●	110 mm	110 mm	60 mm	NR	1/90
EC492C5CR	●	160 mm	115 mm	75 mm	NR	1/50

CONDUITS AND FITTINGS

Code	Color	Diameter of conduits	Unit	Pack
------	-------	----------------------	------	------



Plastic conduits

IK07
GWT 960°
UL94 V0


ECTG1520CR	●	20 mm	MT	102/2040
ECTG1525CR	●	25 mm	MT	60/1440

Code	Color	Diameter of conduits	Unit	Pack
------	-------	----------------------	------	------



Conduit clips

HF
GWT 650°


ECCFC20CR	●	20-20 mm	NR	100/1000
ECCFC25CR	●	25-25 mm	NR	100/800

Code	Color	Diameter of conduits	Unit	Pack
------	-------	----------------------	------	------



Coupler conduit - box

IK07
IP67
GWT 960°
UL94 V0


EC70020CR	●	20 mm	NR	25/500
EC70025CR	●	25 mm	NR	25/400

Code	Color	Diameter of conduits	Unit	Pack
------	-------	----------------------	------	------



Joint conduit - conduit

IK07
IP67
GWT 960°
UL94 V0


EC71020CR	●	20 mm	NR	25/400
EC71025CR	●	25 mm	NR	25/250

Code	Color	Diameter of conduits	Unit	Pack
------	-------	----------------------	------	------




Coupler bend conduit - conduit

IK07
IP67
GWT 960°
UL94 V0


EC73020CR	●	20 mm	NR	25/200
EC73025CR	●	25 mm	NR	25/100

RIGID CONDUITS



SERIES TG12 - PVC - CLASS 22211 - 320 N

GWT
960°UL94
V0

Code	Color	Diameter of conduits	Unit	Pack
------	-------	----------------------	------	------



2 METERS - LENGHT

	ECTG1216-2	○	16 mm	MT	68/2108
	ECTG1220-2	○	20 mm	MT	68/1360
	ECTG1225-2	○	25 mm	MT	40/960
	ECTG1232-2	○	32 mm	MT	20/560
	ECTG1240-2	○	40 mm	MT	20/360
	ECTG1250-2	○	50 mm	MT	10/240

3 METERS - LENGHT

	ECTG1216	○	16 mm	MT	102/3162
	ECTG1220	○	20 mm	MT	102/2040
	ECTG1225	○	25 mm	MT	60/1440
	ECTG1232	○	32 mm	MT	30/840
	ECTG1240	○	40 mm	MT	30/540
	ECTG1250	○	50 mm	MT	15/360

2 METERS - LENGHT - BELL END

	ECTG1216B-2	○	16 mm	MT	68/2108
	ECTG1220B-2	○	20 mm	MT	68/1360
	ECTG1225B-2	○	25 mm	MT	40/960
	ECTG1232B-2	○	32 mm	MT	20/560
	ECTG1240B-2	○	40 mm	MT	20/360
	ECTG1250B-2	○	50 mm	MT	10/240

3 METERS - LENGHT - BELL END

	ECTG1216B	○	16 mm	MT	102/3162
	ECTG1220B	○	20 mm	MT	102/2040
	ECTG1225B	○	25 mm	MT	60/1440
	ECTG1232B	○	32 mm	MT	30/840
	ECTG1240B	○	40 mm	MT	30/540
	ECTG1250B	○	50 mm	MT	15/360

SERIES TG15 - PVC - CLASS 33211 - 750 N

GWT
960°UL94
V0

Code	Color	Diameter of conduits	Unit	Pack
------	-------	----------------------	------	------



2 METERS - LENGHT

	ECTG1516-2	○	16 mm	MT	68/2108
	ECTG1520-2	○	20 mm	MT	68/1360
	ECTG1525-2	○	25 mm	MT	40/960
	ECTG1532-2	○	32 mm	MT	20/560
	ECTG1540-2	○	40 mm	MT	20/360
	ECTG1550-2	○	50 mm	MT	10/240

3 METERS - LENGHT

	ECTG1516	○	16 mm	MT	102/3162
	ECTG1520	○	20 mm	MT	102/2040
	ECTG1525	○	25 mm	MT	60/1440
	ECTG1532	○	32 mm	MT	30/840
	ECTG1540	○	40 mm	MT	30/540
	ECTG1550	○	50 mm	MT	15/360
	ECTG1563	○	63 mm	MT	15

2 METERS - LENGHT - BELL END

	ECTG1516B-2	○	16 mm	MT	50/3000
	ECTG1520B-2	○	20 mm	MT	34/2040
	ECTG1525B-2	○	25 mm	MT	34/1224
	ECTG1532B-2	○	32 mm	MT	20/720
	ECTG1540B-2	○	40 mm	MT	14/420
	ECTG1550B-2	○	50 mm	MT	10/300

3 METERS - LENGHT - BELL END

	ECTG1516B	○	16 mm	MT	75/4500
	ECTG1520B	○	20 mm	MT	51/3060
	ECTG1525B	○	25 mm	MT	51/1836
	ECTG1532B	○	32 mm	MT	30/1080
	ECTG1540B	○	40 mm	MT	21/630
	ECTG1550B	○	50 mm	MT	15/450

SERIES TG20 - PP - CLASS 22431 - 320 N

HF +90°

Code	Color	Diameter of conduits	Unit	Pack
------	-------	----------------------	------	------



3 METERS - LENGHT - BELL END

	ECTG2016B	○	16 mm	MT	102/3162
	ECTG2020B	○	20 mm	MT	102/2040
	ECTG2025B	○	25 mm	MT	60/1440
	ECTG2032B	○	32 mm	MT	30/840
	ECTG2040B	○	40 mm	MT	30/540
	ECTG2050B	○	50 mm	MT	15/360

FEATURES: Low smoke zero halogen

SERIES TG21 - PP - CLASS 33421 - 750 N

HF +90°

Code	Color	Diameter of conduits	Unit	Pack
------	-------	----------------------	------	------




3 METERS - LENGHT

	ECTG2116	○	16 mm	MT	102/3162
	ECTG2120	○	20 mm	MT	102/2040
	ECTG2125	○	25 mm	MT	60/1440
	ECTG2132	○	32 mm	MT	30/840
	ECTG2140	○	40 mm	MT	30/540
	ECTG2150	○	50 mm	MT	15/360

FEATURES: Low smoke zero halogen



CORRUGATED CONDUITS



SERIES TC12 - PVC - CLASS 22212 - 320 N

GWT
960°

UL94
V0

Code

Color

Diameter of conduits

Unit

Pack

Plastic conduits

LIGHT GREY

	ECTC1216	○	16 mm	MT	100/6000
	ECTC121650	○	16 mm	MT	50/4800
	ECTC1220	○	20 mm	MT	100/4800
	ECTC122050	○	20 mm	MT	50/3300
	ECTC1225	○	25 mm	MT	50/2800
	ECTC1225100	○	25 mm	MT	100/3600
	ECTC1232	○	32 mm	MT	25/1600
	ECTC123250	○	32 mm	MT	50/1800
	ECTC1240	○	40 mm	MT	25/1000
	ECTC1250	○	50 mm	MT	25/800

LIGHT GREY - CABLE PULLER

	ECTC1216T	●	16 mm	MT	100/6000
	ECTC121650T	●	16 mm	MT	50/4800
	ECTC1220T	●	20 mm	MT	100/4800
	ECTC122050T	●	20 mm	MT	50/3300
	ECTC1225T	●	25 mm	MT	50/2800
	ECTC1232T	●	32 mm	MT	25/1600
	ECTC1240T	●	40 mm	MT	25/1000
	ECTC1250T	●	50 mm	MT	25/800

LIGHT GREY - 25 METERS-ROLL

	ECTC121625	○	16 mm	NR	1/165
	ECTC122025	○	20 mm	NR	1/121
	ECTC122525	○	25 mm	NR	1/90

LIGHT GREY - CABLE PULLER - 25 METERS-ROLL

	ECTC121625T	●	16 mm	NR	1/165
	ECTC122025T	●	20 mm	NR	1/121
	ECTC122525T	●	25 mm	NR	1/90

SERIES TC15 - PVC - CLASS 33212 - 750 N

GWT
960°

UL94
V0

Code

Color

Diameter of conduits

Unit

Pack

Plastic conduits

BLACK

	ECTC1516	●	16 mm	MT	100/6000
	ECTC151650	●	16 mm	MT	50/4800
	ECTC1520	●	20 mm	MT	100/5200
	ECTC152050	●	20 mm	MT	50/3300
	ECTC1525	●	25 mm	MT	50/3000
	ECTC152575	●	25 mm	MT	75/3300
	ECTC1532	●	32 mm	MT	25/1600
	ECTC1540	●	40 mm	MT	25/1000
	ECTC1550	●	50 mm	MT	25/800

BLACK - CABLE PULLER

	ECTC1516T	●	16 mm	MT	100/6000
	ECTC151650T	●	16 mm	MT	50/4800
	ECTC1520T	●	20 mm	MT	100/5200
	ECTC152050T	●	20 mm	MT	50/3300
	ECTC1525T	●	25 mm	MT	50/3000
	ECTC152575T	●	25 mm	MT	75/3300
	ECTC1532T	●	32 mm	MT	25/1600
	ECTC1540T	●	40 mm	MT	25/1000
	ECTC1550T	●	50 mm	MT	25/800

BLACK - 10 METERS-ROLL

	ECTC151610	●	16 mm	NR	1/288
	ECTC152010	●	20 mm	NR	1/216
	ECTC152510	●	25 mm	NR	1/165

BLACK - 25 METERS-ROLL

	ECTC151625	●	16 mm	NR	1/198
	ECTC152025	●	20 mm	NR	1/132
	ECTC152525	●	25 mm	NR	1/90

BLACK - CABLE PULLER - 25 METERS-ROLL

	ECTC151625T	●	16 mm	NR	1/198
	ECTC152025T	●	20 mm	NR	1/132
	ECTC152525T	●	25 mm	NR	1/90

WHITE

	ECTC1516B	○	16 mm	MT	100/6000
	ECTC1520B	○	20 mm	MT	100/5200
	ECTC1525B	○	25 mm	MT	50/3000
	ECTC1532B	○	32 mm	MT	25/1600

FEATURES: Light Grey RAL 7035

SERIES TC15 - PVC - CLASS 33212 - 750 N

GWT
960°
UL94
V0

Code	Color	Diameter of conduits	Unit	Pack
------	-------	----------------------	------	------

WHITE - CABLE PULLER

	ECTC1516TB	○	16 mm	MT	100/6000
	ECTC1520TB	○	20 mm	MT	100/5200
	ECTC1525TB	○	25 mm	MT	50/3000
	ECTC1532TB	○	32 mm	MT	25/1600

BLUE

	ECTC1516BL	●	16 mm	MT	100/6000
	ECTC1520BL	●	20 mm	MT	100/5200
	ECTC1525BL	●	25 mm	MT	50/3000
	ECTC1532BL	●	32 mm	MT	25/1600

BLUE - CABLE PULLER

	ECTC1516TBL	●	16 mm	MT	100/6000
	ECTC1520TBL	●	20 mm	MT	100/5200
	ECTC1525TBL	●	25 mm	MT	50/3000
	ECTC1532TBL	●	32 mm	MT	25/1600

LILAC

	ECTC1516L	●	16 mm	MT	100/6000
	ECTC1520L	●	20 mm	MT	100/5200
	ECTC1525L	●	25 mm	MT	50/3000
	ECTC1532L	●	32 mm	MT	25/1600

LILAC - CABLE PULLER

	ECTC1516TL	●	16 mm	MT	100/6000
	ECTC1520TL	●	20 mm	MT	100/5200
	ECTC1525TL	●	25 mm	MT	50/3000
	ECTC1532TL	●	32 mm	MT	25/1600

GREEN

	ECTC1516VE	●	16 mm	MT	100/6000
	ECTC1520VE	●	20 mm	MT	100/5200
	ECTC1525VE	●	25 mm	MT	50/3000
	ECTC1532VE	●	32 mm	MT	25/1600

GREY - CABLE PULLER

	ECTC1516TVE	●	16 mm	MT	100/6000
	ECTC1520TVE	●	20 mm	MT	100/5200
	ECTC1525TVE	●	25 mm	MT	50/3000
	ECTC1532TVE	●	32 mm	MT	25/1600

BROWN

	ECTC1516M	●	16 mm	MT	100/6000
	ECTC1520M	●	20 mm	MT	100/5200
	ECTC1525M	●	25 mm	MT	50/3000
	ECTC1532M	●	32 mm	MT	25/1600

BROWN - CABLE PULLER

	ECTC1516TM	●	16 mm	MT	100/6000
	ECTC1520TM	●	20 mm	MT	100/5200
	ECTC1525TM	●	25 mm	MT	50/3000
	ECTC1532TM	●	32 mm	MT	25/1600

SERIES TC18 - PVC -25°C - CLASS 33412 - 750 N

-25°
GWT
960°
UL94
V0

Code	Color	Diameter of conduits	Unit	Pack
------	-------	----------------------	------	------

Plastic conduits

GREY

	ECTC1816	●	16 mm	MT	100/6000
	ECTC181650	●	16 mm	MT	50/4800
	ECTC1820	●	20 mm	MT	100/4800
	ECTC182050	●	20 mm	MT	50/3300
	ECTC1825	●	25 mm	MT	50/2800
	ECTC1825100	●	25 mm	MT	100/3600
	ECTC1832	●	32 mm	MT	25/1600
	ECTC183250	●	32 mm	MT	50/1800
	ECTC1840	●	40 mm	MT	25/1000
	ECTC1850	●	50 mm	MT	25/800

GREY - CABLE PULLER

	ECTC1816T	●	16 mm	MT	100/6000
	ECTC181650T	●	16 mm	MT	50/4800
	ECTC1820T	●	20 mm	MT	100/4800
	ECTC182050T	●	20 mm	MT	50/3300
	ECTC1825T	●	25 mm	MT	50/2800
	ECTC1832T	●	32 mm	MT	25/1600
	ECTC1840T	●	40 mm	MT	25/1000
	ECTC1850T	●	50 mm	MT	25/800

GREY - 10 METERS-ROLL

	ECTC181610	●	16 mm	NR	1/288
	ECTC182010	●	20 mm	NR	1/216
	ECTC182510	●	25 mm	NR	1/154

GREY - 25 METERS-ROLL

	ECTC181625	●	16 mm	NR	1/165
	ECTC182025	●	20 mm	NR	1/121
	ECTC182525	●	25 mm	NR	1/90

SERIES ICTA - PP - CLASS 34223 - 750 N

HF
+90°
GWT
850°

Code	Color	Diameter of conduits	Unit	Pack
------	-------	----------------------	------	------

Plastic conduits

GREY

	ECICTA16	●	16 mm	MT	100/7000
	ECICTA20	●	20 mm	MT	100/5000
	ECICTA25	●	25 mm	MT	100/3600
	ECICTA32	●	32 mm	MT	50/1800
	ECICTA40	●	40 mm	MT	25/1000
	ECICTA50	●	50 mm	MT	25/800



SERIES ICTA - PP - CLASS 34223 - 750 N

HF



+90°

GWT
850°

Code

Color

Diameter of conduits

Unit

Pack

GREY - CABLE PULLER



ECICTA16T	●	16 mm	MT	100/7000
ECICTA20T	●	20 mm	MT	100/5000
ECICTA25T	●	25 mm	MT	100/3600
ECICTA32T	●	32 mm	MT	50/1800
ECICTA40T	●	40 mm	MT	25/1000
ECICTA50T	●	50 mm	MT	25/800

BLACK



ECICTA16N	●	16 mm	MT	100/7000
ECICTA20N	●	20 mm	MT	100/5000
ECICTA25N	●	25 mm	MT	100/3600
ECICTA32N	●	32 mm	MT	50/1800
ECICTA40N	●	40 mm	MT	25/1000
ECICTA50N	●	50 mm	MT	25/800

BLACK - CABLE PULLER



ECICTA16TN	●	16 mm	MT	100/7000
ECICTA20TN	●	20 mm	MT	100/5000
ECICTA25TN	●	25 mm	MT	100/3600
ECICTA32TN	●	32 mm	MT	50/1800
ECICTA40TN	●	40 mm	MT	25/1000
ECICTA50TN	●	50 mm	MT	25/800

BLUE



ECICTA16BL	●	16 mm	MT	100/7000
ECICTA20BL	●	20 mm	MT	100/5000
ECICTA25BL	●	25 mm	MT	100/3600
ECICTA32BL	●	32 mm	MT	50/1800
ECICTA40BL	●	40 mm	MT	25/1000
ECICTA50BL	●	50 mm	MT	25/800

BLUE - CABLE PULLER



ECICTA16TBL	●	16 mm	MT	100/7000
ECICTA20TBL	●	20 mm	MT	100/5000
ECICTA25TBL	●	25 mm	MT	100/3600
ECICTA32TBL	●	32 mm	MT	50/1800
ECICTA40TBL	●	40 mm	MT	25/1000
ECICTA50TBL	●	50 mm	MT	25/800

LILAC



ECICTA20L	●	20 mm	MT	100/5000
ECICTA25L	●	25 mm	MT	100/3600
ECICTA32L	●	32 mm	MT	50/1800

GREEN



ECICTA20VE	●	20 mm	MT	100/5000
ECICTA25VE	●	25 mm	MT	100/3600
ECICTA32VE	●	32 mm	MT	50/1800

BROWN



ECICTA20M	●	20 mm	MT	100/5000
ECICTA25M	●	25 mm	MT	100/3600
ECICTA32M	●	32 mm	MT	50/1800

LIGHT GREY



ECICTA16GC	●	16 mm	MT	100/7000
ECICTA20GC	●	20 mm	MT	100/5000
ECICTA25GC	●	25 mm	MT	100/3600
ECICTA32GC	●	32 mm	MT	50/1800
ECICTA40GC	●	40 mm	MT	25/1000
ECICTA50GC	●	50 mm	MT	25/800

Colour available on request

FEATURES: Low smoke zero halogen

SERIES ICTA K - PP - CLASS 34223 - 1000 N

HF



+90°

GWT
850°

Code

Color

Diameter of conduits

Unit

Pack



Plastic conduits

BLUE



ECICTA20K	●	20 mm	MT	100/5000
ECICTA25K	●	25 mm	MT	100/3600
ECICTA32K	●	32 mm	MT	50/1800

Items available on request

BLUE - CABLE PULLER



ECICTA20KT	●	20 mm	MT	100/5000
ECICTA25KT	●	25 mm	MT	100/3600
ECICTA32KT	●	32 mm	MT	50/1800

Items available on request

FEATURES: Low smoke zero halogen

SERIES ICTA - PP - CLASS 34223 - UV

HF



+90°

GWT
850°



Code

Color

Diameter of conduits

Unit

Pack



Plastic conduits

BLACK



ECICTA20N-UV	●	20 mm	MT	100/5000
ECICTA25N-UV	●	25 mm	MT	100/3600
ECICTA32N-UV	●	32 mm	MT	50/1800
ECICTA40N-UV	●	40 mm	MT	25/1000
ECICTA50N-UV	●	50 mm	MT	25/800

FEATURES: Low smoke zero halogen

SERIES TP12 - PP - CLASS 22323 - 320 N

HF  +90°

Code Color Diameter of conduits Unit Pack

Plastic conduits

ORANGE



ECTP1216	●	16 mm	MT	100/7000
ECTP1220	●	20 mm	MT	100/5000
ECTP1225	●	25 mm	MT	50/3000
ECTP1232	●	32 mm	MT	25/1600
ECTP1240	●	40 mm	MT	25/1000
ECTP1250	●	50 mm	MT	25/800

ORANGE - CABLE PULLER



ECTP1216T	●	16 mm	MT	100/7000
ECTP1220T	●	20 mm	MT	100/5000
ECTP1225T	●	25 mm	MT	50/3000
ECTP1232T	●	32 mm	MT	25/1600
ECTP1240T	●	40 mm	MT	25/1000
ECTP1250T	●	50 mm	MT	25/800

FEATURES: Low smoke zero halogen

SERIES TP20 - PP - CLASS 23323 - 750 N

HF  +90°

Code Color Diameter of conduits Unit Pack

Plastic conduits

BLACK



ECTP2016	●	16 mm	MT	100/7000
ECTP2020	●	20 mm	MT	100/5000
ECTP2025	●	25 mm	MT	50/3000
ECTP2032	●	32 mm	MT	25/1600
ECTP2040	●	40 mm	MT	25/1000
ECTP2050	●	50 mm	MT	25/800

BLACK - CABLE PULLER



ECTP2016T*	●	16 mm	MT	100/7000
ECTP2020T*	●	20 mm	MT	100/5000
ECTP2025T	●	25 mm	MT	50/3000
ECTP2032T	●	32 mm	MT	25/1600

* Items available on request

FEATURES: Low smoke zero halogen

FLEXIBLE SPIRAL CONDUITS



SERIES GFE - CLASS 23114 - 750N

GWT 960° UL94 V0 

Code Color Diameter Unit Pack

Spiral flexible conduits

GREY



ECGFE08	○	8 mm	MT	30/9600
ECGFE10	○	10 mm	MT	30/6840
ECGFE12	○	12 mm	MT	30/5940
ECGFE14	○	14 mm	MT	30/5400
ECGFE16	○	16 mm	MT	30/5400
ECGFE20	○	20 mm	MT	30/4320
ECGFE22	○	20 mm	MT	30/2400
ECGFE25	○	25 mm	MT	30/1950
ECGFE28	○	28 mm	MT	30/1950
ECGFE32	○	32 mm	MT	30/1800
ECGFE35	○	35 mm	MT	30/1440
ECGFE40	○	40 mm	MT	30/1440
ECGFE50	○	50 mm	MT	30/660
ECGFE60	○	60 mm	MT	30/300

BLACK



ECGFE08N	●	8 mm	MT	30/9600
ECGFE10N	●	10 mm	MT	30/6840
ECGFE12N	●	12 mm	MT	30/5940
ECGFE14N	●	14 mm	MT	30/5400
ECGFE16N	●	16 mm	MT	30/5400
ECGFE20N	●	16 mm	MT	30/4320
ECGFE22N	●	22 mm	MT	30/2400
ECGFE25N	●	25 mm	MT	30/1950
ECGFE28N	●	28 mm	MT	30/1950
ECGFE32N	●	32 mm	MT	30/1800
ECGFE35N	●	35 mm	MT	30/1440
ECGFE40N	●	40 mm	MT	30/1440
ECGFE50N	●	50 mm	MT	30/660
ECGFE60N	●	60 mm	MT	30/300

JOINTS AND FITTINGS



EASY SYSTEM - IP67 FITTINGS

IK07 IP67 GWT 960° UL94 V0

Code	Color	Diameter of conduits	length	Thread length	Unit	Pack
------	-------	----------------------	--------	---------------	------	------

Coupler conduit - box



EC70016	○	16 mm	42 mm	15 mm	NR	25/500
EC70020	○	20 mm	44 mm	15 mm	NR	25/500
EC70025	○	25 mm	47 mm	15 mm	NR	25/400
EC70032	○	32 mm	52 mm	16 mm	NR	25/200
EC70040	○	40 mm	64 mm	16 mm	NR	10/100
EC70050	○	Other	72 mm	18 mm	NR	10/70

Code	Color	Diameter of conduits	length	Thread length	Unit	Pack
------	-------	----------------------	--------	---------------	------	------

Joint conduit - conduit



EC71016	○	16 mm	55 mm	NR	25/500
EC71020	○	20 mm	59 mm	NR	25/400
EC71025	○	25 mm	65 mm	NR	25/250
EC71032	○	32 mm	76 mm	NR	25/150
EC71040	○	40 mm	94 mm	NR	10/70
EC71050	○	50 mm	109 mm	NR	10/50

Code	Color	Diameter of conduits	Unit	Pack
------	-------	----------------------	------	------

Coupler conduit - spiral conduit



EC72016	○	16-16 mm	NR	25/500
EC72020	○	20-20 mm	NR	25/500
EC72025	○	25-25 mm	NR	25/300
EC72032	○	32-32 mm	NR	25/200
EC72040	○	40-40 mm	NR	10/100
EC72050	○	50-50 mm	NR	10/60

Code	Color	Diameter of conduits	Radius	Unit	Pack
------	-------	----------------------	--------	------	------

Coupler bend conduit - conduit



EC73016	○	16 mm	56 mm	NR	25/300
EC73020	○	20 mm	70 mm	NR	25/200
EC73025	○	25 mm	88 mm	NR	25/100
EC73032	○	32 mm	110 mm	NR	10/50
EC73040	○	40 mm	140 mm	NR	10/30
EC73050	○	50 mm	175 mm	NR	15

SPEED SYSTEM - IP65 FITTINGS

IK07 IP65 GWT 960° UL94 V0

Code	Color	Diameter of conduits	length	Thread length	Unit	Pack
------	-------	----------------------	--------	---------------	------	------

Coupler conduit-box



EC75016	○	16 mm	55 mm	14 mm	NR	10/350
EC75020	○	20 mm	55 mm	14 mm	NR	10/350
EC75025	○	25 mm	55 mm	14 mm	NR	10/200
EC75032	○	32 mm	65 mm	14 mm	NR	10/100
EC75040	○	40 mm	75 mm	20 mm	NR	5/80
EC75050	○	Other	80 mm	20 mm	NR	5/40

SECURITY SYSTEM - IP67 FITTINGS

IK07 IP67 HF GWT 850°

Code	Color	Diameter of conduits	length	Thread length	Unit	Pack
------	-------	----------------------	--------	---------------	------	------

Coupler conduit - box



EC74116	○	16 mm	54 mm	13 mm	NR	10/350
EC74120	○	20 mm	54 mm	13 mm	NR	10/350
EC74125	○	25 mm	54 mm	13 mm	NR	10/200
EC74132	○	32 mm	54 mm	13 mm	NR	10/100
EC74140	○	40 mm	75 mm	17 mm	NR	5/80
EC74150	○	Other	75 mm	17 mm	NR	5/40

Code	Color	Diameter of conduits	Unit	Pack
------	-------	----------------------	------	------

Joint conduit - conduit



EC74016	○	16 mm	NR	10/250
EC74020	○	20 mm	NR	10/200
EC74025	○	25 mm	NR	10/150
EC74032	○	32 mm	NR	10/100
EC74040	○	40 mm	NR	5/50
EC74050	○	50 mm	NR	5/40

Code	Color	Diameter of conduits	Unit	Pack
------	-------	----------------------	------	------

Coupler conduit - spiral conduit



EC74216	○	16-16 mm	NR	10/350
EC74220	○	20-20 mm	NR	10/250
EC74225	○	25-25 mm	NR	10/200
EC74232	○	32-32 mm	NR	10/100
EC74240	○	40-40 mm	NR	5/80
EC74250	○	50-50 mm	NR	5/40

Code	Color	Diameter of conduits	Radius	Unit	Pack
------	-------	----------------------	--------	------	------

Coupler bend conduit - conduit



EC74316	○	16 mm	100 mm	NR	10/150
EC74320	○	20 mm	100 mm	NR	10/100
EC74325	○	25 mm	100 mm	NR	10/100
EC74332	○	32 mm	100 mm	NR	10/50
EC74340	○	40 mm	150 mm	NR	5/20
EC74350	○	50 mm	150 mm	NR	5/15

Code	Color	Diameter of conduits	length	Unit	Pack
------	-------	----------------------	--------	------	------

Joint conduit - conduit



EC75116	○	16 mm	80 mm	NR	10/350
EC75120	○	20 mm	80 mm	NR	10/200
EC75125	○	25 mm	80 mm	NR	10/200
EC75132	○	32 mm	100 mm	NR	10/100
EC75140	○	40 mm	110 mm	NR	5/80
EC75150	○	50 mm	122 mm	NR	5/40

Code	Color	Diameter of conduits	Unit	Pack
------	-------	----------------------	------	------

Coupler conduit - spiral conduit

CONDUIT JOINTS (SPIRAL-RIGID) - DIFFERENT DIAMETERS



EC75216	○	12-16 mm	NR	10/350
EC75220	○	16-20 mm	NR	10/350
EC75225	○	20-25 mm	NR	10/200
EC75232	○	25-32 mm	NR	10/100
EC75240	○	32-40 mm	NR	5/100
EC75250	○	40-50 mm	NR	5/40

CONDUIT JOINTS (SPIRAL-RIGID) - SAME DIAMETERS



EC75416	○	16-16 mm	NR	10/200
EC75420	○	20-20 mm	NR	10/200
EC75425	○	25-25 mm	NR	10/160
EC75432	○	32-32 mm	NR	10/80
EC75440	○	40-40 mm	NR	5/60
EC75450	○	50-50 mm	NR	5/40

Code	Color	Diameter of conduits	Radius	length	Unit	Pack
------	-------	----------------------	--------	--------	------	------

Coupler bend conduit - conduit

90° BEND



EC75316	○	16 mm	54 mm	NR	10/200
EC75320	○	20 mm	67 mm	NR	10/200
EC75325	○	25 mm	85 mm	NR	10/100
EC75332	○	32 mm	110 mm	NR	10/50
EC75340	○	40 mm	138 mm	NR	5/20
EC75350	○	50 mm	172 mm	NR	12

FLEXIBLE BEND (CONDUITS-BOX)



EC75516	○	16 mm	160 mm	200 mm	NR	50/200
EC75520	○	20 mm	200 mm	210 mm	NR	50/200
EC75525	○	25 mm	250 mm	230 mm	NR	35/140
EC75532	○	32 mm	320 mm	250 mm	NR	20/80
EC75540	○	40 mm	400 mm	280 mm	NR	15/60
EC75550	○	50 mm	500 mm	320 mm	NR	10/40

FLEXIBLE BEND (CONDUITS-CONDUITS)



EC75616	○	16 mm	160 mm	220 mm	NR	50/200
EC75620	○	20 mm	200 mm	230 mm	NR	50/200
EC75625	○	25 mm	250 mm	240 mm	NR	35/140
EC75632	○	32 mm	320 mm	270 mm	NR	20/80
EC75640	○	40 mm	400 mm	300 mm	NR	10/40
EC75650	○	50 mm	500 mm	340 mm	NR	10/40

IP40-IP64 FITTINGS

Code	Color	Diameter of conduits	Radius	length	Unit	Pack
------	-------	----------------------	--------	--------	------	------

Coupler bend conduit - conduit

90° BEND



ECCRS16	○	16 mm	54 mm	NR	50/1000
ECCRS20	○	20 mm	67 mm	NR	50/600
ECCRS25	○	25 mm	85 mm	NR	25/300
ECCRS32	○	32 mm	110 mm	NR	100
ECCRS40	○	40 mm	138 mm	NR	100
ECCRS50	○	50 mm	172 mm	NR	50

90° BEND



ECCRS16H	○	16 mm	54 mm	NR	50/1000
ECCRS20H	○	20 mm	67 mm	NR	50/600
ECCRS25H	○	25 mm	85 mm	NR	25/300
ECCRS32H	○	32 mm	110 mm	NR	100
ECCRS40H	○	40 mm	138 mm	NR	100
ECCRS50H	○	50 mm	172 mm	NR	50

INSPECTIONABLE 90° BEND



ECCI16	○	16 mm	NR	100/400
ECCI20	○	20 mm	NR	100/300
ECCI25	○	25 mm	NR	50/200
ECCI32	○	32 mm	NR	25/150

FLEXIBLE BEND



ECCV16	○	16 mm	160 mm	280 mm	NR	20/300
ECCV20	○	20 mm	200 mm	280 mm	NR	20/200
ECCV25	○	25 mm	250 mm	340 mm	NR	20/120
ECCV32	○	32 mm	320 mm	380 mm	NR	10/80

Code	Color	Diameter of conduits	Unit	Pack
------	-------	----------------------	------	------

Tee joint for conduits



ECTI16	○	T-Joint Ø 16	NR	100/300
ECTI20	○	T-Joint Ø 20	NR	50/200
ECTI25	○	T-Joint Ø 25	NR	25/100
ECTI32	○	T-Joint Ø 32	NR	25/100

Code	Color	Diameter of conduits	length	Unit	Pack
------	-------	----------------------	--------	------	------

Joint conduit - conduit

SHORT RIGID CONDUIT JOINTS



ECGI16	○	16 mm	50 mm	NR	100/2000
ECGI20	○	20 mm	55 mm	NR	100/1200
ECGI25	○	25 mm	60 mm	NR	100/700
ECGI32	○	32 mm	70 mm	NR	400
ECGI40	○	40 mm	80 mm	NR	200
ECGI50	○	50 mm	90 mm	NR	100



CONDUITS AND FITTINGS ACCESSORIES AND FITTINGS

	Code	Color	Diameter of conduits	length	Unit	Pack
LONG RIGID CONDUIT JOINTS						GWT 960° UL94 V0
	ECGSU16	○	16 mm	80 mm	NR	100/1200
	ECGSU20	○	20 mm	80 mm	NR	100/800
	ECGSU25	○	25 mm	80 mm	NR	50/500
	ECGSU32	○	32 mm	100 mm	NR	25/250
	ECGSU40	○	40 mm	110 mm	NR	25/150
	ECGSU50	○	50 mm	120 mm	NR	25/100

LONG RIGID CONDUIT JOINTS						HF GWT 650°
	ECGSU16H	○	16 mm	80 mm	NR	100/1200
	ECGSU20H	○	20 mm	80 mm	NR	100/800
	ECGSU25H	○	25 mm	80 mm	NR	50/500
	ECGSU32H	○	32 mm	100 mm	NR	25/250
	ECGSU40H	○	40 mm	110 mm	NR	25/150
	ECGSU50H	○	50 mm	120 mm	NR	25/100

	Code	Color	Diameter of conduits	Unit	Pack	
 Joint for corrugated conduits				IP40	HF	GWT 650°
OPENABLE JOINTS FOR CORRUGATED CONDUITS						
	ECRCA20	●	20 mm	NR	100/1200	
	 ECRCA25	●	25 mm	NR	100/700	
	ECRCA32	●	32 mm	NR	50/400	

JOINTS FOR CORRUGATED CONDUITS					
	ECGFLEX16		16 mm	NR	100/2000
	ECGFLEX20		20 mm	NR	100/1200
	ECGFLEX25		25 mm	NR	100/700
	ECGFLEX32		32 mm	NR	50/400
	ECGFLEX40		40 mm	NR	300
	ECGFLEX50		50 mm	NR	150

JOINTS FOR CORRUGATED CONDUITS - BAG OF 5 PIECES					
	ECGFLEX16W05			NR	1/400
	ECGFLEX20W05			NR	1/240
	ECGFLEX25W05			NR	1/140
	ECGFLEX32W05			NR	1/80
1 bag containing 5 pieces					

	Code	Color	Description	Unit	Pack
 Plug conduit - box				IP44	GWT 960° UL94 V0
CONDUIT-BOX JOINTS					
	ECRM16-23	○	Conduit Ø 16 mm - Mounting hole Ø 23	NR	10/400
	ECRM20-23	○	Conduit Ø 20 mm - Mounting hole Ø 23	NR	10/400
	ECRM20-29	○	Conduit Ø 20 mm - Mounting hole Ø 29	NR	10/350
	ECRM25-29	○	Conduit Ø 25 mm - Mounting hole Ø 29	NR	10/300
	ECRM32-37	○	Conduit Ø 32 mm - Mounting hole Ø 37	NR	10/200
	ECRM40-37	○	Conduit Ø 40 mm - Mounting hole Ø 37	NR	5/100
	ECRM50-48	○	Conduit Ø 50 mm - Mounting hole Ø 48	NR	5/70

	Code	Diameter of conduits	Unit	Pack
 Sealing plug			HF	GWT 650°
	ECTFLEX16	16-16 mm	NR	100/2000
	ECTFLEX20	20-20 mm	NR	100/2000
	 ECTFLEX25	25-25 mm	NR	100/1500
	ECTFLEX32	32-32 mm	NR	50/800
	ECTFLEX40	40-40 mm	NR	50/500
	ECTFLEX50	50-50 mm	NR	50/300

SERIES GX - IP65 FITTINGS FOR SPIRAL CONDUITS						IP65	GWT 750°
	Code	Color	Diameter	GAS Pitch	PG/Metric Pitch	Unit	Pack
Coupler spiral conduit - box							

GAS PITCH - GREY							
	ECGX10	○	10 mm	1/4 inch		NR	25/500
	ECGX12	○	12 mm	3/8 inch		NR	25/500
	ECGX14	○	14 mm	1/2 inch		NR	25/400
	ECGX16	○	16 mm	1/2 inch		NR	25/350
	ECGX20	○	20 mm	3/4 inch		NR	25/250
	ECGX22	○	22 mm	3/4 inch		NR	25/250
	ECGX25	○	25 mm	1 inch		NR	10/150
	ECGX28	○	28 mm	1 inch		NR	10/120
	ECGX32	○	32 mm	1 1/4 inch		NR	10/90
	ECGX35	○	35 mm	1 1/4 inch		NR	10/70
	ECGX40	○	40 mm	1 1/2 inch		NR	10/60
	ECGX50	○	50 mm	2 inch		NR	10/50

GAS PITCH - BLACK							
	ECGX10N	●	10 mm	1/4 inch		NR	25/500
	ECGX12N	●	12 mm	3/8 inch		NR	25/500
	ECGX14N	●	14 mm	1/2 inch		NR	25/400
	ECGX16N	●	16 mm	1/2 inch		NR	25/350
	ECGX20N	●	20 mm	3/4 inch		NR	25/250
	ECGX22N	●	22 mm	3/4 inch		NR	25/250
	ECGX25N	●	25 mm	1 inch		NR	10/150
	ECGX28N	●	28 mm	1 inch		NR	10/120
	ECGX32N	●	32 mm	1 1/4 inch		NR	10/90
	ECGX35N	●	35 mm	1 1/4 inch		NR	10/70
	ECGX40N	●	40 mm	1 1/2 inch		NR	10/60
	ECGX50N	●	50 mm	2 inch		NR	10/50

METRIC PITCH - GREY							
	ECGX10M*	○	10 mm		Other	NR	25/500
	ECGX12M	○	12 mm		M16 x 1.5	NR	25/500
	ECGX16M	○	16 mm		M20 x 1.5	NR	25/350
	ECGX20M	○	20 mm		M25 x 1.5	NR	25/250
	ECGX25M	○	25 mm		M32 x 1.5	NR	10/150
	ECGX32M	○	32 mm		M40 x 1.5	NR	10/90
	ECGX40M	○	40 mm		M50 x 1.5	NR	10/60
	ECGX50M*	○	50 mm		Other	NR	10/50

* ECGX10M = M15 mm X 1.5 mm
ECGX50M = M55 mm X 1.5 mm

SERIES GX - IP65 FITTINGS FOR SPIRAL CONDUITS

IP65

GWT
750°

Code Color Diameter GAS Pitch PG/Metric Pitch Unit Pack

METRIC PITCH - BLACK



ECGX10MN*	●	10 mm		Other	NR	25/500
ECGX12MN	●	12 mm		M16 x 1.5	NR	25/500
ECGX16MN	●	16 mm		M20 x 1.5	NR	25/350
ECGX20MN	●	20 mm		M25 x 1.5	NR	25/250
ECGX25MN	●	25 mm		M32 x 1.5	NR	10/150
ECGX32MN	●	32 mm		M40 x 1.5	NR	10/90
ECGX40MN	●	40 mm		M50 x 1.5	NR	10/60
ECGX50MN*	●	50 mm		Other	NR	10/50

* ECGX10MN = M15 mm X 1.5 mm
ECGX50MN = M55 mm X 1.5 mm

PG PITCH - GREY




ECGX10-9	○	10 mm		PG9	NR	25/500
ECGX12-11	○	12 mm		PG11	NR	25/500
ECGX12-13	○	12 mm		PG13.5	NR	25/500
ECGX14-13	○	14 mm		PG13.5	NR	25/400
ECGX16-11	○	16 mm		PG11	NR	25/350
ECGX16-13	○	16 mm		PG13.5	NR	25/350
ECGX16-16	○	16 mm		PG16	NR	25/350
ECGX20-21	○	20 mm		PG21	NR	25/250
ECGX22-21	○	22 mm		PG21	NR	25/250
ECGX25-29	○	25 mm		PG29	NR	10/150
ECGX28-29	○	28 mm		PG29	NR	10/120
ECGX32-36	○	32 mm		PG36	NR	10/90
ECGX35-36	○	35 mm		PG36	NR	10/70

PG PITCH - BLACK



ECGX10-9N	●	10 mm		PG9	NR	25/500
ECGX12-11N	●	12 mm		PG11	NR	25/500
ECGX12-13N	●	12 mm		PG13.5	NR	25/500
ECGX14-13N	●	14 mm		PG13.5	NR	25/400
ECGX16-11N	●	16 mm		PG11	NR	25/350
ECGX16-13N	●	16 mm		PG13.5	NR	25/350
ECGX16-16N	●	16 mm		PG16	NR	25/350
ECGX20-21N	●	20 mm		PG21	NR	25/250
ECGX22-21N	●	22 mm		PG21	NR	25/250
ECGX25-29N	●	25 mm		PG29	NR	10/150
ECGX28-29N	●	28 mm		PG29	NR	10/120
ECGX32-36N	●	32 mm		PG36	NR	10/90
ECGX35-36N	●	35 mm		PG36	NR	10/70

FIXINGS



CONDUITS FIXING ACCESSORIES

HF

UL94
V2

GWT
650°

Code Color Diameter of conduits Unit Pack

Conduit clips

SNAP CONDUIT CLIPS



ECCF16	○	16-16 mm	NR	100/1500
ECCF20	○	20-20 mm	NR	100/1000
ECCF25	○	25-25 mm	NR	100/1000
ECCF32	○	32-32 mm	NR	50/800
ECCF40	○	40-40 mm	NR	50/400
ECCF50	○	50-50 mm	NR	25/250

COLLAR CLIPS



ECCFC16	○	16-16 mm	NR	100/1000
ECCFC20	○	20-20 mm	NR	100/1000
ECCFC25	○	25-25 mm	NR	100/800
ECCFC32	○	32-32 mm	NR	50/500
ECCFC40	○	40-40 mm	NR	50/400
ECCFC50	○	50-50 mm	NR	25/250

RAIL FOR SNAP CLIPS



ECCG	○	16-50 mm	NR	50/400
------	---	----------	----	--------

CLAMP CONDUIT CLIPS



ECC12	○	12-20 mm	NR	100/1200
ECC16	○	14-22 mm	NR	100/1000
ECC25	○	23-35 mm	NR	50/500
ECC50	○	38-50 mm	NR	50/250

SNAP CLIP WITH WALL PLUG



ECCT16	○	16-16 mm	NR	100/1000
ECCT20	○	20-20 mm	NR	100/1000
ECCT25	○	25-25 mm	NR	100/800
ECCT32	○	32-32 mm	NR	50/400



CONDUITS AND FITTINGS ACCESSORIES AND FITTINGS

Code	Color	Bundle diameter	Unit	Pack
------	-------	-----------------	------	------



Cable tie

◀ECCFF1	○	16-32 mm	NR	100/1400
ECCFF2	○	32-63 mm	NR	50/700



CABLE TIES

UL94
V2

Code	Color	Length	Width	Unit	Pack
------	-------	--------	-------	------	------



Cable tie

TRANSLUCENT



◀EC8001025		100 mm	2.5 mm	NR	100/5000
EC8001436		140 mm	3.6 mm	NR	100/5000
EC8001625		160 mm	2.5 mm	NR	100/5000
EC8001648		160 mm	4.8 mm	NR	100/5000
EC8002025		200 mm	2.5 mm	NR	100/5000
EC8002036		200 mm	3.6 mm	NR	100/5000
EC8002048		200 mm	4.8 mm	NR	100/5000
EC8002548		250 mm	4.8 mm	NR	100/5000
EC8002936		290 mm	3.6 mm	NR	100/5000
EC8002948		290 mm	4.8 mm	NR	100/4000
EC8002976		290 mm	7.6 mm	NR	100/2000
EC8003648		360 mm	4.8 mm	NR	100/3000
EC8003676		360 mm	7.6 mm	NR	100/2000
EC8004348		430 mm	4.8 mm	NR	100/3000
EC8004390		430 mm	9 mm	NR	100/1000
EC8005390		530 mm	9 mm	NR	100/1000

BLACK



◀EC8101025	●	100 mm	2.5 mm	NR	100/5000
EC8101436	●	140 mm	3.6 mm	NR	100/5000
EC8101625	●	160 mm	2.5 mm	NR	100/5000
EC8101648	●	160 mm	4.8 mm	NR	100/5000
EC8102025	●	200 mm	2.5 mm	NR	100/5000
EC8102036	●	200 mm	3.6 mm	NR	100/5000
EC8102048	●	200 mm	4.8 mm	NR	100/5000
EC8102548	●	250 mm	4.8 mm	NR	100/5000
EC8102936	●	290 mm	3.6 mm	NR	100/5000
EC8102948	●	290 mm	4.8 mm	NR	100/4000
EC8102976	●	290 mm	7.6 mm	NR	100/2000
EC8103648	●	360 mm	4.8 mm	NR	100/3000
EC8103676	●	360 mm	7.6 mm	NR	100/2000
EC8104348	●	430 mm	4.8 mm	NR	100/3000
EC8104390	●	430 mm	9 mm	NR	100/1000
EC8105390	●	530 mm	9 mm	NR	100/1000

CABLE TIES WITH WRITABLE LABEL TAP



◀EC8701025		100 mm	2.5 mm	NR	100/5000
EC8702025		200 mm	2.5 mm	NR	100/5000



Mounting base for cable ties

ADHESIVE BACKED MOUNTING BASE - 4-WAYS



EC83036		19 mm	19 mm	NR	100/5000
◀EC84036	●	19 mm	19 mm	NR	100/5000
EC83048		27 mm	27 mm	NR	100/5000
EC84048	●	27 mm	27 mm	NR	100/5000

SCREW MOUNTING BASE - 2-WAYS



EC85048	○	15 mm	9.5 mm	NR	100/5000
EC86048	●	15 mm	9.5 mm	NR	100/5000
EC85090	○	22 mm	16 mm	NR	100/5000
◀EC86090	●	22 mm	16 mm	NR	100/5000

Code	Color	Drill diameter	Unit	Pack
------	-------	----------------	------	------



All-purpose plug



◀EC88085	●	8 mm	NR	100/5000
----------	---	------	----	----------

CABLE CLIPS AND PLUGS

HF

GWT
650°

Code	Color	Diameter of cable	Unit	Pack
------	-------	-------------------	------	------



Cable clip

WHITE



ECGT4BW50	○	3-4 mm	NR	1/400
ECGT6BW50	○	5-6 mm	NR	1/240
ECGT8BW50	○	7-8 mm	NR	1/200
◀ECGT10BW50	○	9-10 mm	NR	1/120
ECGT13BW50	○	13-14 mm	NR	1/90
ECGT16BW50	○	15-16 mm	NR	1/80
ECGT19BW50	○	19-20 mm	NR	1/60
ECGT25BW50	○	25-26 mm	NR	1/32

LIGHT GREY



ECGT4GW50	○	3-4 mm	NR	1/400
ECGT6GW50	○	5-6 mm	NR	1/240
ECGT8GW50	○	7-8 mm	NR	1/200
◀ECGT10GW50	○	9-10 mm	NR	1/120
ECGT13GW50	○	13-14 mm	NR	1/90
ECGT16GW50	○	15-16 mm	NR	1/80
ECGT19GW50	○	19-20 mm	NR	1/60
ECGT25GW50	○	25-26 mm	NR	1/32

NOTE: Pack of 50 pieces

Code	Color	Drill diameter	Unit	Pack
------	-------	----------------	------	------



Wall plug



ECTC6	○	6 mm	NR	100/5000
◀ECTC8	○	8 mm	NR	100/3000

DRAW TAPES, GROUND BOXES AND SPRINGS



CONDUIT BENDING SPRINGS

HF

GWT
650°

Code

Description

Unit

Pack

Bending spring

FOR LIGHT CONDUITS CLASS 33211-33421

	ECAC16L	For conduit Ø 16	NR	1
	ECAC20L	For conduit Ø 20	NR	1
	ECAC25L	For conduit Ø 25	NR	1
	ECAC32L	For conduit Ø 32	NR	1

FOR MEDIUM CONDUITS CLASS 33211-33421

	ECAC16	For conduit Ø 16	NR	1/80
	ECAC20	For conduit Ø 20	NR	1
	ECAC25	For conduit Ø 25	NR	1
	ECAC32	For conduit Ø 32	NR	1

MANHOLES

Code


Color

Description

Unit

Pack

Underground manholes

	ECPOZ.20	○	200 x 200 mm - IP40	NR	1/360
	ECPOZ.25	○	250 x 250 mm - IP67	NR	1/160
	ECPOZ.30	○	300 x 300 mm - IP40	NR	1/128
	ECPOZ.40	○	400 x 400 mm - IP40	NR	1/54

DRAW TAPES CABLE PULLERS

HF

GWT
650°

Code

Diameter

Length

Unit

Pack

Cable puller

DRAW TAPE CABLE PULLER 3MM

	ECS3-05	3 mm	5 m	NR	1/340
	ECS3-10	3 mm	10 m	NR	1/180
	ECS3-15	3 mm	15 m	NR	1/120
	ECS3-20	3 mm	20 m	NR	1/90
	ECS3-25	3 mm	25 m	NR	1/70
	ECS3-30	3 mm	30 m	NR	1/60

DRAW TAPE CABLE PULLER 4MM

	ECS4-05	4 mm	5 m	NR	1/200
	ECS4-10	4 mm	10 m	NR	1/100
	ECS4-15	4 mm	15 m	NR	1/60
	ECS4-20	4 mm	20 m	NR	1/50
	ECS4-25	4 mm	25 m	NR	1/40
	ECS4-30	4 mm	30 m	NR	1/36

DISCOVER OUR OFFER DEDICATED TO RESIDENTIAL



COMPATIBLE
WITH THE MOST COMMON SERIES
OF PLATES AND SWITCHES



**5 YEARS
WARRANTY**



**MADE IN
ITALY**

*my*life®



MyLife® is the civil line with an elegant design, offering extensive customization options and high modularity. It is available in 3 finishes (white, anthracite gray, and tech) and 3 design lines: MyLife®, with a soft and sinuous design, MyLifeQ®, with more squared lines, and Prestige®, with a modern and refined style. The many customization opportunities make this civil series the ideal stylish choice for every context: endless combinations for a truly complete offering.

EASY



Easy is a new Elettrocanali® series of modular devices and switch plates designed for both residential and commercial environments. The minimalist design and elegant Italian lines of this system meet every aesthetic need. The outstanding quality of the components, modularity, and ease of installation ensure maximum safety, versatility, and practicality.

miVida®



MiVida is the Elettrocanali series of modular devices and switch plates designed with both residential and tertiary sectors in mind. MiVida stands out for its rational design and the robustness of its materials, achieving a highly functional result with great character. The devices and plates in this simple yet high-performance series integrate seamlessly with and enhance any architectural context, whether at home or in the workplace.

Tondò®



The TONDÒ® modular devices are a classic choice for basic residential and public building sectors. Durable and versatile, with around 27 modular functions, rationality is their added value. The practical snap-on mounting system and compatibility with other historic series with similar standards are the key factors to the success of TONDÒ®.

*my*life®
DOMOlife
E A S Y D O M O T I C S

DOMO myLife® is the Elettrocanali® system designed to automate the functions of the main electrical and electronic devices in any building. Whether for a home, office, or business, DOMO myLife® makes home automation accessible as it integrates any system in a simple, fast, and cost-effective manner.



ITEMS FOR DOMESTIC USE



K336 - PLUGS, SOCKETS AND FLOW PACK ADAPTORS

IP20
**UL94
V0**
**GWT
750°**

Code	Color	Rated current	Description	Unit	Pack
------	-------	---------------	-------------	------	------

Plug with earthing

MOBILE PLUG - AXIAL OUTPUT

	ECK33601	○	10 A	2P+E - S11	NR	1/100
	ECK33603	○	16 A	2P+E - S17	NR	1/50
	ECK33611	●	10 A	2P+E - S11	NR	1/100
	ECK33613	●	16 A	2P+E - S17	NR	1/50

MOBILE PLUG - SPACE-SAVING

	ECK33621	○	10 A	2P+E - S11	NR	1/100
	ECK33622	○	16 A	2P+E - S17	NR	1/50
	ECK33631	●	10 A	2P+E - S11	NR	1/100
	ECK33632	●	16 A	2P+E - S17	NR	1/50

MOBILE PLUG - SCHUKO

	ECK33623	○	16 A	2P+E - S31	NR	1/50
	ECK33633	●	16 A	2P+E - S31	NR	1/50

Code	Color	Rated current	Description	Unit	Pack
------	-------	---------------	-------------	------	------

Socket with earthing

MOBILE SOCKET - AXIAL OUTPUT

	ECK33602	○	10 A	2P+E - P11	NR	1/100
	ECK33604	○	16 A	2P+E - P17-11	NR	1/50
	ECK33612	●	10 A	2P+E - P17-11	NR	1/100
	ECK33614	●	16 A	2P+E - P17-11	NR	1/50

MOBILE SOCKET - SCHUKO

	ECK33624	○	16 A	2P+E - P17-11-P30	NR	1/50
	ECK33634	●	16 A	2P+E - P17-11-P30	NR	1/50

Plug adapter

SINGLE SCHUKO ADAPTOR - BLISTER

	ECK33609	○	10-10 A	2P+E - S11-P30	NR	1/100
	ECK33610	○	16-16 A	2P+E - S17-P30	NR	1/50
	ECK33619	●	10-10 A	2P+E - S11-P30	NR	1/100
	ECK33620	●	16-16 A	2P+E - S17-P30	NR	1/50

TRIPLE ADAPTOR - BLISTER

	ECK33605	○	10-10 A	2P+E - S11-P11	NR	1/100
	ECK33606	○	10-16 A	2P+E - S17-P17/11	NR	1/50
	ECK33615	●	10-10 A	2P+E - S11-P11	NR	1/100
	ECK33616	●	10-16 A	2P+E - S17-P17/11	NR	1/50

TRIPLE SCHUKO ADAPTOR - BLISTER

	ECK33607	○	10-10 A	2P+E - S11-P11/30	NR	1/100
	ECK33608	○	10-16 A	2P+E - S17-P17/11-30	NR	1/50
	ECK33617	●	10-10 A	2P+E - S11-P11/30	NR	1/100
	ECK33618	●	10-16 A	2P+E - S17-P17/11-30	NR	1/50

PLUGS AND SOCKETS

IP20
**UL94
V0**
**GWT
750°**

Code	Color	Rated current	Description	Unit	Pack
------	-------	---------------	-------------	------	------

Plug with earthing

MOBILE PLUG - AXIAL OUTPUT

	ECK33301	○	10 A	2P+E - S11	NR	20/200
	ECK33302	○	16 A	2P+E - S17	NR	20/200
	ECK33311	●	10 A	2P+E - S11	NR	20/200
	ECK33312	●	16 A	2P+E - S17	NR	20/200

MOBILE PLUG - SPACE-SAVING

	ECK33304	○	10 A	2P+E - S11	NR	20/200
	ECK33305	○	16 A	2P+E - S17	NR	20/200
	ECK33314	●	10 A	2P+E - S11	NR	20/200
	ECK33315	●	16 A	2P+E - S17	NR	20/200

MOBILE PLUG - ADJUSTABLE

	ECK33306	○	10 A	2P+E - S11	NR	20/200
	ECK33307	○	16 A	2P+E - S17	NR	20/200
	ECK33316	●	10 A	2P+E - S11	NR	20/200
	ECK33317	●	16 A	2P+E - S17	NR	20/200

MOBILE PLUG - SCHUKO

	ECK33303	○	16 A	2P+E - S30	NR	20/200
	ECK33313	●	16 A	2P+E - S30	NR	20/200

PLUGS AND SOCKETS

IP20 UL94
V0 GWT
750°

Code	Color	Rated current	Description	Unit	Pack
------	-------	---------------	-------------	------	------

Socket with earthing

MOBILE SOCKET - AXIAL OUTPUT

	ECK33501	○	16 A	2P+E - P17/11	NR	20/200
	ECK33502	○	10 A	2P+E - P11	NR	20/200
	ECK33511	●	16 A	2P+E - P17/11	NR	20/200
	ECK33512	●	10 A	2P+E - P11	NR	20/200

MOBILE SOCKET - SCHUKO

	ECK33406	○	16 A	2P+E - S17-P17/11-30	NR	20/200
	ECK33416	●	16 A	2P+E - S17-P17/11-30	NR	20/200

ADAPTORS

IP20 UL94
V0 GWT
750°

Code	Color	Rated current	Description	Unit	Pack
------	-------	---------------	-------------	------	------

Plug adapter

SINGLE ADAPTOR

	ECK33401	○	10-16 A	2P+E - S17-P17/11	NR	20/200
	ECK33411	●	10-16 A	2P+E - S17-P17/11	NR	20/200

TRIPLE ADAPTOR

	ECK33403	○	10-16 A	2P+E - S17-P17/11	NR	20/200
	ECK33405	○	10-10 A	2P+E - S11-P11	NR	20/200
	ECK33413	●	10-16 A	2P+E - S17-P17/11	NR	20/200
	ECK33415	●	10-10 A	2P+E - S11-P11	NR	20/200

QUAD ADAPTOR

	ECK33410	○	10-16 A	2P+E - S17-P17/11	NR	20/200
	ECK33420	○	10-10 A	2P+E - S11-P11	NR	20/200

SINGLE SCHUKO ADAPTOR

	ECK33504	○	10-10 A	2P+E S11-P30	NR	20/200
	ECK33514	●	10-10 A	2P+E S11-P30	NR	20/200
	ECK33505	○	16-16 A	2P+E S17-P30	NR	20/200
	ECK33515	●	16-16 A	2P+E S17-P30	NR	20/200

SINGLE SCHUKO PLUG ADAPTOR

	ECK33503	○	10-16 A	2P+E S30-P17/11	NR	20/200
--	-----------------	---	---------	-----------------	----	--------

TRIPLE SCHUKO ADAPTOR

	ECK33407	○	16-16 A	2P+E S17-P17/11-30	NR	20/200
	ECK33417	●	10-16 A	2P+E S17-P17/11-30	NR	20/200
	ECK33421	○	10-10 A	2P+E S11-P11/30	NR	20/200
	ECK33422	●	10-10 A	2P+E S11-P11-30	NR	20/200

TRIPLE ADAPTOR - WITH LIGHT SWITCH

	ECK33423	○	10-16 A	2P+E - S17-P17/11	NR	1/20/200
	ECK33424	○	10-10 A	2P+E - S11-P11	NR	1/20/200

TIME SCHEDULER

	ECK81001	○	16-16 A	2P+E S17-P17/11 step 96 programs	NR	1/12/48
---	-----------------	---	---------	----------------------------------	----	---------

DIGITAL TIME SCHEDULER

	ECK81003	○	16-16 A	2P+E S17-P17/11 digital 48 programs	NR	1/12/48
---	-----------------	---	---------	-------------------------------------	----	---------

MULTISTANDARD ADAPTOR

	ECK51004	○	10-10 A	Multistandard Plug - 2P Socket	NR	1/10/100
---	-----------------	---	---------	--------------------------------	----	----------

Code	Color	Description	Unit	Pack
------	-------	-------------	------	------

Socket outlet combination

SMART PLUG

	ECK81004	○	Plug 16A 2P+T - Socket Schuko/ital. - WIFI	NR	1/12/48
---	-----------------	---	--	----	---------

TRIPLE ADAPTOR 10 A - WITH LIGHT SWITCH

	ECK11124	○	2P+E S11 - P17/11 + Schuko/ital. P30	NR	1/12/48
---	-----------------	---	--------------------------------------	----	---------

TRIPLE ADAPTOR 16 A - WITH LIGHT SWITCH

	ECK11120	○	2P+E S17 - P17/11 + Schuko/ital. P30	NR	1/12/48
---	-----------------	---	--------------------------------------	----	---------

TRIPLE ADAPTOR + USB SOCKET

	ECK11125	○	2P+E S17 - P17/11 + Schuko/ital. P30 + 2 USB	NR	1/12/48
---	-----------------	---	--	----	---------

MULTIPLE SOCKET BASES
IP20
**UL94
V0**
**GWT
750°**
Code
Color
**Cable
length**
Description
Unit
Pack
Multiple sockets
MULTIPLE SOCKET BASE WITHOUT CABLE


ECK11054	○		4 2P+E sockets - P17/11	NR	1/50
ECK11056	○		6 2P+E sockets - P17/11	NR	1/40

MULTIPLE SOCKET BASE WITH CABLE


ECK11154	○	1.5 m	4 2P+E sockets - P17/11	NR	1/50
ECK11156	○	1.5 m	6 2P+E sockets - P17/11	NR	1/40

45° MULTIPLE SOCKET BASE WITH CABLE


ECK11103	○	1.5 m	3 sockets 2P+E P17/11-30	NR	1/40
ECK11104	○	1.5 m	4 sockets 2P+E P17/11-30	NR	1/40
ECK11104N	●	1.5 m	4 sockets 2P+E P17/11-30	NR	1/40
ECK11105	○	1.5 m	5 sockets 2P+E P17/11-30	NR	1/30
ECK11106	○	1.5 m	6 sockets 2P+E P17/11-30	NR	1/30
ECK11106N	●	1.5 m	6 sockets 2P+E P17/11-30	NR	1/30
ECK11107	○	1.5 m	7 sockets 2P+E P17/11-30	NR	1/30
ECK11404	○	1.5 m	4 sockets 2P+E P17/11-30	NR	1/30
ECK11406	○	1.5 m	6 sockets 2P+E P17/11-30	NR	1/30
ECK11504	○	1.5 m	4 sockets 2P+E P17/11-30	NR	1/50
ECK11506	○	1.5 m	6 sockets 2P+E P17/11-30	NR	1/30

DESK MULTIPLE SOCKET BASE WITH CABLE


ECK11310N	●	1.5 m	4 sockets + Schuko + USB 2P+E P17/11-30	NR	1/30
------------------	---	-------	--	----	------

STRAIGHT MULTIPLE SOCKET BASE WITH CABLE


ECK11100	○	1.5 m	6 sockets 2P+E P17/11+P17/11-30	NR	1/40
ECK11100N	●	1.5 m	6 sockets 2P+E P17/11+P17/11-30	NR	1/40
ECK11101	○	1.5 m	9 sockets 2P+E P17/11+P17/11-30	NR	1/30
ECK11101N	●	1.5 m	9 sockets 2P+E P17/11+P17/11-30	NR	1/30
ECK11102	○	1.5 m	12 sockets 2P+E P17/11+P17/11-30	NR	1/30
ECK11102N	●	1.5 m	12 sockets 2P+E P17/11+P17/11-30	NR	1/30

EXTENSION CORDS
IP20
**UL94
V0**
**GWT
750°**
Code
Color
**Rated
current**
Length
Description
Unit
Pack
Power cord
GARDEN POWER EXTENSION CORDS


ECK22422	○	16 A	20 m	2P S16 Plug - Socket Schuko	NR	1/10
ECK22426	○	16 A	40 m	2P S16 Plug - Socket Schuko	NR	1/6

EXTENDABLE POWER CORDS


ECK22205	○	16 A	3 m	2P+E Plug S17 - Socket P17/11	NR	1/30
ECK22215	●	16 A	3 m	2P+E Plug S17 - Socket P17/11	NR	1/30

LINEAR EXTENSION CORDS


ECK22201	○	10 A	3 m	2P+E Plug S11 - Socket P11	NR	1/50
ECK22202	○	10 A	5 m	2P+E Plug S11 - Socket P11	NR	1/30
ECK22203	○	16 A	3 m	2P+E Plug S17 - Socket P17/11	NR	1/50
ECK22204	○	16 A	5 m	2P+E Plug S17 - Socket P17/11	NR	1/30
ECK22211	●	10 A	3 m	2P+E Plug S11 - Socket P11	NR	1/50
ECK22212	●	10 A	5 m	2P+E Plug S11 - Socket P11	NR	1/30
ECK22213	●	16 A	3 m	2P+E Plug S17 - Socket P17/11	NR	1/50
ECK22214	●	16 A	5 m	2P+E Plug S17 - Socket P17/11	NR	1/30

CABLE REELS
IP20
**UL94
V0**
**GWT
750°**
Code
Color
Cable length
Description
Unit
Pack
Cable reel
CABLE REELS WITH KICKSTAND


ECK22104	●		15 m	4 Schuko/italian	NR	1/4
ECK22105	●		25 m	4 Schuko/italian	NR	1/2
ECK22106	●		50 m	4 Schuko/italian	NR	1/2

GARDEN CABLE REELS


ECK22310	●		20 m	1 Schuko 2P+E	NR	1
ECK22311	●		30 m	1 Schuko 2P+E	NR	1

CABLE REELS

IP20 UL94
V0 GWT
750°

Code	Color	Cable length	Description	Unit	Pack
------	-------	--------------	-------------	------	------

COMPACT CABLE REELS



ECK22101	●	5 m	2 Schuko/italian	NR	1/10
ECK22102	●	10 m	4 Schuko/italian	NR	1/10
ECK22103	●	20 m	4 Schuko/italian	NR	1/6

TV ACCESSORIES

Code	Color	Description	Unit	Pack
------	-------	-------------	------	------

Coaxial connector



ECK71020	○	9.5 mm pipe TV plug	NR	1/10/1000
ECK71021	○	9.5 mm pipe TV socket	NR	1/10/1000
ECK71030	○	9.5 mm Plug-to-Plug Adapter	NR	1/10/1000
ECK71031	○	9.5 mm Socket-to-Socket Adapter	NR	1/10/1000
ECK71040	○	TV Extension Cable 9.5 mm Plug-Socket - 2 m	NR	1/200
ECK71041	○	TV Extension Cable 9.5 mm Plug-Socket - 5 m	NR	1/100

CAR BATTERY CLIPS AND CABLES

Code	Color	Rated current	Length	Cross section	Unit	Pack
------	-------	---------------	--------	---------------	------	------

Power cord



ECK51030	○	120 A	2.5 m	10 mm ²	NR	1/10
ECK51031	○	200 A	3 m	16 mm ²	NR	1/6
ECK51032	○	400 A	5 m	25 mm ²	NR	1/4

Code	Description	Unit	Pack
------	-------------	------	------

Accessories for battery/charger



ECK51021	Kit of 4 60A clamps	NR	1/50
ECK51022	Kit of 4 90A clamps	NR	1/50
ECK51023	Kit of 4 120A clamps	NR	1/50
ECK51024	Kit of 4 200A clamps	NR	1/50

LIGHTING



LAMP SWITCHES

Code	Color	Rated current	Rated voltage	Description	Unit	Pack
------	-------	---------------	---------------	-------------	------	------

Cord switch

IP40

SWITCHES



ECK52001B	○	2 A	250 V	2x0,75 mm ²	NR	10/500
ECK52002B	●	2 A	250 V	2x0,75 mm ²	NR	10/500
ECK52005B	●	2 A	250 V	2x0,75 mm ²	NR	10/500

2-WAY SWITCHES



ECK52001C	○	2 A	250 V	2x0,75 mm ²	NR	10/500
ECK52002C	●	2 A	250 V	2x0,75 mm ²	NR	10/500

FOOT SWITCHES



ECK52045N	●	2 A	250 V	2x0,75 mm ²	NR	10/250
-----------	---	-----	-------	------------------------	----	--------

LAMP HOLDERS

Code	Color	Lamp holder	Description	Unit	Pack
------	-------	-------------	-------------	------	------

Lamp holder

CERAMIC



ECK52008	○	E27	4 A - 250 V	NR	10/200
----------	---	-----	-------------	----	--------

LAMP HOLDERS

METAL - THREADED



Code	Color	Lamp holder	Description	Unit	Pack
◀ ECK52018	●	E27	4 A - 250 V	NR	10/250

THERMOPLASTIC - THREADED



ECK52010	○	E14	2 A - 250 V	NR	10/500
◀ ECK52011	●	E14	2 A - 250 V	NR	10/500
ECK52012	●	E14	2 A - 250 V	NR	10/500
ECK52015	○	E27	4 A - 250 V	NR	10/250
ECK52016	●	E27	4 A - 250 V	NR	10/250
ECK52017	●	E27	4 A - 250 V	NR	10/250

THERMOPLASTIC - SMOOTH BODY



ECK52001	○	E14	2 A - 250 V	NR	10/500
◀ ECK52002	●	E14	2 A - 250 V	NR	10/500
ECK52005	●	E14	2 A - 250 V	NR	10/500
ECK52003	○	E27	4 A - 250 V	NR	10/250
ECK52004	●	E27	4 A - 250 V	NR	10/250
ECK52006	●	E27	4 A - 250 V	NR	10/250

LIGHT POINT



ECK52031	○	E27	4 A - 250 V	NR	10/200
◀ ECK52032	○	E27	4 A - 250 V	NR	10/200

FLOODLIGHTS

IP65


Floodlights for construction site

HALOGEN



Code	Color	Description	Unit	Pack
◀ ECK51006	●	Schuko 16A 2P+T - 500W	NR	1/8

LED - WITH ADJUSTABLE STAND



ECK51018	●	Schuko 16A 2P+T - 50W LED	NR	1/4
◀ ECK51019	●	Schuko 16A 2P+T - 100W LED	NR	1/2

LED - WITH STAND



ECK51007	●	Schuko 16A 2P+T - 30W LED	NR	1/6
ECK51008	●	Schuko 16A 2P+T - 50W LED	NR	1/4
◀ ECK51009	●	Schuko 16A 2P+T - 100W LED	NR	1/4

LAMPS

Code	Color	Description	Unit	Pack
------	-------	-------------	------	------

Portable lamps

IP54


ECK51040	●	Red light LED lamp	NR	1/12
◀ ECK51041	●	Yellow LED light amber	NR	1/12

Code	Color	Description	Unit	Pack
------	-------	-------------	------	------

Battery (not rechargeable)



◀ ECK51042	○	4R25 6V DV 7 Ah	NR	1/24
------------	---	-----------------	----	------


Code	Color	Description	Unit	Pack
------	-------	-------------	------	------

Portable lamps

IP40


ECK51001	●	10A 2P - 5 mt - 60W	NR	1/20
◀ ECK51002	●	10A 2P - 10 mt - 60W	NR	1/20

ACCESSORIES FOR CABLES




ADHESIVE TAPE

UL94
V0

Code	Color	Width	Length	Unit	Pack
------	-------	-------	--------	------	------

Adhesive tape

15 MILLIMETERS



EC891010*		15 mm	10 m	NR	10/200
EC891011	●	15 mm	10 m	NR	10/200
EC891012	●	15 mm	10 m	NR	10/200
EC891013	●	15 mm	10 m	NR	10/200
EC891014	○	15 mm	10 m	NR	10/200
EC891015	●	15 mm	10 m	NR	10/200

*
Color: YELLOW - GREEN

19 MILLIMETERS



EC891020*		19 mm	25 m	NR	10/100
EC891021	●	19 mm	25 m	NR	10/100
EC891022	●	19 mm	25 m	NR	10/100
EC891023	●	19 mm	25 m	NR	10/100
EC891024	○	19 mm	25 m	NR	10/100
EC891025	●	19 mm	25 m	NR	10/100

* Color: YELLOW - GREEN

SERIES MYLIFE



PRE-ASSEMBLED KITS

Code	Color	Description	Unit	Pack
------	-------	-------------	------	------

Equipment carrier for insulated walls

WHITE DEVICES - IP40

IP40



ECL40451WH-40	○	Assembled KIT IP40 - ECL5610A1 + ECL4045WH	NR	1/60
ECL40452WH-40	○	Assembled KIT IP40 - ECL5611A2 + 2 x ECL4045WH	NR	1/60
ECL40453WH-40	○	Assembled KIT IP40 - ECL5611A3 + ECL4000WH + 2 x ECL4045WH	NR	1/40
ECL40454WH-40	○	Assembled KIT IP40 - ECL5611A2 + ECL4000WH + ECL4045WH	NR	1/60
ECL40501WH-40	○	Assembled KIT IP40 - ECL5610A2 + ECL4050WH	NR	1/60
ECL40503WH-40	○	Assembled KIT IP40 - ECL5611A3 + ECL4000WH + ECL4050WH	NR	1/40

WHITE DEVICES - IP55

IP55



ECL40451WH	○	Assembled KIT IP55 - ECL5610A1 + ECL4045WH	NR	1/50
ECL40452WH	○	Assembled KIT IP55 - ECL5611A2 + 2 x ECL4045WH	NR	1/50
ECL40453WH	○	Assembled KIT IP55 - ECL5611A3 + ECL4000WH + 2 x ECL4045WH	NR	1/35
ECL40454WH	○	Assembled KIT IP55 - ECL5611A2 + ECL4000WH + ECL4045WH	NR	1/50
ECL40501WH	○	Assembled KIT IP55 - ECL5610A2 + ECL4050WH	NR	1/50
ECL40503WH	○	Assembled KIT IP55 - ECL5611A3 + ECL4000WH + ECL4050WH	NR	1/35

EC FOR YOU



CLOTHING

Code	Color	Size	Unit	Pack
------	-------	------	------	------

Combi vest

MULTI-POCKET VEST



MKT-GMT01BL-S	●	S	NR	1
MKT-GMT01BL-M	●	M	NR	1
MKT-GMT01BL-L	●	L	NR	1
MKT-GMT01BL-XL	●	XL	NR	1
MKT-GMT01BL-2XL	●	XXL	NR	1
MKT-GMT01BL-3XL	●	XXXL	NR	1

SOFTSHELL VEST



MKT-GSH01BL-S	●	S	NR	1
MKT-GSH01BL-M	●	M	NR	1
MKT-GSH01BL-L	●	L	NR	1
MKT-GSH01BL-XL	●	XL	NR	1
MKT-GSH01BL-2XL	●	XXL	NR	1
MKT-GSH01BL-3XL	●	XXXL	NR	1

DESCRIPTION: To view the updated range of available products, visit elettrocanali.com

Pullover

SWEATSHIRT



MKT-FZL01BL-S	●	S	NR	1
MKT-FZL01BL-M	●	M	NR	1
MKT-FZL01BL-L	●	L	NR	1
MKT-FZL01BL-XL	●	XL	NR	1
MKT-FZL01BL-2XL	●	XXL	NR	1
MKT-FZL01BL-3XL	●	XXXL	NR	1

SAND SWEATSHIRT



MKT-FCP01SB-S	○	S	NR	1
MKT-FCP01SB-M	○	M	NR	1
MKT-FCP01SB-L	○	L	NR	1
MKT-FCP01SB-XL	○	XL	NR	1
MKT-FCP01SB-2XL	○	XXL	NR	1
MKT-FCP01SB-3XL	○	XXXL	NR	1

DESCRIPTION: To view the updated range of available products, visit elettrocanali.com

T-Shirt



MKT-TSH01BI-S	○	S	NR	1
MKT-TSH01BI-M	○	M	NR	1
MKT-TSH01BI-L	○	L	NR	1
MKT-TSH01BI-XL	○	XL	NR	1
MKT-TSH01BI-2XL	○	XXL	NR	1
MKT-TSH01BI-3XL	○	XXXL	NR	1

DESCRIPTION: To view the updated range of available products, visit elettrocanali.com

Polo shirt



MKT-POL01BL-S	●	S	NR	1
MKT-POL01BL-M	●	M	NR	1
MKT-POL01BL-L	●	L	NR	1
MKT-POL01BL-XL	●	XL	NR	1
MKT-POL01BL-2XL	●	XXL	NR	1
MKT-POL01BL-3XL	●	XXXL	NR	1

DESCRIPTION: To view the updated range of available products, visit elettrocanali.com

BEACH VOLLEYBALL

Code	Size	Gender	Unit	Pack
------	------	--------	------	------

Pullover



MKT-BVB01-S	S	Unisex	NR	1
MKT-BVB01-M	M	Unisex	NR	1
MKT-BVB01-L	L	Unisex	NR	1
MKT-BVB01-XL	XL	Unisex	NR	1
MKT-BVB01-2XL	XXL	Unisex	NR	1

DESCRIPTION: To view the updated range of available products, visit elettrocanali.com

Sweatshirt



MKT-BVB05-S	S	Unisex	NR	1
MKT-BVB05-M	M	Unisex	NR	1
MKT-BVB05-L	L	Unisex	NR	1
MKT-BVB05-XL	XL	Unisex	NR	1
MKT-BVB05-2XL	XXL	Unisex	NR	1

DESCRIPTION: To view the updated range of available products, visit elettrocanali.com

Leggings



MKT-BVB04-S	S	Women	NR	1
MKT-BVB04-M	M	Women	NR	1
MKT-BVB04-L	L	Women	NR	1
MKT-BVB04-XL	XL	Women	NR	1
MKT-BVB04-2XL	XXL	Women	NR	1

DESCRIPTION: To view the updated range of available products, visit elettrocanali.com

Shorts



MKT-BVB02-S	S	Men	NR	1
MKT-BVB02-M	M	Men	NR	1
MKT-BVB02-L	L	Men	NR	1
MKT-BVB02-XL	XXL	Men	NR	1
MKT-BVB02-2XL	XXL	Men	NR	1
MKT-BVB03-S	S	Women	NR	1
MKT-BVB03-M	M	Women	NR	1
MKT-BVB03-L	L	Women	NR	1
MKT-BVB03-XL	XL	Women	NR	1
MKT-BVB03-2XL	XXL	Women	NR	1

DESCRIPTION: To view the updated range of available products, visit elettrocanali.com

ACCESSORIES

Code	Color	Description	Unit	Pack
------	-------	-------------	------	------

Other accessories

CANTEEN



MKT-BCD25	Thermic double wall - 1000 ml	NR	1
MKT-BCD26	Thermic double wall - 750 ml	NR	1

BADGE STRAP



MKT-LPB		NR	1
----------------	--	----	---

SUNGLASSES



MKT-SGL01BI	Class 3 - UV 400	NR	1
--------------------	------------------	----	---

KEYCHAINS



MKT-KYH01		NR	1
------------------	--	----	---

MUG



MKT-MUG25	300 ml	NR	1
MKT-MUG26	300 ml	NR	1

DESCRIPTION: To view the updated range of available products, visit elettrocanali.com

Hats - Caps

CAP



MKT-BER01		NR	1
------------------	--	----	---

BASEBALL CAP



MKT-CAP01		NR	1
------------------	--	----	---

DESCRIPTION: To view the updated range of available products, visit elettrocanali.com

Stool



MKT-SGA01BI		NR	1
--------------------	--	----	---

DESCRIPTION: To view the updated range of available products, visit elettrocanali.com

Beach towel



MKT-TMR25	100 x 180 cm	NR	1
------------------	--------------	----	---

DESCRIPTION: To view the updated range of available products, visit elettrocanali.com

Backpacks & Bags

GYM - TRAVEL



MKT-ZAI02NE	48 x 30 x 27 cm - 30 l	NR	1
--------------------	------------------------	----	---

BACKPACK



MKT-ZAI01NE		NR	1
--------------------	--	----	---

SHOPPING BAG



MKT-SBC01		NR	1
------------------	--	----	---

DESCRIPTION: To view the updated range of available products, visit elettrocanali.com

STATIONERY

Description	Unit	Pack
-------------	------	------

Notepads



MKT-BLOA4*	20-pack - A4	AST-20	1
MKT-BLOA5*	20-pack - A5	AST-20	1

DESCRIPTION: To view the updated range of available products, visit elettrocanali.com

Document folders



MKT-CPD		NR	1
----------------	--	----	---

DESCRIPTION: To view the updated range of available products, visit elettrocanali.com

Pens

PREMIUM PENS



MKT-PEN01AR	ORANGE - Swiss Made (Prodir®) - 5 km of guaranteed writing	NR	1
MKT-PEN01BL	BLUE - Swiss Made (Prodir®) - 5 km of guaranteed writing	NR	1

STANDARD PENS



MKT-PEN02BI*	WHITE - 50-pack	AST-50	1
---------------------	-----------------	--------	---

DESCRIPTION: To view the updated range of available products, visit elettrocanali.com

DISPLAY STANDS



POINT OF SALE MATERIAL

Code

Description

Unit

Pack

Counter display stands

EMERGENCY LAMP



MKT-B-001	Emergency light ECL6067 display stand	NR	1
------------------	---------------------------------------	----	---

ESSENZA ENCLOSURES



MKT-B-006	ESSENZA display stand	NR	1
------------------	-----------------------	----	---

COUNTERTOP DISPLAY



MKT-B-002	12 hooks - 50 x 88 x 26 cm	NR	1
------------------	----------------------------	----	---

TRANSPARENT DISPENSER



MKT-B-003	Ø 20 cm - h 60 cm	NR	1
------------------	-------------------	----	---

SHELF TRAY



MKT-B-004	carton box - 45,5 x 20 x 18 cm	NR	1
MKT-B-005	Internal separator for MKT-B-004	NR	1

Floor display stands

TOTEM



MKT-T-001	64 plates myLife, myLife Q, myLife New Prestige	NR	1
------------------	---	----	---

GONDOLA



MKT-T-002	20 hooks - 100 x 181 x 42 cm	NR	1
------------------	------------------------------	----	---

DISPENSER



MKT-T-003	for mini/maxi trunkings - 57 x 120 x 48 cm	NR	1
------------------	--	----	---

PALLBOX



MKT-T-004	4 shelves - 60 x 40 x 120 cm	NR	1
------------------	------------------------------	----	---

POINT OF SALE MATERIAL

Briefcases

GENERAL SAMPLES



Code	Description	Unit	Pack
MKT-V-001	Sample brief case	NR	1

WIRING DEVICES



MKT-V-002	myLife - 20 plates	NR	1
MKT-V-003	myLife Q - 23 plates	NR	1
MKT-V-004	myLife New Prestige - 32 plates	NR	1
MKT-V-005	MIVIDA - 13 plates	NR	1
MKT-V-006	EASY - 21 plates	NR	1

Hanging panels

PANEL 50X100 CENTIMETRES

MKT-G-001	Company profile	NR	1
MKT-G-002	Trunkings	NR	1
MKT-G-003	Industrial	NR	1
MKT-G-004	Enclosures	NR	1
MKT-G-005	Conduits and Fittings	NR	1
MKT-G-006	Residential	NR	1

PANEL 50X130 CENTIMETRES

MKT-G-007	Company profile	NR	1
MKT-G-008	Trunkings	NR	1
MKT-G-009	Industrial	NR	1
MKT-G-010	Enclosures	NR	1
MKT-G-011	Conduits and Fittings	NR	1
MKT-G-012	Residential	NR	1

PANELS WITH PRODUCTS

MKT-G-013	myLife	NR	1
MKT-G-014	Tondò	NR	1

Product compliant with Low Voltage Directive 2014/35/EU



Product with IMQ approval certificate



Product compliant with EU regulation 756/2008



Product with IMQ CSV approval certificate



Product compliant with EN 61140 standard in class II, double insulation



Product with NF approval certificate



Lubricated product



Product with OVE approval certificate



Product subject to WEEE Directive 2012/19/EU



Product with UL US-Canada approval certificate



Low smoke and zero halogen product



Product with PDA - RINA approval certificate



Halogen-free product



UV resistant product



Product compliant with RoHS Directive 2011/65/EU and 2015/863/EU



Self-extinguishing rating according to UL-94 standard



Abnormal heat resistance rating according to IEC 60695-2-11



Minimum / maximum installation temperature



Degree of protection against mechanical impacts according to EN 50102



Degree of protection against the ingress of solid and liquid objects according to EN 60529





AMBER



ORANGE



WHITE



WHITE RAL 9001



WHITE RAL 9003



BLUE



BLUE RAL 5012



YELLOW



GREY



SLATE GREY RAL 7021



GREY RAL 7030



GREY RAL 7035



BROWN



BLACK



GOLD



RED



BEIGE



TRANSPARENT



GREEN



PURPLE

The images and products represented in this paper tool are to be considered exclusively for illustrative purposes.
The characteristics, colors, sizes, and specifications of the products may vary and are not binding for the supply of the products themselves.
It is advisable to check the detailed specifications and availability at the time of purchase.

We do not assume any responsibility for any discrepancies or variations between the images shown and the products supplied.



PRODUCT INDEX

Code	Quantity				Page	Code	Quantity				Page	Code	Quantity				Page
	U	C	I	P			U	C	I	P			U	C	I	P	
202405			50		23	EC22013555-2			16		13	EC350C4P	1		80		42
202702			10		26	EC22016555-3			16		13	EC350C5	1		60		42
202705			10		26	EC2209055			24		13	EC350C5BL	1		60		42
EC16001	1		10		14	EC220AE13555	1		8		13	EC350C5P	1		60		42
EC16001H	1		10		14	EC220AE16555	1		8		13	EC350C6	1		40		42
EC16001V	1		10		14	EC220AE9055	1		10		13	EC350C6BL	1		40		42
EC16002	1		10		14	EC220AI13555	1		10		13	EC350C6P	1		40		42
EC16002H	1		10		14	EC220AI16555	1		10		13	EC350C7	1		28		42
EC16002V	1		10		14	EC220AI9055	1		10		13	EC350C7BL	1		28		42
EC16003	1		10		14	EC220AP13555	1		8		13	EC350C7P	1		28		42
EC16003H	1		10		14	EC220AP16555	1		8		13	EC350C8	1		20		42
EC16003V	1		10		14	EC220AP9055	1		10		13	EC350C8BL	1		20		42
EC20001			24		6	EC220CC25			50		13	EC350C8P	1		20		42
EC20003		5	25		6	EC220CC45			50		13	EC350C9	1		18		42
EC20004		5	25		6	EC220GA45		5	50		13	EC350C9BL	1		18		42
EC20005	1		10		6	EC220GC45		5	50		13	EC350C9P	1		18		42
EC20006		5	25		6	EC220GU16555		5	50		13	EC3510S			10		42
EC20008		5	25		6	EC220GU9055		10	50		13	EC351C1	1		200		42
EC20009	1		5		6	EC220TT13555		2	10		13	EC351C10	1				42
EC20010	1		10		6	EC220TT16555		2	10		13	EC351C11	1				42
EC20011	1		10		6	EC220TT9055		2	10		13	EC351C3	1		150		42
EC20015	1		10		6	EC23401			112		19	EC351C4	1		120		42
EC20016	1		8		6	EC23402			84		19	EC351C5	1		100		42
EC20101			24		6	EC23403			112		19	EC351C6	1		50		42
EC20103		5	25		6	EC23404			70		19	EC351C7	1		50		42
EC20104		5	25		6	EC23405			50		19	EC351C8	1		15		42
EC20105	1		10		6	EC23406			50		19	EC351C9	1				42
EC20106		5	25		6	EC23407			32		19	EC37065		10	600		43
EC20108		5	25		6	EC23411			112		19	EC37085		10	400		43
EC20109	1		5		6	EC23412			84		19	EC37100		10	400		43
EC20110	1		10		6	EC23413			112		19	EC37100BL		10	400		43
EC20111	1		10		6	EC23414			70		19	EC37104		10	240		43
EC20115	1		10		6	EC23415			50		19	EC37104BL		10	240		43
EC20116	1		8		6	EC23416			50		19	EC37106		10	150		43
EC20201			20		6	EC23417			32		19	EC37106BL		10	150		43
EC20202			100		6	EC320B	1		30		50	EC37110		10	400		43
EC20203	1		5		6	EC320G	1		30		50	EC37111		20	200		43
EC20204	1		5		6	EC320R	1		30		50	EC37165		50	700		43
EC20205	1		5		6	EC320T	1		30		50	EC37185		50	600		43
EC20206		5	20		6	EC320V	1		30		50	EC400C1		5	120		48
EC20207		5	20		6	EC34003		10	300		43	EC400C10	1		4		48
EC20208		5	20		6	EC34004		10	230		43	EC400C10A	1		4		48
EC20209	1		5		6	EC34006		10	160		43	EC400C1A		5	120		48
EC20210	1		6		6	EC340105	1		120		42	EC400C2		5	150		48
EC20211	1		4		6	EC340106	1		35		42	EC400C2A		5	150		48
EC20212	1		50		6	EC340107	1		23		42	EC400C3		5	160		48
EC20213	1		50		6-9	EC34040		10	550		43	EC400C3A		5	160		48
EC20214	1		50		6-9	EC34045		10	350		43	EC400C4	1		90		48
EC20215	1		10		6	EC3500S		10	100		42	EC400C4A	1		90		48
EC20216	1		10		6	EC350C1	1		240		42	EC400C4R	1		90		48
EC20301			20		6	EC350C10	1		8		42	EC400C4RA	1		90		48
EC20302			100		6	EC350C10BL	1		8		42	EC400C5	1		45		48
EC20303	1		5		6	EC350C11	1		6		42	EC400C5A	1		45		48
EC20304	1		5		6	EC350C11BL	1		6		42	EC400C6	1		25		48
EC20305	1		5		6	EC350C1BL	1		240		42	EC400C6A	1		25		48
EC20306		5	20		6	EC350C1P	1		120		42	EC400C7	1		14		48
EC20307		5	20		6	EC350C2	1		150		42	EC400C7A	1		14		48
EC20308		5	20		6	EC350C2BL	1		150		42	EC400C8	1		6		48
EC20309	1		5		6	EC350C2P	1		90		42	EC400C8A	1		6		48
EC20310	1		6		6	EC350C3	1		100		42	EC400C9	1		4		48
EC20311	1		4		6	EC350C3BL	1		100		42	EC400C9A	1		4		48
EC20312	1		50		6	EC350C3P	1		70		42	EC400KV1	1				49
EC20315	1		10		6	EC350C4	1		80		42	EC400KV2	1				49
EC20316	1		10		6	EC350C4BL	1		80		42	EC400KV3	1				49



Code	Quantity				Page	Code	Quantity				Page	Code	Quantity				Page
	U	C	I	P			U	C	I	P			U	C	I	P	
EC410C10	1		4		48	EC480C10	1		4		49	EC50048		5	30		52
EC410C10A	1		4		48	EC480C4	1		100		49	EC51007		50	1200		52
EC410C3		5	150		48	EC480C4R	1		100		49	EC51007N		50	1200		52
EC410C4	1		100		48	EC480C5	1		42		49	EC51007W05	1		240		
EC410C4A	1		100		48	EC480C6	1		24		49	EC51009		50	1200		52
EC410C4R	1		100		48	EC480C7	1		16		49	EC51009N		50	1200		52
EC410C4RA	1		100		48	EC480C8	1		6		49	EC51009W05	1		240		
EC410C5	1		42		48	EC480C9	1		4		49	EC51011		50	600		52
EC410C5A	1		42		48	EC485C1	1		32		50	EC51011N		50	600		52
EC410C6	1		24		48	EC485C2	1		24		50	EC51011W05	1		120		
EC410C6A	1		24		48	EC485C3	1		16		50	EC51013		50	600		52
EC410C7	1		16		48	EC485C4	1		18		50	EC51013N		50	600		52
EC410C7A	1		16		48	EC485C5	1		8		50	EC51013W05	1		120		
EC410C8	1		6		48	EC485C6	1		2		50	EC51016		50	300		52
EC410C8A	1		6		48	EC485C7	1				50	EC51016N		50	300		52
EC410C9	1		4		48	EC490C10	1		3		49	EC51016W05	1		60		
EC410C9A	1		4		48	EC490C5	1		18		49	EC51021		50	300		52
EC411C1	1		100		48	EC490C6	1		16		49	EC51021N		50	300		52
EC411C2	1		50		48	EC490C7	1		8		49	EC51021W05	1		60		
EC411C3	1		36		48	EC490C8	1		4		49	EC51029		25	150		52
EC411C4	1		46		48	EC490C9	1		3		49	EC51029N		25	150		52
EC420C10	1		4		48	EC491C4	1		75		47	EC51029W05	1		15		
EC420C5	1		42		48	EC491C4A	1		75		47	EC51036		15	90		52
EC420C6	1		24		48	EC491C4CR	1		75		54	EC51036N		15	90		52
EC420C7	1		16		48	EC491C5	1		44		47	EC51042		10	60		52
EC420C8	1		6		48	EC491C5A	1		44		47	EC51042N		10	60		52
EC420C9	1		4		48	EC491C5CR	1		44		54	EC51048		5	30		52
EC430C10	1		3		48	EC491C6	1		24		47	EC51048N		5	30		52
EC430C5	1		18		48	EC491C6A	1		24		47	EC52007		50	1000		53
EC430C6	1		16		48	EC491C7	1		9		47	EC52009		50	1000		53
EC430C7	1		8		48	EC491C7A	1		9		47	EC52011		50	1000		53
EC430C8	1		4		48	EC491C8	1		6		47	EC52013		50	1000		53
EC430C9	1		3		48	EC491C8A	1		6		47	EC52016		50	500		53
EC440C10	1		3		49	EC492C4	1		90		47	EC52016M		50	500		53
EC440C5	1		18		49	EC492C4A	1		90		47	EC52020M		50	500		53
EC440C6	1		16		49	EC492C4CR	1		90		54	EC52021		50	500		53
EC440C7	1		8		49	EC492C4P	1		90		48	EC52025M		25	500		53
EC440C8	1		4		49	EC492C5	1		50		47	EC52029		25	500		53
EC440C9	1		3		49	EC492C5A	1		50		47	EC52032M		25	300		53
EC450P10	1		10		49	EC492C5CR	1		50		54	EC52036		25	500		53
EC450P6	1		30		49	EC492C5P	1		50		48	EC52040M		10	300		53
EC450P7	1		30		49	EC492C6	1		28		47	EC52042		10	500		53
EC450P8	1		20		49	EC492C6A	1		28		47	EC52048		10	500		53
EC450P9	1		10		49	EC492C6P	1		28		48	EC52050M		10	300		53
EC451P10	1		10		49	EC492C7	1		10		47	EC52121		10	50		26-29-47
EC451P6	1		30		49	EC492C7A	1		10		47	EC52129		10	50		26-29-47
EC451P7	1		30		49	EC492C7P	1		10		48	EC52136		10	50		26-29-47
EC451P8	1		20		49	EC492C8	1		6		47	EC52207		100	1000		51
EC451P9	1		10		49	EC492C8A	1		6		47	EC52209		100	1000		51
EC460			20		18	EC492C8P	1		6		48	EC52211		100	1000		51
EC46015			10		18	EC493C4	1		90		47	EC52213		100	1000		51
EC460C10			10		49	EC493C5	1		50		47	EC52216		100	1000		51
EC460D10			10		49	EC493C6	1		28		47	EC52221		100	1000		51
EC460D5			10		49	EC493C7	1		10		47	EC52229		50	500		51
EC460D6			10		49	EC493C8	1		6		47	EC52236		50	500		51
EC460D7			10		49	EC50007		50	1200		52	EC52242			50		51
EC460D8			10		49	EC50009		50	1200		52	EC52248			50		51
EC460D9			10		49	EC50011		50	600		52	EC52312		100	1000		51
EC460F			20		18	EC50013		50	600		52	EC52316		100	1000		51
EC47020		100	800		49	EC50016		50	300		52	EC52320		100	1000		51
EC47025		100	600		49	EC50021		50	300		52	EC52325		100	1000		51
EC47025S		100	600		49	EC50029		25	150		52	EC52332		50	500		51
EC47032		100	500		49	EC50036		15	90		52	EC52340		50	500		51
EC47040		100	300		49	EC50042		10	60		52	EC52350			50		51



PRODUCT INDEX

Code	Quantity				Page
	U	C	I	P	
EC52363			50		51
EC53007		100	1000		53
EC53009		100	1000		53
EC53011		100	1000		53
EC53013		100	1000		53
EC53016		100	500		53
EC53016M		100	1000		53
EC53020M		100	1000		53
EC53021		100	500		53
EC53025M		100	500		53
EC53029		100	500		53
EC53032M		100	500		53
EC53036		50	500		53
EC53040M		50	500		53
EC53042		50	500		53
EC53048		50	500		53
EC53050M		50	500		53
EC54016		100	600		52
EC54020		100	600		52
EC54025		50	300		52
EC54032		25	150		52
EC54040		15	90		52
EC54050		10	60		52
EC60004	1		22		45
EC60004B	1		22		45
EC60004BE	1		22		45
EC60004E	1		22		45
EC60008	1		15		45
EC60008B	1		15		45
EC60008BE	1		15		45
EC60008E	1		15		45
EC60012	1		8		45
EC60012B	1		8		45
EC60012BE	1		8		45
EC60012E	1		8		45
EC60018	1				45
EC60018B	1				45
EC60018BE	1				45
EC60018E	1				45
EC60024	1				45
EC60024B	1				45
EC60024BE	1				45
EC60024E	1				45
EC60036	1				45
EC60036B	1				45
EC60036BE	1				45
EC60036E	1				45
EC60054	1				45
EC60054B	1				45
EC60054BE	1				45
EC60054E	1				45
EC60072B	1				45
EC60072BE	1				45
EC600SC	1		10		34-41-46-51
EC600SF			50		30-47
EC600TC			25		41-46-51
EC600TCB			25		41-46-51
EC600TCN			25		41-46-51
EC600TCP			25		41
EC600TCR			25		53
EC61002	1		50		46
EC61003	1		25		46
EC61004	1		22		46
EC61004E	1		22		46
EC61008	1		15		46
EC61008E	1		15		46
EC61012	1		8		46
EC61012E	1		8		46
EC61018	1				46
EC61018E	1				46
EC61024	1				46
EC61024E	1				46
EC61036	1				46
EC61036E	1				46
EC61054	1				46
EC61054E	1				46
EC62002	1		25		46
EC62004	1		22		46
EC62004E	1		22		46
EC62008	1		14		46
EC62008E	1		14		46
EC62012	1		8		46
EC62012E	1		8		46
EC62018	1				46
EC62018E	1				46
EC62024	1				46
EC62024E	1				46
EC62036	1				46
EC62036-3	1				46
EC62036-3E	1				46
EC62036E	1				46
EC62054	1				46
EC62054E	1				46
EC62072	1				46
EC62072E	1				46
EC625001	1				44
EC625001R	1				45
EC625002	1				44
EC625002R	1				45
EC625003	1				44
EC625003R	1				45
EC625004	1				44
EC625004R	1				45
EC625005	1				44
EC625005R	1				45
EC625006	1				44
EC625006R	1				45
EC625007	1				44
EC625007R	1				45
EC625011	1				44
EC625011R	1				45
EC625012	1				44
EC625012R	1				45
EC625013	1				44
EC625013R	1				45
EC625014	1				44
EC625014R	1				45
EC625015	1				44
EC625015R	1				45
EC625016	1				44
EC625016R	1				45
EC625017	1				44
EC625017R	1				45
EC625022	1				44
EC625023	1				44
EC625024	1				44
EC625025	1				44
EC625026	1				44
EC625027	1				44
EC625031	1				44
EC625032	1				44
EC625033	1				44
EC625034	1				44
EC625035	1				44
EC625036	1				44
EC625037	1				44
EC625041	1				44
EC625042	1				44
EC625043	1				44
EC625044	1				44
EC625045	1				44
EC625046	1				44
EC625072	1				44
EC625073	1				44
EC625074	1				44
EC625076	1				44
EC625077	1				44
EC625102	1				44
EC625103	1				44
EC625105	1				44
EC625106	1				44
EC625107	1				44
EC625112	1				44
EC625113	1				44
EC625115	1				44
EC625116	1				44
EC625117	1				44
EC625122	1				44
EC625123	1				44
EC625125	1				44
EC625126	1				44
EC625132	1		100		44
EC625133	1		80		44
EC625135	1				44
EC625136	1		25		44
EC625137	1		30		44
EC625GI	1				45
EC625IO	1				45
EC625REG	1				44
EC625SC	1		150		34-45
EC625SI	1		70		44
EC625SP1	1		15		45
EC625SP3	1		15		45
EC625SP5	1				45
EC625SR	1		10		34-45
EC625ST			10		34-45
EC625SZ	1		70		44
EC63004	1		20		40
EC63004B	1		20		40
EC63004BE	1		20		40
EC63004C	1		20		40
EC63004CE	1		20		40
EC63004E	1		20		40
EC63004N	1		20		40
EC63004NE	1		20		40
EC63008	1		9		40
EC63008B	1		9		40
EC63008BE	1		9		40
EC63008C	1		9		40
EC63008CE	1		9		40
EC63008E	1		9		40
EC63008N	1		9		40



Code	Quantity				Page	Code	Quantity				Page	Code	Quantity				Page
	U	C	I	P			U	C	I	P			U	C	I	P	
EC63008NE	1		9		40	EC63212N-F	1		5		39	EC63554B	1				40
EC63012	1		7		40	EC63212N-FPL	1		5		39	EC63554BE	1				40
EC63012B	1		7		40	EC63212NE	1		5		39	EC63572B	1				40
EC63012BE	1		7		40	EC63212NE-F	1		5		39	EC63572BE	1				40
EC63012C	1		7		40	EC63212NE-FPL	1		5		39	EC63612	1				41
EC63012CE	1		7		40	EC63212S	1		5		39	EC63624	1				41
EC63012E	1		7		40	EC63212S-F	1		5		39	EC63636	1				41
EC63012N	1		7		40	EC63212S-FPL	1		5		39	EC63648	1				41
EC63012NE	1		7		40	EC63212SE	1		5		39	EC63660	1				41
EC63018	1				40	EC63212SE-F	1		5		39	EC63836C	1				41
EC63018B	1				40	EC63212SE-FPL	1		5		39	EC64004	1		22		53
EC63018BE	1				40	EC63224C	1				39	EC64008	1		14		53
EC63018C	1				40	EC63224C-F	1				39	EC64202	1		10		53
EC63018CE	1				40	EC63224C-FPL	1				39	EC64202MAR	1		10		53
EC63018E	1				40	EC63224CE	1				39	EC64400	1				54
EC63018N	1				40	EC63224CE-F	1				39	EC64401			10		54
EC63018NE	1				40	EC63224CE-FPL	1				39	EC64402			10		54
EC63024	1				40	EC63224F	1		4		39	EC64403			10		54
EC63024B	1				40	EC63224FPL	1		4		39	EC64410			10		54
EC63024BE	1				40	EC63224N	1				39	EC64411			10		54
EC63024C	1				40	EC63224N-F	1				39	EC64430	1		10		54
EC63024CE	1				40	EC63224N-FPL	1				39	EC65001	1		20		50
EC63024E	1				40	EC63224NE	1				39	EC65002	1		40		50
EC63024N	1				40	EC63224NE-F	1				39	EC65003	1		28		50
EC63024NE	1				40	EC63224NE-FPL	1				39	EC65004	1		30		50
EC63036	1				40	EC63224S	1				39	EC65005	1		16		50
EC63036B	1				40	EC63224S-F	1				39	EC65006	1		12		50
EC63036BE	1				40	EC63224S-FPL	1				39	EC65007	1		8		50
EC63036C	1				40	EC63224SE	1				39	EC65008	1		8		50
EC63036CE	1				40	EC63224SE-F	1				39	EC65009	1		6		50
EC63036E	1				40	EC63224SE-FPL	1				39	EC65010	1		4		50
EC63036N	1				40	EC63236C	1				39	EC660162E	1		24		28
EC63036NE	1				40	EC63236C-F	1				39	EC660162EI	1		12		28
EC63054	1				40	EC63236C-FPL	1				39	EC660162M	1		24		28
EC63054B	1				40	EC63236CE	1				39	EC660162MI	1		12		28
EC63054BE	1				40	EC63236CE-F	1				39	EC660163E	1		24		28
EC63054C	1				40	EC63236CE-FPL	1				39	EC660163EI	1		12		28
EC63054CE	1				40	EC63236F	1		2		39	EC660163M	1		24		28
EC63054E	1				40	EC63236FPL	1		2		39	EC660163MI	1		12		28
EC63054N	1				40	EC63236N	1				39	EC660164E	1		24		28
EC63054NE	1				40	EC63236N-F	1				39	EC660164EI	1		12		28
EC63072	1				40	EC63236N-FPL	1				39	EC660164M	1		24		28
EC63072B	1				40	EC63236NE	1				39	EC660164MI	1		12		28
EC63072BE	1				40	EC63236NE-F	1				39	EC660202E	1		24		28
EC63072C	1				40	EC63236NE-FPL	1				39	EC660202EI	1		12		28
EC63072CE	1				40	EC63236S	1				39	EC660202M	1		24		28
EC63072E	1				40	EC63236S-F	1				39	EC660202MI	1		12		28
EC63072N	1				40	EC63236S-FPL	1				39	EC660203E	1		24		28
EC63072NE	1				40	EC63236SE	1				39	EC660203EI	1		12		28
EC63112	1				41	EC63236SE-F	1				39	EC660203M	1		24		28
EC63124	1				41	EC63236SE-FPL	1				39	EC660203MI	1		12		28
EC63136	1				41	EC63336C	1				41	EC660204E	1		24		28
EC63148	1				41	EC633MM	1				41	EC660204EI	1		12		28
EC63160	1				41	EC633PP	1				41	EC660204M	1		24		28
EC631SC	1				41	EC63508B	1		9		40	EC660204MI	1		12		28
EC63212C	1		5		39	EC63508BE	1		9		40	EC660322E	1		24		28
EC63212C-F	1		5		39	EC63512B	1		7		40	EC660322EI	1		12		28
EC63212C-FPL	1		5		39	EC63512BE	1		7		40	EC660322M	1		24		28
EC63212CE	1		5		39	EC63518B	1				40	EC660322MI	1		12		28
EC63212CE-F	1		5		39	EC63518BE	1				40	EC660323E	1		24		28
EC63212CE-FPL	1		5		39	EC63524B	1				40	EC660323EI	1		12		28
EC63212F	1		5		39	EC63524BE	1				40	EC660323M	1		24		28
EC63212FPL	1		5		39	EC63536B	1				40	EC660323MI	1		12		28
EC63212N	1		5		39	EC63536BE	1				40	EC660324E	1		24		28



PRODUCT INDEX

Code	Quantity				Page
	U	C	I	P	
EC660324EI	1		12		28
EC660324M	1		24		28
EC660324MI	1		12		28
EC660402E	1		24		28
EC660402EI	1		12		28
EC660402M	1		24		28
EC660402MI	1		12		28
EC660403E	1		24		28
EC660403EI	1		12		28
EC660403M	1		24		28
EC660403MI	1		12		28
EC660404E	1		24		28
EC660404EI	1		12		28
EC660404M	1		24		28
EC660404MI	1		12		28
EC660632E	1		10		28
EC660632M	1		10		28
EC660633E	1		10		28
EC660633M	1		10		28
EC660634E	1		10		28
EC660634M	1		10		28
EC660802E	1		10		28
EC660802M	1		10		28
EC660803E	1		10		28
EC660803M	1		10		28
EC660804E	1		10		28
EC660804M	1		10		28
EC661003E	1		10		28
EC661003M	1		10		28
EC661004E	1		10		28
EC661004M	1		10		28
EC661253C	1				28
EC661253E	1				28
EC661253M	1				28
EC661254C	1				28
EC661254E	1				28
EC661254M	1				28
EC661603C	1				28
EC661603E	1				28
EC661603M	1				28
EC661604C	1				28
EC661604E	1				28
EC661604M	1				28
EC67004			10		41-46-51
EC67012			10		41-46-51
EC67018	1		10		41-46-51
EC680M1			10		41-46-51
EC680M2			10		41-46-51
EC680M3			10		41-46-51
EC680M4			10		41-46-51
EC680M5			10		41-46-51
EC680M6			10		41-46-51
EC69001	1		15		29
EC69002	1		13		29
EC69003	1				29
EC69004	1				29
EC69005	1				29
EC69006	1				29
EC6900700	1				33
EC6900701	1				33
EC6900702	1				33
EC6900703	1				33
EC6900704	1				33
EC6900705	1				33
EC6900706	1				33
EC6900707	1				33
EC6900708	1				33
EC6900709	1				33
EC6900710	1				33
EC6900711	1				33
EC6900712	1				33
EC6900713	1				33
EC6900714	1				33
EC6900715	1				33
EC6900716	1				33
EC6900717	1				33
EC6900720	1				34
EC6900721	1				34
EC6900722	1				34
EC6900723	1				34
EC6900724	1				34
EC6900725	1				34
EC6900726	1				34
EC6900730	1				34
EC6900731	1				34
EC6900732	1				34
EC6900733	1				34
EC6900734	1				34
EC6900735	1				34
EC6900736	1				34
EC6900737	1				34
EC6900738	1				34
EC6900739	1				34
EC6900740	1				34
EC6900741	1				34
EC6900742	1				34
EC6900743	1				34
EC6900744	1				34
EC6900745	1				34
EC6900746	1				34
EC6900747	1				34
EC6900748	1				34
EC6900749	1				34
EC6900750	1				34
EC6900751	1				34
EC6900752	1				34
EC6900753	1				34
EC6900754	1				34
EC6900755	1				34
EC6900756	1				34
EC6900757	1				34
EC6900758	1				34
EC6900759	1				34
EC6900760	1				34
EC6900761	1				34
EC6900762	1				34
EC6900763	1				34
EC6900764	1				34
EC6900770	1				34
EC6900771	1				34
EC6900772	1				34
EC6900773	1				34
EC6900774	1				34
EC6900775	1				34
EC6900776	1				34
EC6900780	1				34
EC6900781	1				34
EC6900782	1				34
EC6900783	1				34
EC6900784	1				34
EC6900785	1				34
EC6900787	1				34
EC6900788	1				34
EC6900789	1				34
EC6900790	1				34
EC6900791	1				34
EC6900792	1				34
EC6900793	1				34
EC6900794	1				34
EC6900795	1				34
EC6900796	1				34
EC6900797	1				34
EC6900798	1				34
EC69007R	1				34
EC69007REL	1				34
EC69007S	1				34
EC69008	1				34
EC6900800	1				35
EC6900801	1				35
EC6900802	1				35
EC6900803	1				35
EC6900804	1				35
EC6900805	1				35
EC6900806	1				35
EC6900807	1				35
EC6900808	1				35
EC6900809	1				35
EC690081	1				34
EC6900810	1				35
EC6900811	1				35
EC6900812	1				35
EC6900813	1				35
EC6900814	1				35
EC6900815	1				35
EC6900816	1				35
EC6900817	1				35
EC690082	1				34
EC6900820	1				35
EC6900821	1				35
EC6900822	1				35
EC6900823	1				35
EC6900824	1				35
EC6900825	1				35
EC6900826	1				35
EC6900827	1				35
EC6900828	1				35
EC6900829	1				35
EC6900830	1				35
EC6900831	1				35
EC6900832	1				35
EC6900840	1				35
EC6900841	1				35
EC6900842	1				35
EC6900843	1				35
EC6900844	1				35
EC6900845	1				35
EC6900846	1				35
EC6900847	1				35
EC6900848	1				35
EC6900849	1				35
EC6900850	1				35
EC6900851	1				35



Code	Quantity				Page	Code	Quantity				Page	Code	Quantity				Page
	U	C	I	P			U	C	I	P			U	C	I	P	
EC6900852	1				35	EC6902104	1				31	EC6902311T	1				32
EC6900853	1				35	EC6902110	1				31	EC6902312	1				31
EC6900854	1				35	EC6902111	1				31	EC6902312T	1				32
EC6900855	1				35	EC6902112	1				31	EC6902313	1				32
EC6900856	1				35	EC6902113	1				33	EC6902313C	1				32
EC6900857	1				35	EC6902120	1				30	EC6902313T	1				32
EC6900858	1				35	EC6902121	1				30	EC6902314	1				32
EC6900860	1				36	EC6902122	1				30	EC6902314T	1				32
EC6900861	1				36	EC6902123	1				30	EC6902315	1				32
EC6900862	1				36	EC6902124	1				30	EC6902318	1				32
EC6900863	1				36	EC6902130	1				30	EC6902318T	1				32
EC6900864	1				36	EC6902131	1				30	EC6902319	1				33
EC6900865	1				36	EC6902132	1				30	EC6902320	1				30
EC6900866	1				36	EC69022	1		13		29	EC6902321	1				30
EC6900867	1				36	EC6902200	1				31	EC6902322	1				30
EC6900868	1				36	EC6902201	1				31	EC6902323	1				30
EC6900869	1				36	EC6902202	1				31	EC6902324	1				30
EC6900870	1				36	EC6902203	1				31	EC6902325	1				30
EC6900871	1				36	EC6902204	1				31	EC6902326	1				30
EC6900872	1				36	EC6902205	1				31	EC6902329	1				30
EC6900873	1				36	EC6902206	1				31	EC6902330	1				30
EC6900874	1				36	EC6902207	1				31	EC6902331	1				30
EC6900880	1				36	EC6902210	1				31	EC6902332	1				30
EC6900881	1				36	EC6902211	1				31	EC6902333	1				30
EC6900882	1				36	EC6902212	1				31	EC6902334	1				30
EC6900883	1				36	EC6902213	1				31	EC6902335	1				30
EC6900884	1				36	EC6902214	1				31	EC6902336	1				30
EC6900885	1				36	EC6902220	1				30	EC6902337	1				30
EC6900886	1				36	EC6902221	1				30	EC6902338	1				30
EC6900887	1				36	EC6902222	1				30	EC69024	1				29
EC6900888	1				36	EC6902223	1				30	EC6902400	1				32
EC6900889	1				36	EC6902224	1				30	EC6902401	1				32
EC6900890	1				36	EC6902225	1				30	EC6902402	1				32
EC6900891	1				36	EC6902226	1				30	EC6902403	1				32
EC6900892	1				36	EC6902227	1				30	EC6902404	1				32
EC6900893	1				36	EC6902230	1				30	EC6902405	1				32
EC6900894	1				36	EC6902231	1				30	EC6902410	1				32
EC6900895	1				36	EC6902232	1				30	EC6902411	1				32
EC6900896	1				36	EC6902233	1				30	EC6902412	1				32
EC6900897	1				36	EC6902234	1				30	EC6902413	1				32
EC6900898	1				36	EC69023	1				29	EC6902414	1				32
EC6900899	1				36	EC6902300	1				31	EC6902420	1				30
EC69008A1	1				34	EC6902300C	1				32	EC6902421	1				30
EC69008A2	1				34	EC6902300T	1				32	EC6902422	1				30
EC69008A3	1				34	EC6902301	1				31	EC6902423	1				30
EC69008A4	1				34	EC6902301T	1				32	EC6902424	1				30
EC69008A5	1				35	EC6902302	1				31	EC6902425	1				30
EC69008A6	1				35	EC6902302T	1				32	EC6902430	1				30
EC69008E	1				36	EC6902303	1				31	EC6902431	1				30
EC69008P	1				36	EC6902303C	1				32	EC6902432	1				30
EC69008R	1				36	EC6902303T	1				32	EC6902433	1				30
EC69008S	1				36	EC6902304	1				31	EC6902434	1				30
EC69008T	1				36	EC6902304C	1				32	EC6902440	1				32
EC69011	1		15		29	EC6902304T	1				32	EC6902441	1				32
EC69012	1		13		29	EC6902305	1				31	EC6902442	1				32
EC69013	1				29	EC6902305T	1				32	EC6902443	1				32
EC69014	1				29	EC6902306	1				33	EC6902444	1				32
EC69015	1				29	EC6902307	1				33	EC6902445	1				32
EC69016	1				29	EC6902308	1				31	EC6902450	1				32
EC69021	1		15		29	EC6902309	1				31	EC6902451	1				32
EC6902100	1				31	EC6902310	1				31	EC6902452	1				32
EC6902101	1				31	EC6902310C	1				32	EC6902453	1				32
EC6902102	1				31	EC6902310T	1				32	EC6902454	1				32
EC6902103	1				31	EC6902311	1				31	EC6902455	1				32



PRODUCT INDEX

Code	Quantity				Page
	U	C	I	P	
EC6902460	1				30
EC6902461	1				30
EC6902462	1				30
EC6902463	1				30
EC6902464	1				30
EC6902465	1				30
EC6902470	1				30
EC6902471	1				30
EC6902472	1				30
EC6902473	1				30
EC6902474	1				30
EC6902475	1				30
EC69025	1				29
EC6902500	1				32
EC6902500C	1				32
EC6902500T	1				32
EC6902501	1				32
EC6902501C	1				32
EC6902501T	1				32
EC6902502	1				32
EC6902502C	1				32
EC6902502T	1				32
EC6902503	1				32
EC6902503C	1				32
EC6902503T	1				32
EC6902504	1				32
EC6902504C	1				32
EC6902504T	1				32
EC6902505	1				32
EC6902505C	1				32
EC6902505T	1				32
EC6902510	1				32
EC6902510C	1				32
EC6902510T	1				32
EC6902511	1				32
EC6902511C	1				32
EC6902511T	1				32
EC6902512	1				32
EC6902512C	1				32
EC6902512T	1				32
EC6902513	1				32
EC6902513C	1				32
EC6902513T	1				32
EC6902514	1				32
EC6902514C	1				32
EC6902514T	1				32
EC6902515	1				32
EC6902515C	1				32
EC6902515T	1				32
EC6902516	1				32
EC6902520	1				30
EC6902521	1				30
EC6902522	1				30
EC6902523	1				30
EC6902524	1				30
EC6902525	1				30
EC6902530	1				30
EC6902531	1				30
EC6902532	1				30
EC6902533	1				30
EC6902534	1				30
EC6902535	1				30
EC6902540	1				33
EC6902541	1				33
EC6902542	1				33
EC6902543	1				33
EC6902544	1				33
EC6902545	1				33
EC6902550	1				33
EC6902551	1				33
EC6902552	1				33
EC6902553	1				33
EC6902554	1				33
EC6902555	1				33
EC6902560	1				31
EC6902561	1				31
EC6902562	1				31
EC6902563	1				31
EC6902564	1				31
EC6902565	1				31
EC6902570	1				31
EC6902571	1				31
EC6902572	1				31
EC6902573	1				31
EC6902574	1				31
EC6902575	1				31
EC69026	1				29
EC6902600	1				32
EC6902601	1				32
EC6902602	1				32
EC6902603	1				32
EC6902610	1				32
EC6902611	1				32
EC6902612	1				32
EC6902613	1				32
EC6902620	1				31
EC6902621	1				31
EC6902622	1				31
EC6902623	1				31
EC6902630	1				31
EC6902631	1				31
EC6902632	1				31
EC6902633	1				31
EC6902D	1		20		21
EC6902F	1		20		21
EC69034	1				29
EC69035	1				29
EC69036	1				29
EC6903600	1				33
EC6903601	1				33
EC6903602	1				33
EC6903603	1				33
EC6903610	1				33
EC6903611	1				33
EC6903612	1				33
EC6903613	1				33
EC6903620	1				31
EC6903621	1				31
EC6903622	1				31
EC6903623	1				31
EC6903630	1				31
EC6903631	1				31
EC6903632	1				31
EC6903633	1				31
EC6903D	1		30		21
EC6903F	1		20		21
EC69040	1				30
EC69040T	1				30
EC69041	1				30
EC69041T	1				30
EC69045	1				29
EC6904500	1				33
EC6904501	1				33
EC6904502	1				33
EC6904503	1				33
EC6904504	1				33
EC6904505	1				33
EC6904506	1				33
EC6904507	1				33
EC6904508	1				33
EC6904509	1				33
EC6904510	1				33
EC6904511	1				33
EC6904520	1				33
EC6904521	1				33
EC6904522	1				33
EC6904523	1				33
EC6904524	1				33
EC6904525	1				33
EC6904526	1				33
EC6904527	1				33
EC6904528	1				33
EC6904529	1				33
EC6904530	1				33
EC6904531	1				33
EC6904540	1				31
EC6904541	1				31
EC6904542	1				31
EC6904543	1				31
EC6904544	1				31
EC6904545	1				31
EC6904546	1				31
EC6904547	1				31
EC6904548	1				31
EC6904549	1				31
EC6904550	1				31
EC6904551	1				31
EC6904560	1				31
EC6904561	1				31
EC6904562	1				31
EC6904563	1				31
EC6904564	1				31
EC6904565	1				31
EC6904566	1				31
EC6904567	1				31
EC6904568	1				31
EC6904569	1				31
EC6904570	1				31
EC6904571	1				31
EC69046	1				29
EC6904600	1				33
EC6904601	1				33
EC6904602	1				33
EC6904603	1				33
EC6904610	1				33
EC6904611	1				33
EC6904612	1				33
EC6904613	1				33
EC6904620	1				31
EC6904621	1				31
EC6904622	1				31
EC6904623	1				31



Code	Quantity				Page
	U	C	I	P	
EC6904630	1				31
EC6904631	1				31
EC6904632	1				31
EC6904633	1				31
EC69050	1	10	80		22
EC690501	1		12		23
EC690501D	1		12		23
EC69051	1	10	80		22
EC690510	1	10	80		27
EC690511	1		12		23
EC690511D	1		12		23
EC690512	1		10		27
EC690513	1		10		27
EC690514	1		100		23
EC690515	1		100		23
EC69052	1	10	80		22
EC690520	1		10		27
EC690521	1		12		23
EC690521D	1		12		23
EC690525	1		10		27
EC69053	1	10	80		22
EC690530	1		10		27
EC690531	1		12		23
EC690531D	1		12		23
EC69054	1	10	60		22
EC690540	1		10		27
EC690541	1		12		23
EC690541D	1		12		23
EC69055	1	10	60		22
EC690550	1		12		27
EC690551	1		12		23
EC690551D	1		12		23
EC690555	1		12		27
EC69056	1		30		23
EC690561	1		12		23
EC690561D	1		12		23
EC69057	1		30		23
EC690571	1		12		23
EC690571D	1		12		23
EC69058	1	10	40		22
EC690581	1		12		23
EC690581D	1		12		23
EC69059	1	10	40		22
EC690591	1		12		23
EC690591D	1		12		23
EC69060	1	10	60		22
EC69061	1	10	60		22
EC6906D	1		20		21
EC6906F	1		20		21
EC69070	1	10	80		20
EC690701	1	10	40		22
EC690702	1		10		27
EC690703	1		5		27
EC69071	1	10	80		20
EC690711	1	5	30		22
EC690712	1		10		27
EC690713	1		5		27
EC690714-20	1				27
EC690714-3	1				27
EC690714-30	1				27
EC69072	1	10	80		20
EC690721	1	10	40		22
EC690722	1		5		27
EC690723	1		4		27
EC69072P	1		10		21
EC69073	1	10	60		20
EC690731	1	5	30		22
EC690732	1		5		27
EC690733	1		4		27
EC69073P	1		10		21
EC69074	1	10	80		20
EC690741	1	10	40		22
EC690743	1		4		27
EC69074P	1		10		21
EC69075	1	10	60		20
EC690751	1	5	30		22
EC690753	1		4		27
EC690754-3	1				27
EC69075P	1		10		21
EC69076	1	10	80		20
EC690761	1	10	40		22
EC690763	1		4		27
EC69076P	1		10		21
EC69077	1	10	40		20
EC690771	1	5	20		22
EC690773	1		4		27
EC69077P	1		10		21
EC69078	1	10	60		20
EC690781	1	10	40		22
EC690783	1		4		27
EC69078P	1		10		21
EC69079	1	10	40		20
EC690791	1	5	20		22
EC690793	1		4		27
EC69079P	1		10		21
EC6907D	1		20		21
EC6907F	1		20		21
EC69080	1	10	80		20
EC69081	1	10	80		20
EC69082	1	10	80		20
EC69083	1	10	60		20
EC69084	1	10	80		20
EC69085	1	10	40		20
EC69086	1	10	60		20
EC69087	1	10	40		20
EC69088	1	10	40		20
EC69089	1	10	40		20
EC69090	1		24		25
EC690900	1		20		26
EC6909004	1		10		26
EC690901	1		24		25
EC6909014	1		10		26
EC690901F	1		10		25
EC6909024	1		5		26
EC6909034	1		3		26
EC690904	1		10		24
EC6909041	1		10		24
EC6909041F	1		10		24
EC6909044	1		2		26
EC690904F	1		10		24
EC690905	1		14		26
EC69090F	1		10		25
EC69091	1		24		25
EC690910	1		12		26
EC690911	1		24		26
EC690911F	1		10		25
EC690914	1		10		24
EC6909141	1		10		24
EC6909141F	1		10		24
EC690914F	1		10		24
EC690915	1		12		26
EC69091F	1		10		25
EC69092	1		24		25
EC690920	1		14		26
EC690921	1		24		25
EC690921F	1		10		25
EC690924	1		10		24
EC6909241	1		10		24
EC6909241F	1		10		24
EC690924F	1		10		24
EC69092F	1		10		25
EC69093	1		24		25
EC690930	1		14		26
EC690931	1		24		26
EC690931F	1		10		25
EC690934	1		10		24
EC6909341	1		10		24
EC6909341F	1		10		24
EC690934F	1		10		24
EC69093F	1		10		25
EC69094	1		24		25
EC690941	1		24		25
EC690941F	1		10		25
EC690944	1		10		24
EC6909441	1		10		24
EC6909441F	1		10		24
EC690944F	1		10		24
EC69094F	1		10		25
EC69095	1		24		25
EC690951	1		24		26
EC690951F	1		10		25
EC690954	1		10		24
EC6909541	1		10		24
EC6909541F	1		10		24
EC690954F	1		10		24
EC69095F	1		10		25
EC69096	1		24		25
EC690961	1		24		25
EC690961F	1		10		25
EC690964	1		10		24
EC6909641	1		10		24
EC6909641F	1		10		24
EC690964F	1		10		24
EC69096F	1		10		25
EC69097	1		24		25
EC690971	1		24		26
EC690971F	1		10		25
EC690974	1		10		24
EC6909741	1		10		25
EC6909741F	1		10		24
EC690974F	1		10		24
EC69097F	1		10		25
EC69098	1		24		25
EC690981	1		24		25
EC690981F	1		10		25
EC690984	1		10		24
EC6909841	1		10		24
EC6909841F	1		10		24
EC690984F	1		10		24
EC69098F	1		10		25
EC69099	1		24		25
EC690991	1		24		26



PRODUCT INDEX

Code	Quantity				Page
	U	C	I	P	
EC690991F	1		10		25
EC690994	1		10		24
EC6909941	1		10		25
EC6909941F	1		10		24
EC690994F	1		10		24
EC69099F	1		10		25
EC690F1	1		10		26-29
EC690F2	1		10		29
EC690F3	1		10		26-29
EC690F4	1		20		26-29
EC690F5	1		10		29
EC690F6	1		10		26-29
EC690F7	1		10		26-29
EC690FU02		10	50		26
EC690FU06		10	50		26
EC690FU16		10	50		26
EC690FU32		10	50		26
EC690FU63		10	50		26
EC690MA	1		10		29
EC690PL1	1				36
EC690PL1E	1				36
EC690PL2	1				36
EC690PL2E	1				36
EC690PL3	1				36
EC690PL3E	1				36
EC690PL4	1				36
EC690PL4E	1				36
EC690PL5	1				36
EC690PL5E	1				36
EC690PL6	1				36
EC690PL6E	1				36
EC690PL7	1				36
EC690PL7E	1				36
EC69100	1	10	80		22
EC691001	1		12		23
EC691001D	1		12		23
EC69101	1	10	80		22
EC691011	1		12		23
EC691011D	1		12		23
EC69102	1	10	60		22
EC691021	1		12		23
EC691021D	1		12		23
EC69103	1	10	60		22
EC691031	1		12		23
EC691031D	1		12		23
EC69104	1	10	80		22
EC691041	1		12		23
EC691041D	1		12		23
EC69105	1	10	80		22
EC691051	1		12		23
EC691051D	1		12		23
EC69106	1	10	80		22
EC691061	1		12		23
EC691061D	1		12		23
EC69107	1	10	60		22
EC691071	1		12		23
EC691071D	1		12		23
EC6910800	1				35
EC6910801	1				35
EC6910802	1				35
EC6910803	1				35
EC6910804	1				35
EC6910805	1				35
EC6910806	1				35
EC6910807	1				35
EC6910808	1				35
EC6910809	1				35
EC6910810	1				35
EC6910811	1				35
EC6910812	1				35
EC6910813	1				35
EC6910814	1				35
EC6910815	1				35
EC6910816	1				35
EC6910817	1				35
EC6910818	1				35
EC6910819	1				35
EC6910820	1				35
EC6910821	1				35
EC6910822	1				35
EC6910840	1				35
EC6910841	1				35
EC6910842	1				35
EC6910843	1				35
EC6910844	1				35
EC6910845	1				35
EC6910846	1				35
EC6910860	1				36
EC6910861	1				36
EC6910862	1				36
EC6910863	1				36
EC6910864	1				36
EC6910865	1				36
EC6910880	1				36
EC6910881	1				36
EC6910882	1				36
EC6910883	1				36
EC6910884	1				36
EC6910885	1				36
EC6910890	1				36
EC6910891	1				36
EC6910892	1				36
EC6910893	1				36
EC6910894	1				36
EC6910895	1				36
EC69170	1	10	80		20
EC691702	1		10		27
EC691703	1		6		27
EC69171	1	10	80		20
EC69172	1	10	80		20
EC69173	1	10	80		20
EC69174	1	10	80		20
EC691742	1		5		27
EC691743	1		6		27
EC69175	1	10	60		20
EC69176	1	10	40		20
EC69177	1	10	40		20
EC69179	1	2	16		20
EC69180	1	10	80		20
EC69181	1	10	80		20
EC69182	1	10	60		20
EC69183	1	10	60		20
EC69184	1	10	80		20
EC69185	1	10	60		20
EC69186	1	10	60		20
EC69187	1	10	60		20
EC69190	1		24		25
EC691901	1		24		25
EC691901F	1		10		25
EC691904	1		10		24
EC6919041	1		10		24
EC6919041F	1		10		24
EC691904F	1		10		24
EC69190F	1		10		25
EC69194	1		24		25
EC691941	1		24		26
EC691941F	1		10		25
EC691944	1		10		24
EC6919441	1		10		24
EC6919441F	1		10		24
EC691944F	1		10		24
EC69194F	1		10		25
EC69250	1	10	80		22
EC692501	1		12		23
EC692501D	1		12		23
EC69251	1	10	60		22
EC69252	1	10	60		22
EC692521	1		12		23
EC692521D	1		12		23
EC69253	1	10	60		22
EC692531	1		12		23
EC692531D	1		12		23
EC69254	1	10	80		22
EC692541	1		12		23
EC692541D	1		12		23
EC69255	1	10	60		22
EC69256	1	10	80		22
EC692561	1		12		23
EC692561D	1		12		23
EC69257	1	10	60		22
EC692571	1		12		23
EC692571D	1		12		23
EC69258	1	2	16		22
EC692581	1		2		23
EC692584	1		10		24
EC6925841	1		10		25
EC6925841F	1		10		24
EC692584F	1		10		24
EC69259	1	2	16		22
EC692591	1		2		23
EC692594	1		10		24
EC6925941	1		10		25
EC6925941F	1		10		24
EC692594F	1		10		24
EC69270	1	10	80		20
EC692703	1		4		27
EC69271	1	10	80		20
EC692713	1		4		27
EC69272	1	10	80		20
EC692721	1	10	40		22
EC69273	1	10	80		20
EC69274	1	10	60		20
EC692743	1		4		27
EC69275	1	10	40		20
EC692753	1		4		27
EC69276	1	10	40		20
EC692761	1	5	30		22
EC69277	1	10	40		20
EC69278	1	2	16		20
EC692781	1		2		22
EC69279	1	2	16		20
EC69280	1	10	80		20



Code	Quantity				Page	Code	Quantity				Page	Code	Quantity				Page
	U	C	I	P			U	C	I	P			U	C	I	P	
EC69281	1	10	80		20	EC693511	1		2		23	EC6992122	1				37
EC69282	1	10	60		20	EC693514	1		10		24	EC6992122L	1				37
EC69283	1	10	60		20	EC6935141	1		10		25	EC6992124	1				37
EC69284	1	10	60		20	EC6935141F	1		10		24	EC6992124L	1				37
EC69285	1	10	40		20	EC693514F	1		10		24	EC6992125	1				37
EC69286	1	10	60		20	EC69370	1	2	16		20	EC6992126	1				37
EC69287	1	10	60		20	EC693701	1		2		22	EC6992130	1				37
EC69288	1	2	16		21	EC69371	1	2	16		20	EC6992131	1				37
EC69289	1	2	16		21	EC693711	1		2		22	EC6992131L	1				37
EC69290	1		24		25	EC69380	1	2	16		21	EC6992134	1				37
EC692901	1		24		25	EC69381	1	2	16		21	EC6992134L	1				37
EC692901F	1		10		25	EC69400	1	10	80		22	EC6992135	1				37
EC692904	1		10		24	EC694001	1		12		23	EC6992136	1				37
EC6929041	1		10		24	EC694001D	1		12		23	EC6992220	1				37
EC6929041F	1		10		24	EC69401	1	10	80		22	EC6992221	1				37
EC692904F	1		10		24	EC694011	1		12		23	EC6992222	1				37
EC69290F	1		10		25	EC694011D	1		12		23	EC6992222L	1				37
EC69292	1		24		25	EC69402	1	10	80		22	EC6992223	1				37
EC692921	1		24		25	EC694021	1		12		23	EC6992224	1				37
EC692921F	1		10		25	EC694021D	1		12		23	EC6992225	1				37
EC692924	1		10		24	EC69403	1	10	80		22	EC6992225L	1				37
EC6929241	1		10		24	EC694031	1		12		23	EC6992226	1				37
EC6929241F	1		10		24	EC694031D	1		12		23	EC6992226L	1				37
EC692924F	1		10		24	EC69470	1	10	80		20	EC6992227	1				37
EC69292F	1		10		25	EC69471	1	10	80		20	EC6992228	1				37
EC69293	1		24		25	EC69472	1	10	80		20	EC6992230	1				37
EC692931	1		24		25	EC69473	1	10	60		20	EC6992231	1				37
EC692931F	1		10		25	EC69480	1	10	80		20	EC6992233	1				37
EC692934	1		10		24	EC69481	1	10	80		20	EC6992235	1				37
EC6929341	1		10		24	EC69482	1	10	80		20	EC6992235L	1				37
EC6929341F	1		10		24	EC69483	1	10	60		20	EC6992237	1				37
EC692934F	1		10		24	EC694924	1		10		25	EC6992238	1				37
EC69293F	1		10		25	EC6949241	1		10		25	EC6992320	1				37
EC69294	1		24		25	EC6949241F	1		10		25	EC6992320L	1				37
EC692941	1		24		26	EC694924F	1		10		25	EC6992320LM	1				38
EC692941F	1		10		25	EC69651	1	2	8		22	EC6992320M	1				38
EC692944	1		10		24	EC69653	1	2	8		22	EC6992324	1				37
EC6929441	1		10		24	EC69654	1	2	8		22	EC6992324L	1				37
EC6929441F	1		10		24	EC69655	1	2	8		22	EC6992324LM	1				38
EC692944F	1		10		24	EC69671	1	2	8		20	EC6992324M	1				38
EC69294F	1		10		25	EC69673	1	2	8		20	EC6992325	1				37
EC69296	1		24		25	EC69674	1	2	8		20	EC6992325L	1				37
EC692961	1		24		26	EC69675	1	2	8		20	EC6992325LM	1				38
EC692961F	1		10		25	EC69681	1	2	8		21	EC6992325M	1				38
EC692964	1		10		24	EC69683	1	2	8		21	EC6992326	1				37
EC6929641	1		10		24	EC69684	1	2	8		21	EC6992326L	1				37
EC6929641F	1		10		24	EC69685	1	2	8		21	EC6992326LM	1				38
EC692964F	1		10		24	EC69901	1				38	EC6992326M	1				38
EC69296F	1		10		25	EC69902	1				38	EC6992327	1				37
EC69297	1		24		25	EC69903	1				38	EC6992327L	1				37
EC692971	1		24		26	EC69905	1				38	EC6992327LM	1				38
EC692971F	1		10		25	EC6992020	1				37	EC6992327M	1				38
EC692974	1		10		24	EC6992020L	1				37	EC6992328	1				37
EC6929741	1		10		24	EC6992021	1				37	EC6992328L	1				37
EC6929741F	1		10		24	EC6992021L	1				37	EC6992328LM	1				38
EC692974F	1		10		24	EC6992021XL	1				37	EC6992328M	1				38
EC69297F	1		10		25	EC6992022	1				37	EC6992329	1				37
EC69350	1	2	16		22	EC6992022L	1				37	EC6992329L	1				37
EC693501	1		2		23	EC6992022XL	1				37	EC6992329LM	1				38
EC693504	1		10		24	EC6992025	1				37	EC6992329M	1				38
EC6935041	1		10		25	EC6992025L	1				37	EC6992330	1				37
EC6935041F	1		10		24	EC6992120	1				37	EC6992330L	1				37
EC693504F	1		10		24	EC6992121	1				37	EC6992330LM	1				38
EC69351	1	2	16		22	EC6992121L	1				37	EC6992330M	1				38



PRODUCT INDEX

Code	Quantity				Page	Code	Quantity				Page	Code	Quantity				Page
	U	C	I	P			U	C	I	P			U	C	I	P	
EC6992334	1				37	EC70025CR		25	400		54	EC75225		10	200		61
EC6992334L	1				37	EC70032		25	200		60	EC75232		10	100		61
EC6992334LM	1				38	EC70040		10	100		60	EC75240		5	100		61
EC6992334M	1				38	EC70050		10	70		60	EC75250		5	40		61
EC6992335	1				37	EC71016		25	500		60	EC75316		10	200		61
EC6992335L	1				37	EC71020		25	400		60	EC75320		10	200		61
EC6992335LM	1				38	EC71020CR		25	400		54	EC75325		10	100		61
EC6992335M	1				38	EC71025		25	250		60	EC75332		10	50		61
EC6992336	1				37	EC71025CR		25	250		54	EC75340		5	20		61
EC6992336L	1				37	EC71032		25	150		60	EC75350			12		61
EC6992336LM	1				38	EC71040		10	70		60	EC75416		10	200		61
EC6992336M	1				38	EC71050		10	50		60	EC75420		10	200		61
EC6992337	1				37	EC72016		25	500		60	EC75425		10	160		61
EC6992337L	1				37	EC72020		25	500		60	EC75432		10	80		61
EC6992337LM	1				38	EC72025		25	300		60	EC75440		5	60		61
EC6992337M	1				38	EC72032		25	200		60	EC75450		5	40		61
EC6992338	1				37	EC72040		10	100		60	EC75516		50	200		61
EC6992338L	1				37	EC72050		10	60		60	EC75520		50	200		61
EC6992338LM	1				38	EC73016		25	300		60	EC75525		35	140		61
EC6992338M	1				38	EC73020		25	200		60	EC75532		20	80		61
EC6992339	1				37	EC73020CR		25	200		54	EC75540		15	60		61
EC6992339L	1				37	EC73025		25	100		60	EC75550		10	40		61
EC6992339LM	1				38	EC73025CR		25	100		54	EC75616		50	200		61
EC6992339M	1				38	EC73032		10	50		60	EC75620		50	200		61
EC699P10	1				38	EC73040		10	30		60	EC75625		35	140		61
EC699P11	1				38	EC73050			15		60	EC75632		20	80		61
EC699P12	1				38	EC74016		10	250		60	EC75640		10	40		61
EC699P13	1				38	EC74020		10	200		60	EC75650		10	40		61
EC699P14	1				38	EC74025		10	150		60	EC8001025		100	5000		64
EC699P15	1				38	EC74032		10	100		60	EC8001436		100	5000		64
EC699P16	1				38	EC74040		5	50		60	EC8001625		100	5000		64
EC699P17	1				38	EC74050		5	40		60	EC8001648		100	5000		64
EC699P18	1				38	EC74116		10	350		60	EC8002025		100	5000		64
EC699P20	1				38	EC74120		10	350		60	EC8002036		100	5000		64
EC699P21	1				38	EC74125		10	200		60	EC8002048		100	5000		64
EC699P22	1				38	EC74132		10	100		60	EC8002548		100	5000		64
EC699P23	1				38	EC74140		5	80		60	EC8002936		100	5000		64
EC699P24	1				38	EC74150		5	40		60	EC8002948		100	4000		64
EC699P25	1				38	EC74216		10	350		60	EC8002976		100	2000		64
EC699P26	1				38	EC74220		10	250		60	EC8003648		100	3000		64
EC699P27	1				38	EC74225		10	200		60	EC8003676		100	2000		64
EC699P28	1				38	EC74232		10	100		60	EC8004348		100	3000		64
EC699P30	1				38	EC74240		5	80		60	EC8004390		100	1000		64
EC699P31	1				38	EC74250		5	40		60	EC8005390		100	1000		64
EC699P32	1				38	EC74316		10	150		60	EC8101025		100	5000		64
EC699P33	1				38	EC74320		10	100		60	EC8101436		100	5000		64
EC699P34	1				38	EC74325		10	100		60	EC8101625		100	5000		64
EC699P35	1				38	EC74332		10	50		60	EC8101648		100	5000		64
EC699P36	1				38	EC74340		5	20		60	EC8102025		100	5000		64
EC699P37	1				38	EC74350		5	15		60	EC8102036		100	5000		64
EC699P38	1				38	EC75016		10	350		60	EC8102048		100	5000		64
EC699P40	1				38	EC75020		10	350		60	EC8102548		100	5000		64
EC699P41	1				38	EC75025		10	200		60	EC8102936		100	5000		64
EC699P42	1				38	EC75032		10	100		60	EC8102948		100	4000		64
EC699P43	1				38	EC75040		5	80		60	EC8102976		100	2000		64
EC699P44	1				38	EC75050		5	40		60	EC8103648		100	3000		64
EC699P45	1				38	EC75116		10	350		61	EC8103676		100	2000		64
EC699P46	1				38	EC75120		10	200		61	EC8104348		100	3000		64
EC699P47	1				38	EC75125		10	200		61	EC8104390		100	1000		64
EC699P48	1				38	EC75132		10	100		61	EC8105390		100	1000		64
EC70016		25	500		60	EC75140		5	80		61	EC83036		100	5000		64
EC70020		25	500		60	EC75150		5	40		61	EC83048		100	5000		64
EC70020CR		25	500		54	EC75216		10	350		61	EC84036		100	5000		64
EC70025		25	400		60	EC75220		10	350		61	EC84048		100	5000		64



Code	Quantity				Page
	U	C	I	P	
EC85048		100	5000		64
EC85090		100	5000		64
EC86048		100	5000		64
EC86090		100	5000		64
EC8701025		100	5000		64
EC8702025		100	5000		64
EC88085		100	5000		64
EC890010		10	900		52
EC890011		10	500		52
EC890012		10	400		52
EC890013		10	250		52
EC890014		10	200		52
EC890015		10	100		52
EC890016		5	450		52
EC890017		5	240		52
EC890020	1		40		52
EC890021	1		150		52
EC890050		10	340		41-46-51
EC890051		10	320		41-46-51
EC890052		10	240		41-46-51
EC890053		10	340		41-46-51
EC890054		10	320		41-46-51
EC890055		10	240		41-46-51
EC890056		10	340		41-46-51
EC890057		10	320		41-46-51
EC890058		10	240		41-46-51
EC891010		10	200		73
EC891011		10	200		73
EC891012		10	200		73
EC891013		10	200		73
EC891014		10	200		73
EC891015		10	200		73
EC891020		10	100		73
EC891021		10	100		73
EC891022		10	100		73
EC891023		10	100		73
EC891024		10	100		73
EC891025		10	100		73
EC90010060			16		15
EC90011075			16		15
EC9006045			30		15
EC9007055			24		15
EC9008060			16		15
EC9009065			16		15
EC901Y		20	200		16
EC90201	1		20		16
EC90310060			30		16
EC90311075			30		16
EC9036045			30		16
EC9037055			30		16
EC9038060			30		16
EC9039065			30		16
EC90401		2	24		16
EC90402		2	24		16
EC90403	1		24		16
EC90411	1		24		16
EC91010060			10		15
EC91011075			10		15
EC9106045			10		15
EC9107055			10		15
EC9108060			10		15
EC9109065			10		15
EC92010060			10		15
EC92011075			10		15
EC9206045			10		15
EC9207055			10		15
EC9208060			10		15
EC9209065			10		15
EC93010060			10		15
EC93011075			10		15
EC9306045			10		15
EC9307055			10		15
EC9308060			10		15
EC9309065			10		15
EC94010060			20		15
EC94011075			10		15
EC9406045			20		15
EC9407055			20		15
EC9408060			20		15
EC9409065			20		15
EC95010060			10		15
EC95011075			10		15
EC9506045			10		15
EC9507055			10		15
EC9508060			10		15
EC9509065			10		15
EC96010060			20		15
EC96011075			10		15
EC9606045			20		15
EC9607055			20		15
EC9608060			20		15
EC9609065			20		15
EC97010060			20		16
EC97011075			10		16
EC9706045			20		16
EC9707055			20		16
EC9708060			20		16
EC9709065			20		16
EC98010060			10		16
EC98011075			10		16
EC9806045			10		16
EC9807055			10		16
EC9808060			10		16
EC9809065			10		16
EC9906FE16			30	5400	16
EC9906FE18			30	4320	16
EC9906FE20			30	4320	16
ECA100100			16	192	17
ECA100100BL			16	192	17
ECA10040			28	504	17
ECA10060			20	360	17
ECA10060BL			20	360	17
ECA10080			24	288	17
ECA10080BL			24	288	17
ECA12040			24	432	17
ECA12060			20	360	17
ECA12080			16	288	17
ECA150100			8	144	17
ECA15080			12	216	17
ECA25100			20	800	17
ECA2525			100	2000	17
ECA2525BL			100	2000	17
ECA2540			100	1800	17
ECA2540BL			100	1800	17
ECA2560			70	1260	17
ECA2560BL			70	1260	17
ECA2580			56	1008	17
ECA2580BL			56	1008	17
ECA40100			32	576	17
ECA40100BL			32	576	17
ECA4025			80	1600	17
ECA4025BL			80	1600	17
ECA4040			70	1260	17
ECA4040BL			70	1260	17
ECA4060			56	1008	17
ECA4060BL			56	1008	17
ECA4080			40	720	17
ECA4080BL			40	720	17
ECA60100			24	288	17
ECA60100BL			24	288	17
ECA6040			50	900	17
ECA6040BL			50	900	17
ECA6060			32	576	17
ECA6060BL			32	576	17
ECA6080			36	432	17
ECA6080BL			36	432	17
ECA80100			24	288	17
ECA80100BL			24	288	17
ECA8040			40	720	17
ECA8040BL			40	720	17
ECA8060			28	504	17
ECA8060BL			28	504	17
ECA8080			30	360	17
ECA8080BL			30	360	17
ECAC16	1		80		65
ECAC16L	1				65
ECAC20	1				65
ECAC20L	1				65
ECAC25	1				65
ECAC25L	1				65
ECAC32	1				65
ECAC32L	1				65
ECADC	1				18
ECAE10040B			10		11
ECAE10060B			10		11
ECAE10080B			10		11
ECAE12040B			10		11
ECAE12060B			10		11
ECAE12080B			10		11
ECAE15060B			8		11
ECAE1517B		2	50		8
ECAE20060B			4		11
ECAE20080B			4		11
ECAE2010B		2	50		8
ECAE2210B		2	50		8
ECAE2213B		2	50		9
ECAE2517B		2	50		8
ECAE2525B		2	50		8
ECAE3010B		2	50		8
ECAE3213B		2	50		9
ECAE4010B		2	50		8
ECAE4017B		2	50		8
ECAE4025B		2	50		8
ECAE4040B		2	50		11
ECAE6017B		2	50		8
ECAE6040B		2	50		11
ECAE6060B			10		11
ECAE8040B			10		11
ECAE8060B			10		11
ECAE8080B			10		11
ECAH10040			28	504	18
ECAH10060			20	360	18



PRODUCT INDEX

Code	Quantity				Page
	U	C	I	P	
ECAH10080			24	288	18
ECAH12040			24	432	18
ECAH12060			20	360	18
ECAH12080			16	288	18
ECAH2540			100	1800	18
ECAH2560			70	1260	18
ECAH2580			56	1008	18
ECAH4040			70	1260	18
ECAH4060			56	1008	18
ECAH4080			40	720	18
ECAH6040			50	900	18
ECAH6060			32	576	18
ECAH6080			36	432	18
ECAH8040			40	720	18
ECAH8060			28	504	18
ECAH8080			30	360	18
ECAI10040B			10		11
ECAI10060B			10		11
ECAI10080B			10		11
ECAI12040B			10		11
ECAI12060B			10		11
ECAI12080B			10		11
ECAI15060B			8		11
ECAI1517B	2	50			8
ECAI20060B			5		11
ECAI20080B			5		11
ECAI2010B		2	50		8
ECAI2210B		2	50		8
ECAI2213B		2	50		9
ECAI2517B		2	50		8
ECAI2525B		2	50		8
ECAI3010B		2	50		8
ECAI3213B		2	50		9
ECAI4010B		2	50		8
ECAI4017B		2	50		8
ECAI4025B		2	50		8
ECAI4040B		2	50		11
ECAI6017B		2	50		8
ECAI6040B		2	50		11
ECAI6060B			10		11
ECAI8040B			10		11
ECAI8060B			10		11
ECAI8080B			10		11
ECAP10040B			10		11
ECAP10060B			10		11
ECAP10080B			10		11
ECAP12040B			10		11
ECAP12060B			10		11
ECAP12080B			8		11
ECAP15060B			8		11
ECAP1517B	2	50			8
ECAP20060B			8		11
ECAP20080B			6		11
ECAP2010B		2	50		8
ECAP2210B		2	50		8
ECAP2213B		2	50		9
ECAP2517B		2	50		8
ECAP2525B		2	50		8
ECAP3010B		2	50		8
ECAP3213B		2	50		9
ECAP4010B		2	50		8
ECAP4017B		2	50		8
ECAP4025B		2	50		8
ECAP4040B		2	50		11
ECAP6017B		2	50		8
ECAP6040B		2	50		11
ECAP6060B			10		11
ECAP8040B			10		11
ECAP8060B			10		11
ECAP8080B			10		11
ECBR11060B			20		13
ECBR13065B			12		13
ECBRAE11060B	1				14
ECBRAE13065B	1				14
ECBRAI11060B	1				14
ECBRAI13065B	1				14
ECBRC80B			100		14
ECBRGU11060B		10	50		14
ECBRGU13065B		10	50		14
ECBRS1			50		14
ECBRS2			25		14
ECBRTT11060B			10		14
ECBRTT13065B			10		14
ECBS16W02	1		175		
ECBS20W02	1		175		
ECBS25W02	1		100		
ECBS32W02	1		50		
ECC12		100	1200		63
ECC16		100	1000		63
ECC25		50	500		63
ECC50		50	250		63
ECCAP5012B			50		12
ECCAP5012G			50		12
ECCAP7517A			50		12
ECCAP7517B			50		12
ECCAP7517G			50		12
ECCF16		100	1500		63
ECCF16W10	1		150		
ECCF20		100	1000		63
ECCF20W10	1		100		
ECCF25		100	1000		63
ECCF25W10	1		100		
ECCF32		50	800		63
ECCF32W10	1		80		
ECCF40		50	400		63
ECCF50		25	250		63
ECCFC16		100	1000		63
ECCFC16W10	1		100		
ECCFC20		100	1000		63
ECCFC20CR		100	1000		54
ECCFC20W10	1		100		
ECCFC25		100	800		63
ECCFC25CR		100	800		54
ECCFC25W10	1		80		
ECCFC32		50	500		63
ECCFC32W10	1		50		
ECCFC40		50	400		63
ECCFC50		25	250		63
ECCFF1		100	1400		
ECCFF1W10	1		140		
ECCFF2		50	700		
ECCFF2W10	1		70		
ECCI16		100	400		61
ECCI16W02	1		200		
ECCI20		100	300		61
ECCI20W02	1		150		
ECCI25		50	200		61
ECCI25W02	1		100		
ECCI32		25	150		61
ECCI32W02	1		75		
ECC0100100		5	25		12
ECC010040		5	25		12
ECC010060		5	25		12
ECC010080		5	25		12
ECC012040		5	25		12
ECC012060		5	25		12
ECC012080		5	25		12
ECC0150		5	25		12
ECC0200		5	25		12
ECC040100		5	25		12
ECC04040		5	25		12
ECC04060		5	25		12
ECC04080		5	25		12
ECC060100		5	25		12
ECC06040		5	25		12
ECC06060		5	25		12
ECC06080		5	25		12
ECC080100		5	25		12
ECC08040		5	25		12
ECC08060		5	25		12
ECC08080		5	25		12
ECCP100100B			16	192	10
ECCP100100BL			16	192	10
ECCP100100G			16	192	10
ECCP10040B			28	504	10
ECCP10040G			28	504	10
ECCP10060B			20	360	10
ECCP10060BL			20	360	10
ECCP10060G			20	360	10
ECCP10080B			24	288	10
ECCP10080BL			24	288	10
ECCP10080G			24	288	10
ECCP12040B			24	432	10
ECCP12040G			24	432	10
ECCP12060B			20	360	10
ECCP12060G			20	360	10
ECCP12080B			16	288	10
ECCP12080G			16	288	10
ECCP150100B			8	144	10
ECCP150100G			8	144	10
ECCP15060B			16		10
ECCP15060G			16		10
ECCP15080B			12	216	10
ECCP15080G			12	216	10
ECCP20060B			16		10
ECCP20060G			16		10
ECCP20080B			12		10
ECCP20080G			12		10
ECCP2540B			100	1800	10
ECCP2540BL			100	1800	10
ECCP2540G			100	1800	10
ECCP2560B			70	1260	10
ECCP2560BL			70	1260	10
ECCP2560G			70	1260	10
ECCP2580B			56	1008	10
ECCP2580BL			56	1008	10
ECCP2580G			56	1008	10
ECCP40100B			32	576	10
ECCP40100BL			32	576	10
ECCP40100G			32	576	10
ECCP4040B			70	1260	10
ECCP4040BL			70	1260	10



Code	Quantity				Page
	U	C	I	P	
ECCP4040G			70	1260	10
ECCP4060B			56	1008	10
ECCP4060BL			56	1008	10
ECCP4060G			56	1008	10
ECCP4080B			40	720	10
ECCP4080BL			40	720	10
ECCP4080G			40	720	10
ECCP5050B			24		10
ECCP5050G			24		10
ECCP60100B			24	288	10
ECCP60100BL			24	288	10
ECCP60100G			24	288	10
ECCP6040B			50	900	10
ECCP6040BL			50	900	10
ECCP6040G			50	900	10
ECCP6060B			32	576	10
ECCP6060BL			32	576	10
ECCP6060G			32	576	10
ECCP6080B			36	432	10
ECCP6080BL			36	432	10
ECCP6080G			36	432	10
ECCP7550B			40		10
ECCP7550G			40		10
ECCP80100B			24	288	10
ECCP80100BL			24	288	10
ECCP80100G			24	288	10
ECCP8040B			40	720	10
ECCP8040BL			40	720	10
ECCP8040G			40	720	10
ECCP8060B			28	504	10
ECCP8060BL			28	504	10
ECCP8060G			28	504	10
ECCP8080B			30	360	10
ECCP8080BL			30	360	10
ECCP8080G			30	360	10
ECCPB		5	50		9
ECCPH10040			28	504	12
ECCPH10060			20	360	12
ECCPH10080			24	288	12
ECCPH12040			24	432	12
ECCPH12060			20	360	12
ECCPH12080			16	288	12
ECCPH2540			100	1800	12
ECCPH2560			70	1260	12
ECCPH2580			56	1008	12
ECCPH4040			70	1260	12
ECCPH4060			56	1008	12
ECCPH4080			40	720	12
ECCPH6040			50	900	12
ECCPH6060			32	576	12
ECCPH6080			36	432	12
ECCPH8040			40	720	12
ECCPH8060			28	504	12
ECCPH8080			30	360	12
ECCR100B			60		11
ECCR100BL			60		11
ECCR100G			60		11
ECCR100HG			60		12
ECCR120B			80		11
ECCR120G			80		11
ECCR120HG			80		12
ECCR150B			60		11
ECCR150G			60		11
ECCR200B			40		11
ECCR200G			40		11
ECCR25B			100		11
ECCR25BL			100		11
ECCR25G			100		11
ECCR25HG			100		12
ECCR40B			100		11
ECCR40BL			100		11
ECCR40G			100		11
ECCR40HG			100		12
ECCR60B			100		11
ECCR60BL			100		11
ECCR60G			100		11
ECCR60HG			100		12
ECCR80B			100		11
ECCR80BL			100		11
ECCR80G			100		11
ECCR80HG			100		12
ECCRS16		50	1000		61
ECCRS16H		50	1000		61
ECCRS16W05	1		200		
ECCRS20		50	600		61
ECCRS20H		50	600		61
ECCRS20W05	1		120		
ECCRS25		25	300		61
ECCRS25H		25	300		61
ECCRS25W05	1		60		
ECCRS32			100		61
ECCRS32H			100		61
ECCRS32W05	1		20		
ECCRS40			100		61
ECCRS40H			100		61
ECCRS50			50		61
ECCRS50H			50		61
ECCS16W02	1		100		
ECCS20W02	1		100		
ECCS25W02	1		50		
ECCS32W02	1		25		
ECCT16		100	1000		63
ECCT16W10	1		100		
ECCT20		100	1000		63
ECCT20W10	1		100		
ECCT25		100	800		63
ECCT25W10	1		80		
ECCT32		50	400		63
ECCT32W10	1		40		
ECCV16		20	300		61
ECCV20		20	200		61
ECCV25		20	120		61
ECCV32		10	80		61
ECCXS16W01	1		200		
ECCXS20W01	1		200		
ECCXS25W01	1		140		
ECCXS32W01	1		80		
ECCXT16W01	1		200		
ECCXT20W01	1		200		
ECCXT25W01	1		140		
ECCXT32W01	1		80		
ECGC		50	400		63
ECGFE08			30	9600	59
ECGFE08N			30	9600	59
ECGFE10			30	6840	59
ECGFE10N			30	6840	59
ECGFE12			30	5940	59
ECGFE12N			30	5940	59
ECGFE14			30	5400	59
ECGFE14N			30	5400	59
ECGFE16			30	5400	59
ECGFE16N			30	5400	59
ECGFE20			30	4320	59
ECGFE20N			30	4320	59
ECGFE22			30	2400	59
ECGFE22N			30	2400	59
ECGFE25			30	1950	59
ECGFE25N			30	1950	59
ECGFE28			30	1950	59
ECGFE28N			30	1950	59
ECGFE32			30	1800	59
ECGFE32N			30	1800	59
ECGFE35			30	1440	59
ECGFE35N			30	1440	59
ECGFE40			30	1440	59
ECGFE40N			30	1440	59
ECGFE50			30	660	59
ECGFE50N			30	660	59
ECGFE60			30	300	59
ECGFE60N			30	300	59
ECGFLEX16		100	2000		62
ECGFLEX16W05	1		400		62
ECGFLEX20		100	1200		62
ECGFLEX20W05	1		240		62
ECGFLEX25		100	700		62
ECGFLEX25W05	1		140		62
ECGFLEX32		50	400		62
ECGFLEX32W05	1		80		62
ECGFLEX40			300		62
ECGFLEX50			150		62
ECGI16		100	2000		61
ECGI20		100	1200		61
ECGI25		100	700		61
ECGI32			400		61
ECGI40			200		61
ECGI50			100		61
ECGS16W02	1		175		
ECGS20W02	1		175		
ECGS25W02	1		100		
ECGS32W02	1		50		
ECGSU16		100	1200		62
ECGSU16H		100	1200		62
ECGSU16W05	1		240		
ECGSU20		100	800		62
ECGSU20H		100	800		62
ECGSU20W05	1		160		
ECGSU25		50	500		62
ECGSU25H		50	500		62
ECGSU25W05	1		100		
ECGSU32		25	250		62
ECGSU32H		25	250		62
ECGSU32W05	1		50		
ECGSU40		25	150		62
ECGSU40H		25	150		62
ECGSU50		25	100		62
ECGSU50H		25	100		62
ECGT108W50	1		120		64
ECGT106W50	1		120		64
ECGT138W50	1		90		64
ECGT136W50	1		90		64
ECGT168W50	1		80		64
ECGT166W50	1		80		64



PRODUCT INDEX

Code	Quantity				Page	Code	Quantity				Page	Code	Quantity				Page
	U	C	I	P			U	C	I	P			U	C	I	P	
ECGT19BW50	1		60		64	ECGX16N		25	350		62	ECICTA25BL			100	3600	58
ECGT19GW50	1		60		64	ECGX16W02	1		175			ECICTA25GC			100	3600	58
ECGT25BW50	1		32		64	ECGX20		25	250		62	ECICTA25K			100	3600	58
ECGT25GW50	1		32		64	ECGX20-21		25	250		63	ECICTA25KT			100	3600	58
ECGT4BW50	1		400		64	ECGX20-21N		25	250		63	ECICTA25L			100	3600	58
ECGT4GW50	1		400		64	ECGX20M		25	250		62	ECICTA25M			100	3600	58
ECGT6BW50	1		240		64	ECGX20MN		25	250		63	ECICTA25N			100	3600	58
ECGT6GW50	1		240		64	ECGX20N		25	250		62	ECICTA25N-UV			100	3600	58
ECGT8BW50	1		200		64	ECGX20W02	1		125			ECICTA25T			100	3600	58
ECGT8GW50	1		200		64	ECGX22		25	250		62	ECICTA25TBL			100	3600	58
ECGU10040B			20		11	ECGX22-21		25	250		63	ECICTA25TN			100	3600	58
ECGU10060B			20		11	ECGX22-21N		25	250		63	ECICTA25VE			100	3600	58
ECGU10080B			20		11	ECGX22N		25	250		62	ECICTA32			50	1800	57
ECGU12040B			20		11	ECGX25		10	150		62	ECICTA32BL			50	1800	58
ECGU12060B			10		11	ECGX25-29		10	150		63	ECICTA32GC			50	1800	58
ECGU12080B			10		11	ECGX25-29N		10	150		63	ECICTA32K			50	1800	58
ECGU15060B			10		11	ECGX25M		10	150		62	ECICTA32KT			50	1800	58
ECGU1517B		2	50		8	ECGX25MN		10	150		63	ECICTA32L			50	1800	58
ECGU20060B			10		11	ECGX25N		10	150		62	ECICTA32M			50	1800	58
ECGU20080B			10		11	ECGX25W02	1		75			ECICTA32N			50	1800	58
ECGU2010B		2	50		8	ECGX28		10	120		62	ECICTA32N-UV			50	1800	58
ECGU2210B		2	50		8	ECGX28-29		10	120		63	ECICTA32T			50	1800	58
ECGU2213B		2	50		9	ECGX28-29N		10	120		63	ECICTA32TBL			50	1800	58
ECGU2517B		2	50		8	ECGX28N		10	120		62	ECICTA32TN			50	1800	58
ECGU2525B		2	50		8	ECGX32		10	90		62	ECICTA32VE			50	1800	58
ECGU3010B		2	50		8	ECGX32-36		10	90		63	ECICTA40			25	1000	57
ECGU3213B		2	50		9	ECGX32-36N		10	90		63	ECICTA40BL			25	1000	58
ECGU4010B		2	50		8	ECGX32M		10	90		62	ECICTA40GC			25	1000	58
ECGU4017B		2	50		8	ECGX32MN		10	90		63	ECICTA40N			25	1000	58
ECGU4025B		2	50		8	ECGX32N		10	90		62	ECICTA40N-UV			25	1000	58
ECGU4040B		2	50		11	ECGX32W02	1		45			ECICTA40T			25	1000	58
ECGU6017B		2	50		8	ECGX35		10	70		62	ECICTA40TBL			25	1000	58
ECGU6040B		2	50		11	ECGX35-36		10	70		63	ECICTA40TN			25	1000	58
ECGU6060B			20		11	ECGX35-36N		10	70		63	ECICTA50			25	800	57
ECGU8040B			20		11	ECGX35N		10	70		62	ECICTA50BL			25	800	58
ECGU8060B			20		11	ECGX40		10	60		62	ECICTA50GC			25	800	58
ECGU8080B			20		11	ECGX40M		10	60		62	ECICTA50N			25	800	58
ECGX10		25	500		62	ECGX40MN		10	60		63	ECICTA50N-UV			25	800	58
ECGX10-9		25	500		63	ECGX40N		10	60		62	ECICTA50T			25	800	58
ECGX10-9N		25	500		63	ECGX50		10	50		62	ECICTA50TBL			25	800	58
ECGX10M		25	500		62	ECGX50M		10	50		62	ECICTA50TN			25	800	58
ECGX10MN		25	500		63	ECGX50MN		10	50		63	ECK11054	1		50		70
ECGX10N		25	500		62	ECGX50N		10	50		62	ECK11056	1		40		70
ECGX12		25	500		62	ECICTA16			100	7000	57	ECK11100	1		40		70
ECGX12-11		25	500		63	ECICTA16BL			100	7000	58	ECK11100N	1		40		70
ECGX12-11N		25	500		63	ECICTA16GC			100	7000	58	ECK11101	1		30		70
ECGX12-13		25	500		63	ECICTA16N			100	7000	58	ECK11101N	1		30		70
ECGX12-13N		25	500		63	ECICTA16T			100	7000	58	ECK11102	1		30		70
ECGX12M		25	500		62	ECICTA16TBL			100	7000	58	ECK11102N	1		30		70
ECGX12MN		25	500		63	ECICTA16TN			100	7000	58	ECK11103	1		40		70
ECGX12N		25	500		62	ECICTA20			100	5000	57	ECK11104	1		40		70
ECGX14		25	400		62	ECICTA20BL			100	5000	58	ECK11104N	1		40		70
ECGX14-13		25	400		63	ECICTA20GC			100	5000	58	ECK11105	1		30		70
ECGX14-13N		25	400		63	ECICTA20K			100	5000	58	ECK11106	1		30		70
ECGX14N		25	400		62	ECICTA20KT			100	5000	58	ECK11106N	1		30		70
ECGX16		25	350		62	ECICTA20L			100	5000	58	ECK11107	1		30		70
ECGX16-11		25	350		63	ECICTA20M			100	5000	58	ECK11120	1	12	48		69
ECGX16-11N		25	350		63	ECICTA20N			100	5000	58	ECK11124	1	12	48		69
ECGX16-13		25	350		63	ECICTA20N-UV			100	5000	58	ECK11125	1	12	48		69
ECGX16-13N		25	350		63	ECICTA20T			100	5000	58	ECK11154	1		50		70
ECGX16-16		25	350		63	ECICTA20TBL			100	5000	58	ECK11156	1		40		70
ECGX16-16N		25	350		63	ECICTA20TN			100	5000	58	ECK11310N	1		30		70
ECGX16M		25	350		62	ECICTA20VE			100	5000	58	ECK11404	1		30		70
ECGX16MN		25	350		63	ECICTA25			100	3600	57	ECK11406	1		30		70



Code	Quantity				Page	Code	Quantity				Page	Code	Quantity				Page
	U	C	I	P			U	C	I	P			U	C	I	P	
ECK11504	1		50		70	ECK33604	1		50		68	ECK52032		10	200		72
ECK11506	1		30		70	ECK33605	1		100		68	ECK52045N		10	250		71
ECK22101	1		10		71	ECK33606	1		50		68	ECK71020	1	10	1000		71
ECK22102	1		10		71	ECK33607	1		100		68	ECK71021	1	10	1000		71
ECK22103	1		6		71	ECK33608	1		50		68	ECK71030	1	10	1000		71
ECK22104	1		4		70	ECK33609	1		100		68	ECK71031	1	10	1000		71
ECK22105	1		2		70	ECK33610	1		50		68	ECK71040	1		200		71
ECK22106	1		2		70	ECK33611	1		100		68	ECK71041	1		100		71
ECK22201	1		50		70	ECK33612	1		100		68	ECK81001	1	12	48		69
ECK22202	1		30		70	ECK33613	1		50		68	ECK81003	1	12	48		69
ECK22203	1		50		70	ECK33614	1		50		68	ECK81004	1	12	48		69
ECK22204	1		30		70	ECK33615	1		100		68	ECKIT100A	1		10		12
ECK22205	1		30		70	ECK33616	1		50		68	ECKIT100B	1		10		12
ECK22211	1		50		70	ECK33617	1		100		68	ECKIT120A	1		10		12
ECK22212	1		30		70	ECK33618	1		50		68	ECKIT120B	1		10		12
ECK22213	1		50		70	ECK33619	1		100		68	ECKIT150A	1		5		12
ECK22214	1		30		70	ECK33620	1		50		68	ECKIT150B	1		5		12
ECK22215	1		30		70	ECK33621	1		100		68	ECKIT80B	1		10		12
ECK22310	1				70	ECK33622	1		50		68	ECL40451WH	1		50		73
ECK22311	1				70	ECK33623	1		50		68	ECL40451WH-40	1		60		73
ECK22422	1		10		70	ECK33624	1		50		68	ECL40452WH	1		50		73
ECK22426	1		6		70	ECK33631	1		100		68	ECL40452WH-40	1		60		73
ECK33301		20	200		68	ECK33632	1		50		68	ECL40453WH	1		35		73
ECK33302		20	200		68	ECK33633	1		50		68	ECL40453WH-40	1		40		73
ECK33303		20	200		68	ECK33634	1		50		68	ECL40454WH	1		50		73
ECK33304		20	200		68	ECK51001	1		20		72	ECL40454WH-40	1		60		73
ECK33305		20	200		68	ECK51002	1		20		72	ECL40501WH	1		50		73
ECK33306		20	200		68	ECK51004	1	10	100		69	ECL40501WH-40	1		60		73
ECK33307		20	200		68	ECK51006	1		8		72	ECL40503WH	1		35		73
ECK33311		20	200		68	ECK51007	1		6		72	ECL40503WH-40	1		40		73
ECK33312		20	200		68	ECK51008	1		4		72	ECL4608	1		40		41-47
ECK33313		20	200		68	ECK51009	1		4		72	ECLAMA	1				18
ECK33314		20	200		68	ECK51018	1		4		72	ECMA1010			200		7
ECK33315		20	200		68	ECK51019	1		2		72	ECMA1010-SAC		20	200		7
ECK33316		20	200		68	ECK51021	1		50		71	ECMA1010M			200		7
ECK33317		20	200		68	ECK51022	1		50		71	ECMA125125			150		7
ECK33401		20	200		69	ECK51023	1		50		71	ECMA125125-SAC		20	160		7
ECK33403		20	200		69	ECK51024	1		50		71	ECMA125125M			150		7
ECK33405		20	200		69	ECK51030	1		10		71	ECMA12575			200		7
ECK33406		20	200		69	ECK51031	1		6		71	ECMA12575-SAC		20	200		7
ECK33407		20	200		69	ECK51032	1		4		71	ECMA1510			150		7
ECK33410		20	200		69	ECK51040	1		12		72	ECMA1510-SAC		20	160		7
ECK33411		20	200		69	ECK51041	1		12		72	ECMA1510M			150		7
ECK33413		20	200		69	ECK51042	1		24		72	ECMA2010			100		7
ECK33415		20	200		69	ECK52001		10	500		72	ECMA2010-SAC		20	100		7
ECK33416		20	200		69	ECK52001B		10	500		71	ECMA2010M			100		7
ECK33417		20	200		69	ECK52001C		10	500		71	ECMA2075			150		7
ECK33420		20	200		69	ECK52002		10	500		72	ECMA2075-SAC		20	160		7
ECK33421		20	200		69	ECK52002B		10	500		71	ECMC1515B			100		7
ECK33422		20	200		69	ECK52002C		10	500		71	ECMC1517AB			80		7
ECK33423	1	20	200		69	ECK52003		10	250		72	ECMC1517B			100		7
ECK33424	1	20	200		69	ECK52004		10	250		72	ECMC1517B-SAC		20	100		7
ECK33501		20	200		69	ECK52005		10	500		72	ECMC1517M			100		7
ECK33502		20	200		69	ECK52005B		10	500		71	ECMC1818B			100		7
ECK33503		20	200		69	ECK52006		10	250		72	ECMC2010AB			100		7
ECK33504		20	200		69	ECK52008		10	200		71	ECMC2010B			100		7
ECK33505		20	200		69	ECK52010		10	500		72	ECMC2010B-SAC		20	100		7
ECK33511		20	200		69	ECK52011		10	500		72	ECMC2010M			100		7
ECK33512		20	200		69	ECK52012		10	500		72	ECMC2020B			90		7
ECK33514		20	200		69	ECK52015		10	250		72	ECMC2210-1B			100		7
ECK33515		20	200		69	ECK52016		10	250		72	ECMC2210-1B-SAC		20	100		7
ECK33601	1		100		68	ECK52017		10	250		72	ECMC2210-1M			100		7
ECK33602	1		100		68	ECK52018		10	250		72	ECMC2210B			100		7
ECK33603	1		50		68	ECK52031		10	200		72	ECMC2210B-SAC		20	100		7



PRODUCT INDEX

Code	Quantity				Page	Code	Quantity				Page	Code	Quantity				Page
	U	C	I	P			U	C	I	P			U	C	I	P	
ECMC2213-1B			100		9	ECRM16-23		10	400		62	ECS60100			24	288	17
ECMC2213-1B-SAC		20	100		9	ECRM20-23		10	400		62	ECS60100B			24	288	17
ECMC2517AB			60		7	ECRM20-29		10	350		62	ECS60100BL			24	288	18
ECMC2517B			80		7	ECRM25-29		10	300		62	ECS6040			50	900	17
ECMC2517B-SAC		20	60		7	ECRM32-37		10	200		62	ECS6040BL			50	900	18
ECMC2517M			80		7	ECRM40-37		5	100		62	ECS6060			32	576	17
ECMC2525AB			80		7	ECRM50-48		5	70		62	ECS6060B			32	576	17
ECMC2525B			100		7	ECSR16W02	1		100			ECS6060BL			32	576	18
ECMC2525B-SAC		20	80		7	ECSR20W02	1		100			ECS6080			36	432	17
ECMC3010-1B			80		7	ECSR25W02	1		80			ECS6080B			36	432	17
ECMC3010-1B-SAC		20	80		7	ECSR32W02	1		40			ECS6080BL			36	432	18
ECMC3010AB			80		7	ECS100100			16	192	17	ECS80100			24	288	17
ECMC3010B			80		7	ECS100100BL			16	192	18	ECS80100B			24	288	17
ECMC3010B-SAC		20	80		7	ECS10040			28	504	17	ECS80100BL			24	288	18
ECMC3015B			80		7	ECS10060			20	360	17	ECS8040			40	720	17
ECMC3030B			80		7	ECS10060B			20	360	17	ECS8040BL			40	720	18
ECMC3213-1B			80		9	ECS10060BL			20	360	18	ECS8060			28	504	17
ECMC3213-1B-SAC		20	80		9	ECS10080			24	288	17	ECS8060BL			28	504	18
ECMC4010B			60		7	ECS10080B			24	288	17	ECS8080			30	360	17
ECMC4010B-SAC		20	60		7	ECS10080BL			24	288	18	ECS8080B			30	360	17
ECMC4017-1B			50		7	ECS12040			24	432	17	ECS8080BL			30	360	18
ECMC4017-1B-SAC		20	40		7	ECS12060			20	360	17	ECS8080BL			30	360	18
ECMC4017-1M			50		7	ECS12060B			20	360	17	ECS8080BL			30	360	18
ECMC4017AB			80		7	ECS12080			16	288	17	ECS8080BL			30	360	18
ECMC4017B			50		7	ECS12080B			16	288	17	ECS8080BL			30	360	18
ECMC4017B-SAC		20	40		7	ECS150100			8	144	17	ECS8080BL			30	360	18
ECMC4017M			50		7	ECS15080			12	216	17	ECS8080BL			30	360	18
ECMC4025AB			60		7	ECS25100			20	800	17	ECS8080BL			30	360	18
ECMC4025B			80		7	ECS2525			100	2000	17	ECS8080BL			30	360	18
ECMC4025M			80		7	ECS2525BL			100	2000	18	ECS8080BL			30	360	18
ECMC5020-1B			60		7	ECS2540			100	1800	17	ECS8080BL			30	360	18
ECMC5020-2B			60		7	ECS2540B			100	1800	17	ECS8080BL			30	360	18
ECMC5020B			60		7	ECS2540BL			100	1800	18	ECS8080BL			30	360	18
ECMC6017B			70		7	ECS2560			70	1260	17	ECS8080BL			30	360	18
ECMC6017M			70		7	ECS2560B			70	1260	17	ECS8080BL			30	360	18
ECMS16W02	1		175			ECS2560BL			70	1260	18	ECS8080BL			30	360	18
ECMS20W02	1		100			ECS2580			56	1008	17	ECS8080BL			30	360	18
ECMS25W02	1		100			ECS2580B			56	1008	17	ECS8080BL			30	360	18
ECMS32W02	1		50			ECS2580BL			56	1008	18	ECS8080BL			30	360	18
ECP04		25	500		19	ECS3-05	1		340		65	ECS8080BL			30	360	18
ECP06		25	300		19	ECS3-10	1		180		65	ECS8080BL			30	360	18
ECP08		25	200		19	ECS3-15	1		120		65	ECS8080BL			30	360	18
ECP10		25	150		19	ECS3-20	1		90		65	ECS8080BL			30	360	18
ECP12		20	120		19	ECS3-25	1		70		65	ECS8080BL			30	360	18
ECP14		20	100		19	ECS3-30	1		60		65	ECS8080BL			30	360	18
ECPA04		25	500		19	ECS4-05	1		200		65	ECS8080BL			30	360	18
ECPA06		25	300		19	ECS4-10	1		100		65	ECS8080BL			30	360	18
ECPA08		25	200		19	ECS4-15	1		60		65	ECS8080BL			30	360	18
ECPA10		25	150		19	ECS4-20	1		50		65	ECS8080BL			30	360	18
ECPA12		20	120		19	ECS4-25	1		40		65	ECS8080BL			30	360	18
ECPA14		20	100		19	ECS4-30	1		36		65	ECS8080BL			30	360	18
ECPN04		25	500		19	ECS40100			32	576	17	ECS8080BL			30	360	18
ECPN06		25	300		19	ECS40100BL			32	576	18	ECS8080BL			30	360	18
ECPN08		25	200		19	ECS4025			80	1600	17	ECS8080BL			30	360	18
ECPN10		25	150		19	ECS4025BL			80	1600	18	ECS8080BL			30	360	18
ECPN12		20	120		19	ECS4040			70	1260	17	ECS8080BL			30	360	18
ECPN14		20	100		19	ECS4040B			70	1260	17	ECS8080BL			30	360	18
ECP0Z.20	1			360	65	ECS4040BL			70	1260	18	ECS8080BL			30	360	18
ECP0Z.25	1			160	65	ECS4060			56	1008	17	ECS8080BL			30	360	18
ECP0Z.30	1			128	65	ECS4060B			56	1008	17	ECS8080BL			30	360	18
ECP0Z.40	1			54	65	ECS4060BL			56	1008	18	ECS8080BL			30	360	18
ECRCA20		100	1200		62	ECS4080			40	720	17	ECS8080BL			30	360	18
ECRCA25		100	700		62	ECS4080B			40	720	17	ECS8080BL			30	360	18
ECRCA32		50	400		62	ECS4080BL			40	720	18	ECS8080BL			30	360	18



Code	Quantity				Page	Code	Quantity				Page	Code	Quantity				Page
	U	C	I	P			U	C	I	P			U	C	I	P	
ECT4025B		2	50		8	ECTC152510	1			165	56	ECTFLEX32		50	800		62
ECT4040B		2	50		11	ECTC152525	1			90	56	ECTFLEX40		50	500		62
ECT6017B		2	50		8	ECTC152525T	1			90	56	ECTFLEX50		50	300		62
ECT6040B		2	50		11	ECTC152575			75	3300	56	ECTG1216			102	3162	55
ECT6060B			10		11	ECTC152575T			75	3300	56	ECTG1216-2			68	2108	55
ECTG1216			100	6000	56	ECTC1525B			50	3000	56	ECTG1216B			102	3162	55
ECTC121625	1			165	56	ECTC1525BL			50	3000	57	ECTG1216B-2			68	2108	55
ECTC121625T	1			165	56	ECTC1525L			50	3000	57	ECTG1220			102	2040	55
ECTC121650			50	4800	56	ECTC1525M			50	3000	57	ECTG1220-2			68	1360	55
ECTC121650T			50	4800	56	ECTC1525T			50	3000	56	ECTG1220B			102	2040	55
ECTC1216T			100	6000	56	ECTC1525TB			50	3000	57	ECTG1220B-2			68	1360	55
ECTC1220			100	4800	56	ECTC1525TBL			50	3000	57	ECTG1225			60	1440	55
ECTC122025	1			121	56	ECTC1525TL			50	3000	57	ECTG1225-2			40	960	55
ECTC122025T	1			121	56	ECTC1525TM			50	3000	57	ECTG1225B			60	1440	55
ECTC122050			50	3300	56	ECTC1525TVE			50	3000	57	ECTG1225B-2			40	960	55
ECTC122050T			50	3300	56	ECTC1525VE			50	3000	57	ECTG1232			30	840	55
ECTC1220T			100	4800	56	ECTC1532			25	1600	56	ECTG1232-2			20	560	55
ECTC1225			50	2800	56	ECTC1532B			25	1600	56	ECTG1232B			30	840	55
ECTC1225100			100	3600	56	ECTC1532BL			25	1600	57	ECTG1232B-2			20	560	55
ECTC122525	1			90	56	ECTC1532L			25	1600	57	ECTG1240			30	540	55
ECTC122525T	1			90	56	ECTC1532M			25	1600	57	ECTG1240-2			20	360	55
ECTC1225T			50	2800	56	ECTC1532T			25	1600	56	ECTG1240B			30	540	55
ECTC1232			25	1600	56	ECTC1532TB			25	1600	57	ECTG1240B-2			20	360	55
ECTC123250			50	1800	56	ECTC1532TBL			25	1600	57	ECTG1250			15	360	55
ECTC1232T			25	1600	56	ECTC1532TL			25	1600	57	ECTG1250-2			10	240	55
ECTC1240			25	1000	56	ECTC1532TM			25	1600	57	ECTG1250B			15	360	55
ECTC1240T			25	1000	56	ECTC1532TVE			25	1600	57	ECTG1250B-2			10	240	55
ECTC1250			25	800	56	ECTC1532VE			25	1600	57	ECTG1516			102	3162	55
ECTC1250T			25	800	56	ECTC1540			25	1000	56	ECTG1516-2			68	2108	55
ECTC1516			100	6000	56	ECTC1540T			25	1000	56	ECTG1516B			75	4500	55
ECTC151610	1			288	56	ECTC1550			25	800	56	ECTG1516B-2			50	3000	55
ECTC151625	1			198	56	ECTC1550T			25	800	56	ECTG1520			102	2040	55
ECTC151625T	1			198	56	ECTC1816			100	6000	57	ECTG1520-2			68	1360	55
ECTC151650			50	4800	56	ECTC181610	1			288	57	ECTG1520B			51	3060	55
ECTC151650T			50	4800	56	ECTC181625	1			165	57	ECTG1520B-2			34	2040	55
ECTC1516B			100	6000	56	ECTC181650			50	4800	57	ECTG1520CR			102	2040	54
ECTC1516BL			100	6000	57	ECTC181650T			50	4800	57	ECTG1525			60	1440	55
ECTC1516L			100	6000	57	ECTC1816T			100	6000	57	ECTG1525-2			40	960	55
ECTC1516M			100	6000	57	ECTC1820			100	4800	57	ECTG1525B			51	1836	55
ECTC1516T			100	6000	56	ECTC182010	1			216	57	ECTG1525B-2			34	1224	55
ECTC1516TB			100	6000	57	ECTC182025	1			121	57	ECTG1525CR			60	1440	54
ECTC1516TBL			100	6000	57	ECTC182050			50	3300	57	ECTG1532			30	840	55
ECTC1516TL			100	6000	57	ECTC182050T			50	3300	57	ECTG1532-2			20	560	55
ECTC1516TM			100	6000	57	ECTC1820T			100	4800	57	ECTG1532B			30	1080	55
ECTC1516TVE			100	6000	57	ECTC1825			50	2800	57	ECTG1532B-2			20	720	55
ECTC1516VE			100	6000	57	ECTC182510	1			154	57	ECTG1540			30	540	55
ECTC1520			100	5200	56	ECTC1825100			100	3600	57	ECTG1540-2			20	360	55
ECTC152010	1			216	56	ECTC182525	1			90	57	ECTG1540B			21	630	55
ECTC152025	1			132	56	ECTC1825T			50	2800	57	ECTG1540B-2			14	420	55
ECTC152025T	1			132	56	ECTC1832			25	1600	57	ECTG1550			15	360	55
ECTC152050			50	3300	56	ECTC183250			50	1800	57	ECTG1550-2			10	240	55
ECTC152050T			50	3300	56	ECTC1832T			25	1600	57	ECTG1550B			15	450	55
ECTC1520B			100	5200	56	ECTC1840			25	1000	57	ECTG1550B-2			10	300	55
ECTC1520BL			100	5200	57	ECTC1840T			25	1000	57	ECTG1563			15		55
ECTC1520L			100	5200	57	ECTC1850			25	800	57	ECTG2016B			102	3162	55
ECTC1520M			100	5200	57	ECTC1850T			25	800	57	ECTG2020B			102	2040	55
ECTC1520T			100	5200	56	ECTC6		100	5000		64	ECTG2025B			60	1440	55
ECTC1520TB			100	5200	57	ECTC8		100	3000		64	ECTG2032B			30	840	55
ECTC1520TBL			100	5200	57	ECTFLEX13		100	2000		49	ECTG2040B			30	540	55
ECTC1520TL			100	5200	57	ECTFLEX16		100	2000		62	ECTG2050B			15	360	55
ECTC1520TM			100	5200	57	ECTFLEX18		100	2000		49	ECTG2116			102	3162	55
ECTC1520TVE			100	5200	57	ECTFLEX19		100	2000		49	ECTG2120			102	2040	55
ECTC1520VE			100	5200	57	ECTFLEX20		100	2000		62	ECTG2125			60	1440	55
ECTC1525			50	3000	56	ECTFLEX25		100	1500		49-62	ECTG2132			30	840	55



PRODUCT INDEX

Code	Quantity				Page
	U	C	I	P	
ECTG2140			30	540	55
ECTG2150			15	360	55
ECTI16		100	300		61
ECTI16W02	1		150		
ECTI20		50	200		61
ECTI20W02	1		100		
ECTI25		25	100		61
ECTI25W02	1		50		
ECTI32		25	100		61
ECTI32W02	1		50		
ECTP1216			100	7000	59
ECTP1216T			100	7000	59
ECTP1220			100	5000	59
ECTP1220T			100	5000	59
ECTP1225			50	3000	59
ECTP1225T			50	3000	59
ECTP1232			25	1600	59
ECTP1232T			25	1600	59
ECTP1240			25	1000	59
ECTP1240T			25	1000	59
ECTP1250			25	800	59
ECTP1250T			25	800	59
ECTP2016			100	7000	59
ECTP2016T			100	7000	59
ECTP2020			100	5000	59
ECTP2020T			100	5000	59
ECTP2025			50	3000	59
ECTP2025T			50	3000	59
ECTP2032			25	1600	59
ECTP2032T			25	1600	59
ECTP2040			25	1000	59
ECTP2050			25	800	59
ECTT10040B			20		12
ECTT10060B			20		12
ECTT10080B			20		12
ECTT12040B			20		12
ECTT12060B			20		12
ECTT12080B			20		12
ECTT15060B			10		12
ECTT1517B		2	50		8
ECTT20060B			10		12
ECTT20080B			10		12
ECTT2010B		2	50		8
ECTT2210B		2	50		8
ECTT2213B		2	50		9
ECTT2517B		2	50		8
ECTT2525B		2	50		8
ECTT3010B		2	50		8
ECTT3213B		2	50		9
ECTT4010B		2	50		8
ECTT4017B		2	50		8
ECTT4025B		2	50		8
ECTT4040B		2	50		12
ECTT6017B		2	50		8
ECTT6040B		2	50		12
ECTT6060B			20		12
ECTT8040B			20		12
ECTT8060B			20		12
ECTT8080B			20		12
MKT-B-001	1				76
MKT-B-002	1				76
MKT-B-003	1				76
MKT-B-004	1				76
MKT-B-005	1				76
MKT-B-006	1				76
MKT-BCD25	1				75
MKT-BCD26	1				75
MKT-BER01	1				75
MKT-BLOA4	1				75
MKT-BLOA5	1				75
MKT-BVB01-2XL	1				74
MKT-BVB01-L	1				74
MKT-BVB01-M	1				74
MKT-BVB01-S	1				74
MKT-BVB01-XL	1				74
MKT-BVB02-2XL	1				74
MKT-BVB02-L	1				74
MKT-BVB02-M	1				74
MKT-BVB02-S	1				74
MKT-BVB02-XL	1				74
MKT-BVB03-2XL	1				74
MKT-BVB03-L	1				74
MKT-BVB03-M	1				74
MKT-BVB03-S	1				74
MKT-BVB03-XL	1				74
MKT-BVB04-2XL	1				74
MKT-BVB04-L	1				74
MKT-BVB04-M	1				74
MKT-BVB04-S	1				74
MKT-BVB04-XL	1				74
MKT-BVB05-2XL	1				74
MKT-BVB05-L	1				74
MKT-BVB05-M	1				74
MKT-BVB05-S	1				74
MKT-BVB05-XL	1				74
MKT-CAP01	1				75
MKT-CPD	1				75
MKT-FCP01SB-2XL	1				74
MKT-FCP01SB-3XL	1				74
MKT-FCP01SB-L	1				74
MKT-FCP01SB-M	1				74
MKT-FCP01SB-S	1				74
MKT-FCP01SB-XL	1				74
MKT-FZL01BL-2XL	1				74
MKT-FZL01BL-3XL	1				74
MKT-FZL01BL-L	1				74
MKT-FZL01BL-M	1				74
MKT-FZL01BL-S	1				74
MKT-FZL01BL-XL	1				74
MKT-G-001	1				77
MKT-G-002	1				77
MKT-G-003	1				77
MKT-G-004	1				77
MKT-G-005	1				77
MKT-G-006	1				77
MKT-G-007	1				77
MKT-G-008	1				77
MKT-G-009	1				77
MKT-G-010	1				77
MKT-G-011	1				77
MKT-G-012	1				77
MKT-G-013	1				77
MKT-G-014	1				77
MKT-GMT01BL-2XL	1				74
MKT-GMT01BL-3XL	1				74
MKT-GMT01BL-L	1				74
MKT-GMT01BL-M	1				74
MKT-GMT01BL-S	1				74
MKT-GMT01BL-XL	1				74
MKT-GSH01BL-2XL	1				74
MKT-GSH01BL-3XL	1				74
MKT-GSH01BL-L	1				74
MKT-GSH01BL-M	1				74
MKT-GSH01BL-S	1				74
MKT-GSH01BL-XL	1				74
MKT-KYH01	1				75
MKT-LPB	1				75
MKT-MUG25	1				75
MKT-MUG26	1				75
MKT-PEN01AR	1				75
MKT-PEN01BL	1				75
MKT-PEN02BI	1				75
MKT-POL01BL-2XL	1				74
MKT-POL01BL-3XL	1				74
MKT-POL01BL-L	1				74
MKT-POL01BL-M	1				74
MKT-POL01BL-S	1				74
MKT-POL01BL-XL	1				74
MKT-SBC01	1				75
MKT-SGA01BI	1				75
MKT-SGL01BI	1				75
MKT-T-001	1				76
MKT-T-002	1				76
MKT-T-003	1				76
MKT-T-004	1				76
MKT-TMR25	1				75
MKT-TSH01BI-2XL	1				74
MKT-TSH01BI-3XL	1				74
MKT-TSH01BI-L	1				74
MKT-TSH01BI-M	1				74
MKT-TSH01BI-S	1				74
MKT-TSH01BI-XL	1				74
MKT-V-001	1				77
MKT-V-002	1				77
MKT-V-003	1				77
MKT-V-004	1				77
MKT-V-005	1				77
MKT-V-006	1				77
MKT-ZAI01NE	1				75
MKT-ZAI02NE	1				75

SO SUBTLE
AS TO BE UNSEEN.
SO ESSENTIAL
AS TO BE NOTICED.



ESSENZA

Completely flat and just 11 mm thick, Elettrocanali transforms a simple technical element like the distribution board into a **refined design detail**.

The satin finish, combined with multiple customization options, creates a contemporary aesthetic that enhances minimalism without sacrificing personality, blending elegance and functionality in perfect harmony.



WHITE



SAND



BLACK



elettrocanali.com

EC **elettrocanali**
THE ITALIAN EVOLUTION OF ELECTRICITY

