

**EC6900761**

**BOARD FOR CONSTRUCTION SITE  
ASC 4 SOCKETS IOSBF - PLUG**



IMMAGINE RAPPRESENTATIVA  REPRESENTATIVE IMAGE

Industrial > Distribution boards > Distribution boards > Series  
acs - panel system 700 > Energy distributor for construction  
site > 4 horizontal interlocked sockets - power supply with plug

**Technical Symbols/Marks/Approvals**



**Norms**

EN 61439-1 EN 61439-4

**Etim**

**GROUP EG000023 - Distribution boards**

**CLASS EC000484 - Energy distributor for construction site**


<b>Rated current</b>	32 A	<b>Leakage current type</b>	Other	<b>Degree of protection (IP)</b>	IP65
<b>Width</b>	677 mm	<b>Height</b>	658 mm	<b>Depth</b>	288 mm
<b>Model</b>	Distributor cabinet	<b>Housing material</b>	Plastic	<b>Number of socket outlets with protective contact CEE 7/3 (type F)</b>	0
<b>Number of socket outlets Swiss standard type 13</b>	0	<b>Number of socket outlets Swiss standard type 15</b>	0	<b>Number of socket outlets Swiss standard type 23</b>	0
<b>Number of socket outlets Swiss standard type 25</b>	0	<b>Number of miniature circuit breakers (MCB)</b>	2	<b>Rated voltage</b>	400 V
<b>Connected load</b>	21 kW	<b>Number of CEE socket outlets (IEC 60309) 16 A / 24 V / 2P (L, N)</b>	0	<b>Number of CEE socket outlets (IEC 60309) 16 A / 230 V / 3P (L, N, PE)</b>	2
<b>Number of CEE socket outlets (IEC 60309) 16 A / 230 V / 5P (1, 2, 3, N, PE)</b>	0	<b>Number of CEE socket outlets (IEC 60309) 16 A / 400 V / 4P (1, 2, 3, PE)</b>	0	<b>Number of CEE socket outlets (IEC 60309) 16 A / 400 V / 5P (1, 2, 3, N, PE)</b>	0
<b>Number of CEE socket outlets (IEC 60309) 32 A / 230 V / 4P (1, 2, 3, PE)</b>	0	<b>Number of CEE socket outlets (IEC 60309) 32 A / 400 V / 4P (1, 2, 3, PE)</b>	2	<b>Number of CEE socket outlets (IEC 60309) 32 A / 400 V / 5P (1, 2, 3, N, PE)</b>	0
<b>Number of CEE socket outlets (IEC 60309) 63 A / 230 V / 4P (1, 2, 3, PE)</b>	0	<b>Number of CEE socket outlets (IEC 60309) 63 A / 400 V / 5P (1, 2, 3, N, PE)</b>	0	<b>Number of CEE socket outlets (IEC 60309) 125 A / 230 V / 4P (1, 2, 3, PE)</b>	0
<b>Number of CEE socket outlets (IEC 60309) 125A / 400 V / 5P (1, 2, 3, N, PE)</b>	0	<b>Number of meter panels</b>	0	<b>Main switch</b>	Other
<b>Main switch rated current</b>	32 A	<b>Number of poles main switch</b>	4	<b>Number of earth leakage switches 10 mA</b>	0
<b>Number of earth leakage switches 30 mA</b>	1	<b>Number of earth leakage switches 100 mA</b>	0	<b>Number of earth leakage switches 300 mA</b>	0
<b>Emergency stop button</b>	Yes	<b>Suitable according to IEC/EN 61439-4</b>	Yes		

**Technical Characteristics**

<b>Prese_16A_2P+T</b>	2	<b>Prese_32A_2P+T</b>	-	<b>Prese_16A_3P+N+T</b>	-
<b>Prese_16A_3P+T</b>	-	<b>outlet protection mt 16A</b>	2x2P	<b>outlet protection mt 32A</b>	-
<b>3P+N+E plug</b>	32A	<b>prese_32A_3P+T</b>	2	<b>Prese_32A_3P+N+T</b>	-

**Documentation available for download**

**Electical diagram**  
6900761.pdf



## Barcode



8056351662581

**Unit**

1 NR

25 [kg]